

Vers 1.1	sion	Revision Date: 02/28/2018		DS Number: 00000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017
SEC	TION 1	. IDENTIFICATION			
	Produc	t name	:	GOJO® Original	Pumice Hand Cleaner
	Manuf	acturer or supplier's	deta	ails	
	Compa	any name of supplier	:	GOJO Industries	Inc.
	Addres	S	:	One GOJO Plaza Akron, Ohio, 443	
	Teleph	one	:	1 (330) 255-6000	
	Emerg ber	ency telephone num-	:		00-424-9300 703-527-3887: Outside USA & CANADA
	Recon	nmended use of the c	her	nical and restriction	ons on use
		imended use	:	Skin-care	
	Restric	tions on use	:	consumers and o foreseeable use. cally defined by r the requirement o rial is not conside information critica product for indust and unintended e should be retaine users of this prod	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, specifi- egulations around the world, are exempt from of an SDS for the consumer. While this mate- ared hazardous, this SDS contains valuable at to the safe handling and proper use of the trial workplace conditions as well as unusual exposures such as large spills. This SDS d and available for employees and other uct. For specific intended-use guidance, e information provided on the package or

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage	: Category 1
GHS label elements Hazard pictograms	



Version	Revision Date:	SDS Number:	Date of last issue: 10/23/2017
1.1	02/28/2018	400000005409	Date of first issue: 10/23/2017
Signal		: Danger	
	d statements	·	s serious eye damage.
	utionary statements	Prevention:	ye protection/ face protection.
		water for seve and easy to d	+ P338 + P310 IF IN EYES: Rinse cautiously with eral minutes. Remove contact lenses, if present lo. Continue rinsing. Immediately call a POISON loctor/ physician.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Mineral Oil (Paraffinum Liquidum)	8042-47-5	>= 30 - < 50
Trideceth-9	24938-91-8	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1
Chloroxylenol	88-04-0	>= 0.1 - < 1

### SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	:	If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye damage.



Vers 1.1	sion	Revision Date: 02/28/2018		9S Number: 0000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017
	Protect	ion of first-aiders	:		ers should pay attention to self-protection needed protective clothing
SEC	TION 5	. FIREFIGHTING MEA	SUI	RES	
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant f Dry chemical Carbon dioxide (C	
	Unsuita media	able extinguishing	:	None known.	
	Hazard ucts	ous combustion prod-	:	Carbon oxides	
	Specific ods	c extinguishing meth-	:	cumstances and t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers.
	Further	information	:	must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
	Special for firef	l protective equipment ighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while ob- serving environmental regulations.



Version 1.1	Revision Date: 02/28/2018	SDS Number: 400000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017
SECTION	7. HANDLING AND S	TORAGE	
Advic	e on safe handling	Do not swallow Avoid contact v	
Cond	itions for safe storage	Keep containe place.	ly labelled containers. r tightly closed in a dry and well-ventilated lance with the particular national regulations.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workpla	ce control param	eters		
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Mineral Oil (Paraffinum Liquidum)	8042-47-5	TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
Propylene Glycol	57-55-6	TWA (aero- sol)	10 mg/m3	CA ON OEL
		TWA (Va- pour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (Va- pour and aerosols)	50 ppm 155 mg/m3	CA ON OEL

## Components with workplace control parameter

#### Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
Hand protection		
Remarks	:	No special protective equipment required.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special measures necessary provided product is used correctly.
Protective measures	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.



Version 1.1	Revision Date: 02/28/2018		S Number: 0000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017
			Ensure that eye fl located close to the	ushing systems and safety showers are ne working place.
Hygien	e measures	:	Handle in accorda practice. Avoid contact with	ance with good industrial hygiene and safety n eyes.
SECTION 9	. PHYSICAL AND CHE	EMIC		3
Appear	rance	:	liquid	
Colour		:	opaque, yellow	
Odour		:	like fruit	
Odour	Threshold	:	No data available	)
pН		:	7 - 8 (20 °C)	
Melting	point/freezing point	:	No data available	9
Initial b range	oiling point and boiling	:	98 °C	
Flash p	point	:	> 100 °C	
Evapor	ation rate	:	No data available	)
Flamm	ability (solid, gas)	:	Not applicable	
Flamm	ability (liquids)	:	No data available	)
Upper	explosion limit	:	No data available	)
Lower	explosion limit	:	No data available	)
Vapour	rpressure	:	No data available	)
Relativ	e vapour density	:	No data available	)
Density	/	:	0.883 g/cm3	
Solubil Wat	ity(ies) ter solubility	:	soluble	
Partitio octano	n coefficient: n- I/water	:	Not applicable	
Auto-ig	nition temperature	:	No data available	)
Decom	position temperature	:	The substance o	r mixture is not classified self-reactive.
Viscosi Visc	ity cosity, kinematic	:	> 100000 mm2/s	(20 °C)



	Revision Date: 02/28/2018	-	S Number: 0000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017		
Explosi	ive properties	:	Not explosive			
Oxidizi	ng properties	:	The substanc	e or mixture is not classified as oxidizing.		
SECTION 1	0. STABILITY AND	REAC	ΤΙVITY			
Reactiv	vity	:	Not classified	as a reactivity hazard.		
Chemic	cal stability	:	Stable under	normal conditions.		
Conditi	ons to avoid	:	No data availa	able		
Incomp	patible materials	:	Strong oxidizi	ng agents		
Hazard produc	lous decomposition ts	:	No hazardous decomposition products are known.			
SECTION 1	1. TOXICOLOGICAI	_ INFC	RMATION			
	ontact <b>toxicity</b> ssified based on ava	ilable	nformation.			
		ilable	nformation.			
Produc Acute c	oral toxicity	:	Acute toxicity e Method: Calcu	estimate: > 5,000 mg/kg lation method		
Comp						
Compo	onents:					
		auidu	m):			
Minera	onents: Il Oil (Paraffinum Li oral toxicity	quidu :	<b>m):</b> LD50 (Rat): > :	5,000 mg/kg		
Minera Acute c	Il Oil (Paraffinum Li	quidu : :	LD50 (Rat): > LC50 (Rat): > Exposure time Test atmosphe	5 mg/l : 4 h		
Minera Acute o Acute i	II Oil (Paraffinum Li oral toxicity	quidu : :	LD50 (Rat): > LC50 (Rat): > Exposure time Test atmosphe Assessment: T tion toxicity LD50 (Rabbit):	5 mg/l : 4 h ere: dust/mist		
Minera Acute o Acute i	I Oil (Paraffinum Li oral toxicity nhalation toxicity dermal toxicity	:	LD50 (Rat): > LC50 (Rat): > Exposure time Test atmosphe Assessment: 1 tion toxicity LD50 (Rabbit): Assessment: 1	5 mg/l : 4 h ere: dust/mist The substance or mixture has no acute inhala- > 2,000 mg/kg		
Minera Acute d Acute i	I Oil (Paraffinum Li oral toxicity nhalation toxicity dermal toxicity	:	LD50 (Rat): > LC50 (Rat): > Exposure time Test atmosphe Assessment: T tion toxicity LD50 (Rabbit): Assessment: T toxicity	5 mg/l : 4 h ere: dust/mist The substance or mixture has no acute inhala- > 2,000 mg/kg		



Version 1.1	Revision Date: 02/28/2018		OS Number: 0000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017		
Acute inhalation toxicity		:	<ul> <li>LC50 (Rabbit): &gt; 159 mg/l, &gt; 51091 ppm</li> <li>Exposure time: 4 h</li> <li>Test atmosphere: dust/mist</li> <li>Assessment: The substance or mixture has no acute inhal tion toxicity</li> </ul>			
Acute dermal toxicity			: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity			
So	dium Hydroxymethylgly	vcina	te:			
	ute oral toxicity		LD50 (Rat): 1,05	0 mg/kg		
Ch	loroxylenol:					
	ute oral toxicity	:	Method: Expert j	on harmonised classification in EU regulati		
Ac	ute inhalation toxicity	:	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist			
Ac	ute dermal toxicity	:	LD50 (Rat): > 2,0	000 mg/kg		
-	n corrosion/irritation t classified based on ava	ilable	information.			
<u>Co</u>	mponents:					
Sp	<b>neral Oil (Paraffinum Li</b> ecies: Rabbit sult: No skin irritation	quidu	ım):			
Tri	deceth-9:					
	ecies: Rabbit sult: No skin irritation					
Pro	pylene Glycol:					
Me	ecies: Rabbit thod: OECD Test Guideli sult: No skin irritation	ine 40	)4			
Sp	dium Hydroxymethylgly ecies: Rabbit sult: Skin irritation	ycina	te:			

### Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI



Version	Revision Date:	SDS Number:
1.1	02/28/2018	40000005409

Date of last issue: 10/23/2017 Date of first issue: 10/23/2017

Serious eye damage/eye irritation Causes serious eye damage.

#### Components:

#### Mineral Oil (Paraffinum Liquidum):

Species: Rabbit Result: No eye irritation

#### Trideceth-9:

Species: Rabbit Result: Irreversible effects on the eye

#### **Propylene Glycol:**

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

#### Sodium Hydroxymethylglycinate:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

#### Chloroxylenol:

Result: Irreversible effects on the eye

#### Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

#### **Components:**

#### Mineral Oil (Paraffinum Liquidum):

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Result: negative

#### **Propylene Glycol:**

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig



rsion	Revision Date: 02/28/2018	SDS Number: 400000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017
Resul	t: negative		
Test T Expos Speci	Im Hydroxymethylg Type: Maximisation T sure routes: Skin cont es: Guinea pig t: positive	est (GPMT)	
Asses	sment: Probability or	evidence of skin sensi	tisation in humans
Asses		evidence of skin sensi nised classification in E	tisation in humans EU regulati on 1272/2008, Annex VI
	cell mutagenicity assified based on av	ailable information.	
<u>Comp</u>	oonents:		
	al Oil (Paraffinum L		
Geno	toxicity in vitro	: Test Type: In v Result: negativ	itro mammalian cell gene mutation test e
Geno	toxicity in vivo	cytogenetic ass Species: Mous Application Rou Method: OECD Result: negativ	e ute: Intraperitoneal injection 9 Test Guideline 474
Propy	/lene Glycol:		
	toxicity in vitro	: Test Type: Bac Result: negativ	terial reverse mutation assay (AMES) e
Genot	toxicity in vivo	Species: Mous	ute: Intraperitoneal injection
Sodiu	ım Hydroxymethylg	lycinate:	
	toxicity in vitro	-	terial reverse mutation assay (AMES) e
Genot	toxicity in vivo	: Test Type: Uns mammali an liv Species: Rat Result: negativ	
Chlor	oxylenol:		
	toxicity in vitro	: Test Type: Bac	terial reverse mutation assay (AMES)

Revision Date:

02/28/2018

Version

1.1



Date of last issue: 10/23/2017

Date of first issue: 10/23/2017

## **GOJO® Original Pumice Hand Cleaner**

SDS Number:

40000005409

1.1	02/20/2010	40	0000003403	Date of first issue. 10/25/2017
			Result: negative	
	<b>Carcinogenicity</b> Not classified based on availal	ble	information.	
	Components:			
	Mineral Oil (Paraffinum Liqu	idu	m):	
	Species: Rat Application Route: Ingestion Exposure time: 24 Months Result: negative			
	Propylene Glycol:			
	Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative			
	<b>Reproductive toxicity</b> Not classified based on availab	ble	information.	
	Components:			
	Mineral Oil (Paraffinum Liqu	idu	m):	
	Effects on fertility	:	Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study e: Skin contact
	Effects on foetal develop- ment	:	Test Type: Embry Species: Rat Application Route Result: negative	vo-foetal development e: Ingestion
	Propylene Glycol:			
	Effects on fertility	:	Species: Mouse Application Route Result: negative	e: Ingestion
	Effects on foetal develop- ment	:	Test Type: Embry Species: Mouse Application Route Result: negative	vo-foetal development e: Ingestion
	Sodium Hydroxymethylglyci	nat	e:	
	Effects on foetal develop- ment	:	Species: Rat Application Route Result: negative	e: Ingestion



Date of last issue: 10/23/2017 Date of first issue: 10/23/2017

## **GOJO® Original Pumice Hand Cleaner**

Version	Revision Date:	SDS Number:
1.1	02/28/2018	40000005409

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

#### **Components:**

#### Mineral Oil (Paraffinum Liquidum):

Species: Rat LOAEL: 160 mg/kg Application Route: Ingestion Exposure time: 90 d

Species: Rat LOAEL: >= 1 mg/l Application Route: inhalation (dust/mist/fume) Exposure time: 4 w Method: OECD Test Guideline 412

#### **Propylene Glycol:**

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

#### Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

#### Aspiration toxicity

Not classified based on available information.

#### **Components:**

#### Mineral Oil (Paraffinum Liquidum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity

#### Components:

#### Mineral Oil (Paraffinum Liquidum):

•

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203



Vers 1.1	ion	Revision Date: 02/28/2018		0S Number: 0000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	Toxicity	v to algae	:	NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
	Toxicity icity)	to fish (Chronic tox-	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d	
		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d	
	Tridece	eth-9:			
	Toxicity	to fish	:	LC50 (Leuciscus i Exposure time: 96	idus (Golden orfe)): > 1 - 10 mg/l S h
		to daphnia and other invertebrates	:	EC50: > 1 - 10 mg Exposure time: 48	
	Toxicity	v to algae	:	: EC50: > 1 - 10 mg/l Exposure time: 72 h	
	Propyle	ene Glycol:			
	Toxicity	•	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l ò h
		to daphnia and other invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia Dubia (water flea)): 18,340 mg/l 3 h
	Toxicity	r to algae	:	EC50 (Skeletoner Exposure time: 48 Method: OECD Te	
	Toxicity icity)	to fish (Chronic tox-	:	Chronic Toxicity V Exposure time: 30	
		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Ceriodaph Exposure time: 7 o	nnia Dubia (water flea)): 29,000 mg/l d
	Toxicity	v to bacteria	:	NOEC (Pseudomo Exposure time: 18	onas putida): > 20,000 mg/l 3 h
	Sodiun	n Hydroxymethylglyc	inat	e:	
	Toxicity		:	LC50: > 10 - 100 ı Exposure time: 96	
	Toxicity	to daphnia and other	:	EC50 (Daphnia pu	ulex (Water flea)): > 10 - 100 mg/l



/ersion .1	Revision Date: 02/28/2018		9S Number: 0000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017
aquat	ic invertebrates		Exposure time: 48	3 h
Toxici	ity to algae	:	ErC50 (Desmode catus)): > 10 - 100 Exposure time: 72	
Toxici	ity to bacteria	:	EC50: > 100 mg/l Exposure time: 120 h	
Chlor	roxylenol:			
Toxici	ity to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.76 mg/l 5 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 7.7 mg/l 3 h
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
Persi	stence and degradabili	ity		
<u>Comp</u>	Components:			
Miner	ral Oil (Paraffinum Liqu	uidu	m):	
Biode	gradability	:	Result: Not readil Biodegradation: 3 Exposure time: 28	31 %
Tride	ceth-9:			
Biode	gradability	:	Result: Readily bi Biodegradation: Exposure time: 28	> 60 %
Prop	ylene Glycol:			
	gradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28 Method: OECD T	98.3 %
Sodiu	um Hydroxymethylglyc	inat	e:	
Biode	gradability	:	Result: Readily bi	odegradable.
Bioac	cumulative potential			
<u>Com</u> r	oonents:			
Partiti	<b>ylene Glycol:</b> ion coefficient: n- ol/water	:	log Pow: -1.07	
Sodiu	um Hydroxymethylglyc	inat	e:	



Version 1.1	Revision Date: 02/28/2018	SDS Number: 40000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017	
	tion coefficient: n- nol/water	: log Pow: < 3		
Chlo	proxylenol:			
	tion coefficient: n- nol/water	: log Pow: 3.27		
Mob	ility in soil			
No d	lata available			
Othe	er adverse effects			
No d	lata available			
SECTION	13. DISPOSAL CON	SIDERATIONS		
Disp	osal methods			
Was	te from residues	: Dispose of in ac	ccordance with local regulations.	

Contaminated packaging	:	Dispose of as unused product. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

#### SECTION 14. TRANSPORT INFORMATION

#### **International Regulation**

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### **National Regulations**

#### TDG

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

#### The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
AICS	On the inventory, or in compliance with the inventory
DSL	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
ISHL	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory



Version 1.1	Revision Date: 02/28/2018	SDS Number: 400000005409	Date of last issue: 10/23/2017 Date of first issue: 10/23/2017		
PICCS			, or in compliance with the inventory		
IECSC NZIoC			On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory		

#### Canadian lists

No substances are subject to a Significant New Activity Notification.

#### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

Revision Date : 02/28/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



1.1         02/28/2018         40000005409         Date of first issue: 10/23/2017	Version	Revision Date:	SDS Number:	Date of last issue: 10/23/2017
	1.1	02/28/2018	400000005409	Date of first issue: 10/23/2017

CA / EN