Specifications

Eaton S9D2L0A



Catalog Number: S9D2L0A

Eaton Cooper Power series L-cutout, 200A, Interrupt sym: 7100A, 27 kV, No brkt, Polymer, BIL: 150 kV, Fuse holder: 200A, Bottom: Large eyebolt

General specifications

Product Name
Eaton Cooper Power series L-cutout

Catalog Number
S9D2L0A

UPC
194006033152

Product Length/Depth
19.6 in

Product Height
13.5 in

Product Width
3.75 in

Product Weight
15.432 lb

Compliances
CSA 310-09

Certifications
ANSI/IEEE Std C37.42
ANSI/IEEE Std C37.40
ANSI/IEEE Std C37.41

Powering Business Worldwide

Accessories

Fusing holder option

200A

Additional specifications

Packaging

Individual packaging (standard)

Description

Material (insulation)

Polymer

Termination bottom

Large eyebolt

Electrical Ratings

Amperage Rating

200 A

Basic impulse level

150kV

Interrupting current - asymmetrical

10,000A

Interrupting current - symmetrical

7100A

Voltage rating - max

27 kV

Mounting

Mounting Type

No bracket

Type

Cutout type

L-cutout

Resources

Catalogs

Arrester/flipper fuse combinations catalog

Specifications and datasheets

Eaton Specification Sheet - S9D2L0A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia