



# (lounge14™)

color body porcelain stoneware | rectified | 3D printing technique



sidecar

12"x24"



*Inspired by ancient weaves, adapted with 3d digital imaging to rectified porcelain stoneware for modern American lifestyles. Hints of subtle woven strands float atop the satin-finished contemporary neutrals of Lounge14, synthesizing old-world textiles with contemporary color body porcelain.*



Lounge 14 showcases fascinating 12"x24" decorative inlay elements that feature two-directional/right-angle graphic combinations for each color in the series; the six unique faces facilitate unrestrained design frenzy. The decorative inlay can be used separately or in conjunction with 9"x36", 18"x36" and 12"x24" field tile, because all are rectified to execute precise installation patterns. Bullnose trim in 3"x24" size plus 6"x12" cove base and 1"x6" out angles complete the package.



**cosmopolitan**

9"x36" - 12"x24" Decorative Inlay - 12"x24" Strip Mosaic



Four rich neutral, but certainly not dull, hues – Cosmopolitan, Martini, Sidecar, Spritzer – introduce authentic pattern and color yet remain foundational for calming places of respite, whether residential or hospitality. Myriads of captivating pattern layouts are possible given the range of colors plus the varied plank widths and complements.

# spritzer - sidecar

18"x36" - 12"x24" - Sidecar 12"x24" Strip Mosaic - 2"x2" Square Mosaic

# (lounge14™)



**ULGZ** Spritzer  
18"x36" Rectified



**ULGV** Spritzer  
9"x36" Rectified



**ULGR** Spritzer  
12"x24" Rectified



**ULGW** Cosmopolitan  
18"x36" Rectified



**ULGS** Cosmopolitan  
9"x36" Rectified



**ULGN** Cosmopolitan  
12"x24" Rectified

## Decos



**ULJM** Spritzer  
Strip Mosaic  
12"x24"



**ULJD** Spritzer  
Decorative Inlay  
12"x24" Rectified



**ULJH** Spritzer  
2"x2" Square Mosaic  
12"x12"



**ULJJ** Cosmopolitan  
Strip Mosaic  
12"x24"



**ULJA** Cosmopolitan  
Decorative Inlay  
12"x24" Rectified



**ULJE** Cosmopolitan  
2"x2" Square Mosaic  
12"x12"

## Trims



**ULH5** Spritzer  
Bullnose  
3"x24"



**ULH9** Spritzer  
Cove Base  
6"x12"



**ULHH** Spritzer  
Cove Base Out Angle  
1"x6"



**ULH2** Cosmopolitan  
Bullnose  
3"x24"



**ULH6** Cosmopolitan  
Cove Base  
6"x12"



**ULHE** Cosmopolitan  
Cove Base Out Angle  
1"x6"

## technical

### ASTM Test Results

Technical Characteristics	ASTM Standards	ASTM Test Results	ASTM Test Methods
Water Absorption	≤ 0.50%	≤ 0.50%	C373
Frost Resistance	As Reported	Resistant	C1026
Scratch Resistance	MOHS 1-10	7.5	MOHS Scale
Breaking Strength	≥ 250 lbf.	≥ 696 lbf.	C648
Facial Dimension	-3.0% < Nominal ≤ 2.0%	Within Standard	C499
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499
Wedging (squareness)	+/- 0.25% or +/- 0.8 mm**	Within Standard	C502
Warpage (flatness)	+/- 0.40% or +/- 1.8 mm**	Within Standard	C485
Abrasion Resistance	Class 0 - Class V	Class IV	C1027
DCOF-Dynamic Coefficient of Friction (Wet Areas Only) <sup>†</sup>	As Reported	Minimum 0.42	DCOF AcuTest <sup>SM</sup> **
Chemical Resistance	Class A - Class E	Class A	C650
Stain Resistance	Class A - Class E	Class A	C1378

<sup>†</sup>Dynamic Coefficient of Friction (DCOF) - Water, oil, grease or other fluids create slippery conditions. When installing floors in areas with exposure to these conditions, a minimum D.C.O.F. value of 0.42 is required. Additionally, extra caution is required with regards to product selection and proper maintenance. Visit [www.tcnatile.com](http://www.tcnatile.com) for complete information regarding the DCOF Acutest test method and values.  
<sup>††</sup>DCOF AcuTest is the industry designation for the test procedure contained in ANSI A137.1 Section 9.6, which has been extensively researched, allows for in-situ field measurements, and is in use at tile manufacturing facilities. It was so named to distinguish it from other DCOF measurements using different instruments and/or protocols.  
 \*\* Whichever is less

Floor Tile

Wall Tile

3d Printing

Rectified Tile

Decorative Tile

Trim Available

Suitable for Outdoors

Slight Variation

Frost Resistant

Abrasion Resistance

D.C.O.F. (Wet Areas)  
(Minimum 0.42)

21% Minimum Pre-Consumer  
Recycled Content

No VOC

made in the  
**USA**



Contributes to  
LEED Credits



**ULGY** Sidecar  
18"x36" Rectified



**ULGU** Sidecar  
9"x36" Rectified



**ULGQ** Sidecar  
12"x24" Rectified



**ULGX** Martini  
18"x36" Rectified



**ULGT** Martini  
9"x36" Rectified



**ULGP** Martini  
12"x24" Rectified



**ULJL** Sidecar  
Strip Mosaic  
12"x24"



**ULJC** Sidecar  
Decorative Inlay  
12"x24" Rectified



**ULJG** Sidecar  
2"x2" Square Mosaic  
12"x12"



**ULJK** Martini  
Strip Mosaic  
12"x24"



**ULJB** Martini  
Decorative Inlay  
12"x24" Rectified



**ULJF** Martini  
2"x2" Square Mosaic  
12"x12"



**ULH4** Sidecar  
Bullnose  
3"x24"



**ULH8** Sidecar  
Cove Base  
6"x12"



**ULHG** Sidecar  
Cove Base Out Angle  
1"x6"



**ULH3** Martini  
Bullnose  
3"x24"



**ULH7** Martini  
Cove Base  
6"x12"



**ULHF** Martini  
Cove Base Out Angle  
1"x6"

## packaging

	Sizes	Pcs	Sq. Ft.	Weight (lbs.)	Thickness
Floor Tile	12"x24" R	5	9.51	50	0.394
Floor Tile	9"x36" R	6	13.01	63	0.394
Floor Tile	18"x36" R	3	12.90	63	0.394
Decorative Inlay	12"x24" R	5	9.51	50	Compatible
Mosaic - Square 2"x2"	12"x12"	10		39	Compatible
Mosaic - Strip	12"x24"	4		41	Compatible
Cove Base	6"x12"	12		26	Compatible
Cove Base Out Angle	1"x6"	6		2	Compatible
Bullnose	3"x24"	15		25	Compatible

	Sizes	Ctn	Sq. Ft.	Weight (lbs.)
Floor Tile	12"x24" R	40	380.40	2000
Floor Tile	9"x36" R	36	468.36	2323
Floor Tile	18"x36" R	33	425.70	2134
Decorative Inlay	12"x24" R	40	380.40	2000



American Marazzi Tile, Inc.  
Headquarters & Manufacturing Plant

359 Clay Road East  
Sunnyvale, Texas 75182

T 972.226.0110  
F 972.226.5629  
[www.marazzitile.com](http://www.marazzitile.com)  
[contact@marazzitile.com](mailto:contact@marazzitile.com)



Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.