

wet sounds

VENUE SERIES



The VS-LS Pro Package is a complete outdoor system including (2) VS-12 LS-SUB In-Ground Landscape Subwoofers, (1) Pair of VS-69 PRO-Black 6x9" HLCD Outdoor Speakers, (1) VS-1200-AMP 4 Channel 110V Amplifier, and (1) VS-LS-ENC Outdoor Enclosure.

wet sounds



VENUE SERIES



The VS-69 PRO utilizes Wet Sounds' Horn Loaded Compression Driver (HLCD) technology, combined with a reinforced composite mid-bass driver, and features 4Ω and 70v adjustable tap settings, including 10W, 20W, 40W & 80W. Developed for surface or landscape installation (with optional landscape spike), the VS-69 PRO provides incredible coverage in a landscape application. The weatherproof enclosure features Wet Sounds' reaction technology, consisting of a single aluminum passive radiator to deliver superior bass response.

Model	VS-69 PRO
UPC	810042170209
Power Handling RMS	150W
Power Handling PEAK	300W
Speaker Impedance	4Ω
Frequency Response	20Hz - 20kHz
Sensitivity	92dB at 1W/1m
Available Colors	Black, White
Dims	H: 8.4" W: 11.67" D: 10.08"

Element Testing Performed

- ✓ UV Testing
- ✓ Salt Spray Testing

w e t s o u n d s



VENUE SERIES



* Included VS-69 Speaker Mount

* VS-69 PRO Speaker
Not Included



The Wet Sounds Venue Series Landscape Sub is a 12" high-output bandpass subwoofer system designed for in-ground use. The fully-composite enclosure combined with a weatherproof port cap delivers low-bass extension and output to rival an outdoor concert. The vertical stack design allows for easy installation. The LS-SUB can be combined with any of the Wet Sounds Venue speakers to create that live music experience at home.

Model
UPC
Power Handling RMS
Power Handling PEAK
Speaker Impedance
Frequency Response
Sensitivity
Dims
Top Housing - Bottom
Port Cap

VS-12 LS-SUB
810042170780
150W
300W
4Ω
20Hz - 20kHz
92dB
H: 32.28" W: 14.17" Cap: 11.86"
W: 10.08"

Element Testing Performed

- ✓ UV Testing
- ✓ Salt Spray Testing
- ✓ Humidity Testing
- ✓ Immersion Testing
- ✓ Low & High Temp. Testing

wet sounds



VENUE SERIES



The VS-1200-AMP was specifically designed to power Venue Series products while utilizing a 110v power source. The VS-1200 amplifier features include preset selectable gain controls and selectable low pass filter. Speaker wiring is fast and easy with watertight quick connectors. Included is the VS-LS-ENC, a purpose-built landscape enclosure designed to house the Wet Sounds VS-1200-AMP with a plug and play media center, such as the Sonos Port (not included), in harsh outdoor environments. Includes a cooling fan, internal 110v power outlets, and an external 110v cord for easy installation.

Model	VS-AMPLIFIER SYSTEM-4
UPC	810042171282
Power RMS @ 2 Ω	312W x 4
Power RMS @ 4 Ω	200W x 4
Frequency Response	5Hz - 20kHz
Low Pass Filter	100Hz
Operating Voltage	90VAC - 240VAC
Amp Dims	H: 2.1" W: 7.0" L: 9.7"
Enclosure Dims	H: 16" W: 14" L: 5.5"
Input Voltage	110VAC
Fan Thermo-Switch	100°F