



Material & Finishes:

- **Clamp:** Electro-galvanized, ZD or stainless steel
- **Cushion:** Thermoplastic elastomer (UV Resistant)

Part No.	No m. Pipe Size	Cop per Wat er Pipe (No m.)	Cop per and Ste el Tu be O. D. Size	A	B	C	D	Finis h	Pro duc t W eigh t / Pi ece (lbs)
004T008			1/4"	0.25 (6)	0.62 (16)	0.98 (29)	0.27 (7)	EG	0.1
004T08			1/4"	0.25 (6)	0.62 (16)	0.98 (29)	0.27 (7)	SS	0.1
006T010		1/4"	3/8"	0.37 (9)	0.82 (21)	1.13 (29)	0.33 (8)	EG	0.11
006T010		1/4"	3/8"	0.37 (9)	0.82 (21)	1.13 (29)	0.33 (8)	SS	0.11
008T012		3/8"	1/2"	0.50 (13)	0.94 (24)	1.34 (34)	0.40 (10)	EG	0.13
008T012		3/8"	1/2"	0.50 (13)	0.94 (24)	1.34 (34)	0.40 (10)	SS	0.13
009N012	1/4"			0.54 (14)	0.98 (25)	1.34 (34)	0.43 (11)	EG	0.13
009N012	1/4"			0.54 (14)	0.98 (25)	1.34 (34)	0.43 (11)	SS	0.13
010N014		1/2"	5/8"	0.62 (16)	1.06 (27)	1.54 (39)	0.46 (12)	EG	0.14
010N014		1/2"	5/8"	0.62 (16)	1.06 (27)	1.54 (39)	0.46 (12)	SS	0.14
010T014		1/2"	5/8"	0.62 (16)	1.06 (27)	1.54 (39)	0.46 (12)	EG	0.14
010T014		1/2"	5/8"	0.62 (16)	1.06 (27)	1.54 (39)	0.46 (12)	SS	0.14
011N014	3/8"			0.67 (17)	1.13 (29)	1.54 (39)	0.49 (12)	EG	0.14
012T016		5/8"	3/4"	0.75 (19)	1.20 (31)	1.68 (43)	0.52 (13)	EG	0.14
012T016		5/8"	3/4"	0.75 (19)	1.20 (31)	1.68 (43)	0.52 (13)	SS	0.14
014N018	1/2"			0.84 (21)	1.29 (33)	1.82 (46)	0.58 (15)	EG	0.15
014T018		3/4"	7/8"	0.87 (22)	1.31 (33)	1.82 (46)	0.58 (15)	EG	0.15
014T018		3/4"	7/8"	0.87 (22)	1.31 (33)	1.82 (46)	0.58 (15)	SS	0.15
016T020			1"	1.00 (25)	1.44 (37)	1.95 (50)	0.65 (17)	EG	0.17
016T020			1"	1.00 (25)	1.44 (37)	1.95 (50)	0.65 (17)	SS	0.17
017N022	3/4"			1.05 (27)	1.50 (38)	1.95 (50)	0.70 (18)	EG	0.17
017N022	3/4"			1.05 (27)	1.50 (38)	1.95 (50)	0.70 (18)	SS	0.17
018T022		1"	1-1/8"	1.12 (28)	1.57 (40)	2.08 (53)	0.70 (18)	EG	0.18
018T022		1"	1-1/8"	1.12 (28)	1.57 (40)	2.08 (53)	0.70 (18)	SS	0.18
020T024			1-1/4"	1.25 (32)	1.70 (43)	2.21 (56)	0.77 (20)	EG	0.18

020T0 24			1-1/4"	1.25 (32)	1.70 (43)	2.21 (56)	0.77 (20)	SS	0.18
021N02 6	1"			1.31 (33)	1.76 (45)	2.34 (59)	0.81 (21)	EG	0.19
021N02 6	1"			1.31 (33)	1.76 (45)	2.34 (59)	0.81 (21)	SS	0.19
022T02 6		1-1/4"	1-3/8"	1.37 (35)	1.82 (46)	2.34 (59)	0.83 (21)	EG	0.2
022T02 6		1-1/4"	1-3/8"	1.37 (35)	1.82 (46)	2.34 (59)	0.83 (21)	SS	0.2
024N0 28			1-1/2"	1.50 (38)	1.95 (50)	2.47 (63)	0.90 (23)	EG	0.33
024N0 28			1-1/2"	1.50 (38)	1.95 (50)	2.47 (63)	0.90 (23)	SS	0.33
026N0 30		1-1/2"	1-5/8"	1.62 (41)	2.07 (53)	2.60 (66)	0.96 (24)	EG	0.35
026N0 30		1-1/2"	1-5/8"	1.62 (41)	2.07 (53)	2.60 (66)	0.96 (24)	SS	0.35
026T0 30		1-1/2"	1-5/8"	1.62 (41)	2.07 (53)	2.60 (66)	0.96 (24)	EG	0.35
027N0 32	1-1/4"			1.66 (42)	2.17 (55)	2.73 (69)	0.99 (25)	EG	0.35
027N0 32	1-1/4"			1.66 (42)	2.17 (55)	2.73 (69)	0.99 (25)	SS	0.35
028N0 32			1-3/4"	1.75 (45)	2.20 (56)	2.73 (69)	1.02 (26)	EG	0.37
030N0 34	1-1/2"			1.90 (48)	2.35 (60)	2.86 (73)	1.09 (28)	EG	0.39
030N0 34	1-1/2"			1.90 (48)	2.35 (60)	2.86 (73)	1.09 (28)	SS	0.39
032N0 36			2"	2.00 (51)	2.45 (62)	3.04 (77)	1.15 (29)	EG	0.41
034N0 40		2"	2-1/8"	2.12 (54)	2.57 (65)	3.23 (82)	1.27 (32)	EG	0.46
034N0 40		2"	2-1/8"	2.12 (54)	2.57 (65)	3.23 (82)	1.27 (32)	SS	0.46
038N0 44	2"			2.37 (60)	2.82 (72)	3.67 (93)	1.41 (36)	EG	0.47
038N0 44	2"			2.37 (60)	2.82 (72)	3.67 (93)	1.41 (36)	SS	0.47
040N0 46			2-1/2"	2.50 (64)	2.94 (75)	3.79 (96)	1.46 (37)	EG	0.49
040N0 46			2-1/2"	2.50 (64)	2.94 (75)	3.79 (96)	1.46 (37)	SS	0.49
042N0 48			2-5/8"	2.62 (67)	3.07 (78)	3.92 (100)	1.53 (39)	EG	0.51
046N0 52	2-1/2"			2.87 (73)	3.32 (84)	4.17 (106)	1.66 (42)	EG	0.55
046N0 52	2-1/2"			2.87 (73)	3.32 (84)	4.17 (106)	1.66 (42)	SS	0.55
050N0 54			3"	3.00 (76)	3.57 (91)	4.42 (112)	1.78 (45)	EG	0.6
050N0 56			3-1/8"	3.12 (79)	3.57 (91)	4.42 (112)	1.78 (45)	EG	0.6
056N0 62	3"			3.50 (89)	3.95 (100)	4.79 (122)	1.97 (50)	EG	0.64
056N0 62	3"			3.50 (89)	3.95 (100)	4.79 (122)	1.97 (50)	SS	0.64
072N0 80	4"			4.50 (114)	4.95 (126)	5.92 (150)	2.53 (64)	EG	1.1
072N0 80	4"			4.50 (114)	4.95 (126)	5.92 (150)	2.53 (64)	SS	1.1
082N0 90			5-1/8"	5.12 (130)	5.57 (142)	6.54 (166)	2.84 (72)	EG	1.25
098N1 06			6-1/8"	6.12 (155)	6.57 (167)	7.54 (192)	3.34 (85)	EG	1.3
106N11 4	6"			6.62 (168)	7.07 (180)	8.23 (209)	3.59 (91)	EG	1.4

Project:

**Architect /
Engineer:**

Date:

Phone:

Contractor:

Address:

Notes:

Approval Stamp: