
SONANCE IMPACT SUBWOOFERS DATA SHEET

i8 | i10 | i12

TECHNICAL SPECIFICATIONS

SKU	i8 93356	i10 93357	i12 93358
UOM	Each	Each	Each
Woofer	8" (203mm) ultra long throw, glass fiber cone, rubber surround	10" (254mm) ultra long throw, glass fiber cone, rubber surround	12" (305mm) ultra long throw, glass fiber cone, rubber surround
Frequency Response	30Hz - 250Hz +/-3dB	24Hz - 250Hz +/-3dB	22Hz - 250Hz +/-3dB
Enclosure Material	High-gloss black finish	High-gloss black finish	High-gloss black finish
Power Output	200 watts RMS (400 watts peak)	300 watts RMS (600 watts peak)	400 watts RMS (800 watts peak)
Inputs	Line-level, speaker-level, low latency wireless	Line-level, speaker-level, low latency wireless	Line-level, speaker-level, low latency wireless
Controls	Crossover, phase and bypass	Crossover, phase and bypass	Crossover, phase and bypass
DSP	App controlled Sonarc automatic in-room equalization	App controlled Sonarc automatic in-room equalization	App controlled Sonarc automatic in-room equalization
Grille Material	Black cloth	Black cloth	Black cloth
Dimensions (WxHxD)	12" x 14" x 12.25" (305mm x 355mm x 311mm)	14" x 16" x 14.25" (356mm x 407mm x 362mm)	16" x 18" x 16.25" (407mm x 457mm x 413mm)
Shipping Weight	40 lbs (18 kg)	60 lbs (27 kg)	70 lbs (31.5 kg)

DIMENSIONAL DRAWINGS



ASSOCIATED PRODUCTS

Wireless Transmitter /Each

93360

LIMITED FIVE (5) YEAR WARRANTY Sonance warrants to the first end-user purchaser that this Sonance-brand product ("Product"), when purchased from an authorized Sonance Dealer/Distributor, will be free from defective workmanship and materials for the period stated above. Sonance will at its option and expense during the warranty period, either repair the defect or replace the Product with a new or remanufactured Product or a reasonable equivalent. For more details please refer to the product manual.

©2021 Sonance. All rights reserved. Sonance is a registered trademarks of Dana Innovations. Due to continuous product improvement, all features and specifications are subject to change without notice. For the latest Sonance product specification information visit our website at www.sonance.com.

SONANCE • 991 Calle Amanecer • San Clemente, CA 92673 USA • Phone: (949) 492-7777 • Fax: (949) 361-5151 • Technical Support: (949) 492-7777 • www.sonance.com 08.13.2021