Product name:
 GEM25A
 Page:
 1/8

 Supersedes date:
 2013-09-25
 Revision:
 2015-07-07

 SDS-ID:
 GEM25A_US
 Version number:
 US-EN/3.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: GEM25A

GEM25ABKT

Container size: GEM25A: 25-lb. (11.36 kg) bag with handles

GEM25ABKT: 25-lb. (11.36 kg) plastic bucket with locking lid

Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Ground Enhancing Material

Details of the supplier of the safety data sheet

Manufacturer ERICO International Corporation

34600 Solon Road Solon, Ohio 44139 Tel:(440) 248-0100

Further information can be

ALucia@erico.com

obtained from:

Emergency telephone number

Emergency telephone: Chemtel

1-800-255-3924 USA

+01-813-248-0585 International

 Product name:
 GEM25A
 Page:
 2/8

 Supersedes date:
 2013-09-25
 Revision:
 2015-07-07

 SDS-ID:
 GEM25A_US
 Version number:
 US-EN/3.0

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA 2012: Eye Dam. 1;H318

Skin Irrit. 2;H315 Skin Sens. 1;H317 STOT SE 3;H335

Label elements



DANGER

H318 Causes serious eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

P260 Do not breathe dust.

P280 Wear eye protection and gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P501 Dispose of contents/container in accordance with local regulations.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Other hazards

Other: Contact with wet cement/mixture may cause burns. Dust may irritate throat and

respiratory system and cause coughing. Dust has an irritating effect on moist skin. Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product name:GEM25APage:3/8Supersedes date:2013-09-25Revision:2015-07-07SDS-ID:GEM25A_USVersion number:US-EN/3.0

Mixtures

Only classified substances above threshold limits are shown.

OSHA 2012:

%: CAS-No.: EC No.: REACH Chemical name: Hazard classification: Notes:

Reg. No:

10-30 65997-15-1 266-043-4 - Portland cement Skin Irrit. 2;H315

Eye Dam. 1;H318 Skin Sens. 1;H317 STOT SE 3;H335

References: The full text for all hazard statements is displayed in section 16. The full text for

all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

Seek medical attention for all burns, regardless how minor they may seem.

Eye contact: Important! Immediately rinse with water for at least 15 minutes. Do not rub eye.

Seek medical attention for all burns, regardless how minor they may seem.

<u>Immediately rinse mouth and drink plenty of water or milk. Keep person under</u>

observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport

immediately to hospital and bring along these instructions.

Most important symptoms and effects, both acute and delayed

Symptoms/effects: Contact with wet cement/mixture may cause burns. Chronic inflammation of nose,

throat and bronchial tubes. May cause allergic skin disorders in sensitive

individuals.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

<u>Specific hazards:</u> No specific precautions.

Advice for firefighters

<u>Protective equipment for</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

 Product name:
 GEM25A
 Page:
 4/8

 Supersedes date:
 2013-09-25
 Revision:
 2015-07-07

 SDS-ID:
 GEM25A_US
 Version number:
 US-EN/3.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid inhalation of dust. Avoid contact with eyes and prolonged skin contact.

<u>Protective equipment:</u> Wear eye protection and gloves.

Environmental precautions

Environmental Avoid release to the environment. Inform Authorities if large amounts are

precautions: involved.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel,

broom or the like.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid spreading dust. Avoid inhalation of dust. Avoid contact with eyes and

prolonged skin contact. Change contaminated clothing. Observe good chemical

hygiene practices.

<u>Technical measures:</u> Use work methods which minimize dust production.

<u>Technical precautions:</u> Mechanical ventilation may be required. Provide easy access to water supply and

eye wash facilities.

Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in closed original container in a dry place. Seal opened containers and use

up as soon as possible. When stored in humid conditions, the chromate

neutralisation will decrease.

Specific end use(s)

Specific use(s): Ground Enhancing Material

 Product name:
 GEM25A
 Page:
 5/8

 Supersedes date:
 2013-09-25
 Revision:
 2015-07-07

 SDS-ID:
 GEM25A_US
 Version number:
 US-EN/3.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	Exposure limits:	Type:	Notes:	References:
65997-15-1	Portland cement, respirable fraction	-	5 mg/m3	TWA	-	OSHA
65997-15-1	Portland cement, total dust -		15 mg/m3	TWA	-	OSHA
65997-15-1	Portland cement, inhalab	le -	1 mg/m3	TWA	A4	ACGIH

Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimize the risk of inhalation of dust. An eye wash bottle must be available at

the work site.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the relevant

standards and in discussion with the supplier of the personal protective equipment. Personal protection equipment should be chosen according to the relevant standards and in discussion with the supplier of the personal

protective equipment.

Respiratory equipment: NIOSH approved dust mask recommended. In case of inadequate ventilation or

risk of inhalation of dust, use suitable respiratory equipment with particle filter.

Hand protection: Wear protective gloves. Nitrile gloves are recommended. Other types of gloves

can be recommended by the glove supplier.

Eye protection: Wear goggles/face shield.

Skin protection: Wear suitable protective clothing as protection against splashing or

contamination.

<u>Hygiene measures:</u> Wash hands after handling. Do not eat, drink or smoke when using the product.

Change contaminated clothing. Wash contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance: gray powder

Odor: Odorless.

Melting point / freezing point: 3500 °C

Boiling point: Not relevant.

Flash point: Not available.

Explosion limits: Not available.

Vapor pressure: Not relevant.

Relative density: 0.9

Solubility: Slightly soluble in water.

Other information

Other data: None.

 Product name:
 GEM25A
 Page:
 6/8

 Supersedes date:
 2013-09-25
 Revision:
 2015-07-07

 SDS-ID:
 GEM25A_US
 Version number:
 US-EN/3.0

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Reactivity: Not reactive.

Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Keep dry until used.

Incompatible materials

<u>Incompatible materials:</u> None known.

Hazardous decomposition products

<u>Hazardous decomposition</u> Polymerization will not occur.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

<u>Inhalation:</u> Dust may irritate throat and respiratory system and cause coughing.

Skin contact: Prolonged contact with wet cement/mixture may cause burns. Dust has an

irritating effect on moist skin.

Eye contact: Dust or splashes from the mixture may cause permanent eye damage. Immediate

first aid is necessary.

<u>Ingestion:</u> Ingestion may cause severe irritation of the mouth, the esophagus and the

gastrointestinal tract.

Specific effects: Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases. May cause allergic skin disorders in sensitive

individuals.

Product name:GEM25APage:7/8Supersedes date:2013-09-25Revision:2015-07-07SDS-ID:GEM25A_USVersion number:US-EN/3.0

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

<u>Ecotoxicity:</u> The environmental hazard of the product is considered to be limited.

Persistence and degradability

<u>Degradability:</u> In the presence of water the product hardens to a solid mass which is not

biodegradable.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: The product is not volatile but may be spread by dust-raising handling.

Results of PBT and vPvB assessment

PBT/vPvB: No data available.

Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

UN number

UN-No:

UN proper shipping name

Proper Shipping Name:

Transport hazard class(es)

<u>Class:</u> -

Packing group

<u>PG:</u> -

Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

Special precautions for user

Special precautions: -

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> -

 Product name:
 GEM25A
 Page:
 8/8

 Supersedes date:
 2013-09-25
 Revision:
 2015-07-07

 SDS-ID:
 GEM25A_US
 Version number:
 US-EN/3.0

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> State and local regulation may apply.

TSCA: The ingredients of this product are on the TSCA Inventory.

SARA Section 302: No SARA Section 313: No

NFPA Rating: Health:2 Fire:1 Reactivity:1 Other:-

HMIS Rating: Health:2 Fire:1 Reactivity:1 Personal protection:B

B = Safety Glasses and Gloves.

National regulation: The following lists have been checked:

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Hazard Communication, with amendments.

Threshold Limit Values (2014), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

NIOSH Pocket Guide to Chemical Hazards.

U.S. Department of health and human services: 2014 - Report on Carcinogens -

13th Edition.

International Agency for Research on Cancer (IARC): IARC Monographs on the

Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health

Organization.

Chemical Safety Assessment in compliance with Regulation (EC) No 1907/2006 (REACH)

<u>CSA status:</u> No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1-16

Wording of H-statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.