Product specifications

Eaton FRN-R-3



Catalog Number: FRN-R-3

Eaton Bussmann series FRN-R fuse, 3 A, Dual, Class RK5, Non-indicating, Ferrule end x ferrule end, 8 sec at 500%, 200 kAIC at 250 V, 20 kAIC at 125 Vdc, Standard, 250 V, 125 Vdc

General specifications

Product Name
Eaton Bussmann series FRN-R fuse

Catalog Number
FRN-R-3

UPC
051712506991

Product Length/Depth
2 in

Product Height
0.56 in

Product Width
0.56 in

Product Weight
0.04 lb

Warranty
Not Applicable

Compliances
CE Marked

Powering Business Worldwide

Electrical rating

Amperage Rating

3 A

Interrupt rating

200 kAIC at 250 Vac

20 kAIC at 125 Vdc

Response time

8 sec at 500%

Voltage rating

250 Vac, 125 Vdc

Physical details

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK5

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Finger safe, power loss 3.48 w

Resources

Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Compliance information

RoHS Search Tool

Multimedia

Bussmann series Fuseology

Technical service bulletins

Bussmann series Fusetron FRN-R RK5 fuse data sheet for up to 60 amps

No. 1019



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia