


# Flat Plate Fittings

## B200-B202-2

- Standard finishes: ZN, GRN, HDG, SS4, SS6, AL




## SQUARE WASHER

| Part No. | A      |        | Bolt Size |        | Wt./C |       |
|----------|--------|--------|-----------|--------|-------|-------|
|          | In.    | mm     | In.       | mm     | Lbs.  | kg    |
| B200     | 3/8"   | (9.5)  | 5/16"     | (7.9)  | 18    | (8.1) |
| B201     | 7/16"  | (11.1) | 3/8"      | (9.5)  | 18    | (8.1) |
| B202     | 9/16"  | (14.2) | 1/2"      | (12.7) | 17    | (7.7) |
| B202-1   | 11/16" | (17.4) | 5/8"      | (15.9) | 16    | (7.2) |
| B202-2   | 13/16" | (20.6) | 3/4"      | (19.0) | 15    | (6.8) |
| B202-3   | 15/16" | (23.8) | 7/8"      | (22.2) | 14    | (6.3) |

## B200D-B202-2D

- Standard finishes: ZN, GRN, HDG, SS4, SS6, AL



## NO TWIST SQUARE WASHER


| Part No. | A      |        | Bolt Size |        | Wt./C |       |
|----------|--------|--------|-----------|--------|-------|-------|
|          | In.    | mm     | In.       | mm     | Lbs.  | kg    |
| B200D    | 3/8"   | (9.5)  | 5/16"     | (7.9)  | 18    | (8.1) |
| B201D    | 7/16"  | (11.1) | 3/8"      | (9.5)  | 18    | (8.1) |
| B202D    | 9/16"  | (14.2) | 1/2"      | (12.7) | 17    | (7.7) |
| B202-1D  | 11/16" | (17.4) | 5/8"      | (15.9) | 16    | (7.2) |
| B202-2D  | 13/16" | (20.6) | 3/4"      | (19.0) | 15    | (6.8) |

## B129

### Two Hole Splice Plate

- Standard finishes: ZN, GRN
- Wt./C 37 Lbs. (16.8 kg)


PA ZN GRN



## B340

### Two Hole Splice Plate


- Standard finishes: ZN, GRN
- Wt./C 34 Lbs. (15.4 kg)



## B528

### Two Hole Splice Plate

- Standard finishes: ZN, GRN
- Wt./C 50 Lbs. (22.7 kg)




## B141

### Three Hole Splice Plate

- Standard finishes: ZN, GRN
- Wt./C 55 Lbs. (24.9 kg)


PA ZN GRN



## B557

### Three Hole Splice Plate

- Standard finishes: ZN, GRN
- Wt./C 50 Lbs. (22.7 kg)




## B341

### Four Hole Splice Plate

- Standard finishes: ZN, GRN, HDG
- Wt./C 76 Lbs. (34.5 kg)


PA ZN GRN



## B342

### Five Hole Splice Plate

- Standard finishes: ZN, GRN
- Wt./C 96 Lbs. (43.5 kg)



PA Pre-assembled fitting



4Dimension compatible fitting


Reference page 73 for general fitting and standard finish specifications.

# Flat Plate Fittings

## B138

### Two Hole Swivel Plate


- Standard finishes: ZN, GRN
- Wt./C 48 Lbs. (21.8 kg)



## B139

### Three Hole Swivel Plate


- Standard finishes: ZN, GRN
- Wt./C 69 Lbs. (31.3 kg)



## B504

### Four Hole Splice Plate

- Standard finishes: ZN, GRN
- Wt./C 73 Lbs. (33.1 kg)




## B140

### Three Hole Corner Plate

- Standard finishes: ZN, GRN, HDG, SS4
- Wt./C 56 Lbs. (25.4 kg)

PA ZN  
GRN




## B143

### Four Hole Corner Plate

- Standard finishes: ZN, GRN, HDG, SS4
- Wt./C 75 Lbs. (34.0 kg)

PA ZN  
GRN




## B133

### Four Hole Tee Plate

- Standard finishes: ZN, GRN, HDG, SS4, AL
- Wt./C 75 Lbs. (34.0 kg)

PA ZN  
GRN




## B132

### Five Hole Cross Plate

- Standard finishes: ZN, GRN, HDG
- Wt./C 100 Lbs. (45.3 kg)


PA ZN  
GRN



## B135

### Three Hole Corner Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 70 Lbs. (31.7 kg)




## B142

### Four Hole Corner Gusset Plate

- Standard finishes: ZN, GRN, HDG
- Wt./C 102 Lbs. (46.2 kg)

PA ZN  
GRN



PA Pre-assembled fitting




4Dimension compatible fitting

Reference page 73 for general fitting and standard finish specifications.


## B137 Four Hole Corner Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 273 Lbs. (123.8 kg)




## B556 Five Hole Corner Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 145 Lbs. (65.8 kg)




## B337 Three Hole Tee Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 70 Lbs. (31.7 kg)




## B432 Four Hole Tee Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 100 Lbs. (45.3 kg)




## B136 Four Hole Tee Gusset Plate

- Standard finishes: ZN, GRN, HDG
- Wt./C 100 Lbs. (45.3 kg)




## B532 Five Hole Tee Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 143 Lbs. (64.8 kg)




## B339 Six Hole Tee Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 149 Lbs. (67.6 kg)




## B568 Six Hole Cross Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 166 Lbs. (75.3 kg)



## B334 Seven Hole Cross Gusset Plate

- Standard finishes: ZN, GRN
- Wt./C 232 Lbs. (105.2 kg)



PA Pre-assembled fitting

4Dimension compatible fitting

Reference page 73 for general fitting and standard finish specifications.