



**HIDE-DRANT**

# ONE HIDE-DRANT FOUR SEASONS.

Hide-Drant Series Removeable and  
Sanitary Specialty Frost-Proof Hydrant




LEARN MORE ABOUT THE BEST IN THE INDUSTRY AT [merrillmfg.com](http://merrillmfg.com)

# HIDE-DRANT SANITARY SERIES

**NOW YOU  
SEE IT,  
NOW YOU  
DON'T!**



**Clean, Reliable, Removable.**

Merrill has produced top-quality yard hydrants for more than 75 years. Now, with our sanitary hydrants, you can enjoy your water without any worries and code compliance. Turning and removing the hydrant allows you to drain the water, no drain built-in, making the hydrant frost-proof.



## BURY DEPTH MAP

Numbers represent the recommended bury depth in feet.



### Bury Depth Information

The frost line is simply the deepest point in the ground to which ground will freeze. It's also referred to as the frost depth. Be sure the hydrant is installed with provision for drainage below the frost line.

Numbers represent the number of feet that is the recommended bury depth for this area. Check with your local code to ensure the right length.

# HIDE-DRANT SERIES

## FEATURES AND BENEFITS

- 2 **Part Number: HIDE202**  
Centering Collar for Pipe
- 3 **Part Number: BBDNL75FA**  
No-Lead 3/4" Brass Outlet Valve
- 4 **Part Number: BVBNL75M**  
No-Lead 3/4" Vacuum Breaker
- 5 **Part Number: HIDE205**  
Top cap allows for removal of hydrant and is able to be mowed over.
- 6 **Part Number: PVCBC75**  
3/4" PVC Ball Valve
- 7 **Part Number: BBVNL75**  
No-Lead Brass Ball Valve
- 8 **Call for Application**
- 9 **Call for Application**
- 10 **Call for Application**
- 11 **Call for Application**
- 12 **Call for Application**
- 13 **Call for Application**
- 14 **Part Number: CBF75FA**  
3/4" Celcon Boiler Drain

### Approved as a Sanitary Hydrant

This hydrant series has been approved by the following states that require approval for sanitary hydrants, including: Illinois, Indiana, Michigan, Ohio, and Wisconsin.




○ CA Certified (No-Lead).



## PARTS AND ACCESSORIES

Part Description	Part Number	Item Number
○ Centering Collar for Pipe	HIDE202	2
○ No-Lead 3/4" Brass Outlet Valve	BBDNL75FA	3
○ No-Lead 3/4" Vaccum Breaker	BVBNL75M	4
○ Top Cap For 1-1/2" PVC	HIDE205	5
○ 3/4" PVC Ball Valve	PVCBV75	6
○ No-Lead 3/4" Brass Ball Valve	BBVNL75	7
	Call for Application - Several Lengths	8
	Call for Application - Several Lengths	9
	Call for Application - Several Lengths	10
	Call for Application - Several Lengths	11
	Call for Application - Several Lengths	12
	Call for Application - Several Lengths	13

Part Description	Part Number	Item Number
○ 3/4" Celcon Boiler Drain (No-Lead Compliance)	CBD75FA	14



# HIDE-DRANT SERIES


## SPECIFICATIONS

### Stainless Steel Standard 3/4"

Inlet: 3/4" Female NPT into Stainless Steel  
 Outlet: 3/4" No-Lead Brass Vacuum Breaker  
 Stand Pipe 3/4" Galvanized Pipe  
 Bottom Case 1-1/2" Sch. 40 PVC includes:  
 Repairable Stainless Steel Stop Valve

### Standard 3/4" Flow Rates

Gallons Per Minute (GPM)  
 0 5 10 15 20 25



■ With Vacuum Breaker    ■ Without Vacuum Breaker

### Interchangeable 3/4" Bottom Case with Stainless Steel Stop Valve


Inlet: 3/4" Female NPT into Stainless Steel  
 Outlet: Repairable Stainless Steel Stop Valve  
 Bottom Case 1-1/2" Sch. 40 PVC includes:  
 Repairable Stainless Steel Stop Valve  
 Ground Level Cap Attaches to 1-1/2" PVC

### Stainless Steel Straight 3/4"

Inlet: 3/4" Female NPT into Stainless Steel  
 Outlet: 3/4" No-Lead Brass Ball Valve  
 Stand Pipe 3/4" Galvanized Pipe  
 Bottom Case 1-1/2" Sch. 40 PVC includes:  
 Repairable Stainless Steel Stop Valve

### Straight 3/4" Flow Rates with Ball Valve

Gallons Per Minute (GPM)  
 0 5 10 15 20 25



**WARNING:** This hydrant must have the stand pipe removed and water drained out of the pipe when freezing temperatures may be present. Warranty does not cover damage due to freezing temperatures or water frozen within the product.

### Standard Stainless Steel Valve and Galvanized 3/4" Pipe Hide-Drant Complete

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDESS27501	6 42367 10585 3	3/4" x 1' Bury	40.0"	6.3 lbs
HIDESS27502	6 42367 10586 0	3/4" x 2' Bury	52.0"	7.9 lbs
HIDESS27503	6 42367 10587 7	3/4" x 3' Bury	64.0"	9.5 lbs
HIDESS27504	6 42367 10588 4	3/4" x 4' Bury	76.0"	11.1 lbs
HIDESS27505	6 42367 10589 1	3/4" x 5' Bury	88.0"	12.7 lbs
HIDESS27506	6 42367 10590 7	3/4" x 6' Bury	100.0"	14.3 lbs
HIDESS27507	6 42367 10591 4	3/4" x 7' Bury	112.0"	15.9 lbs
HIDESS27508	6 42367 10592 1	3/4" x 8' Bury	124.0"	17.5 lbs

### Interchangeable 3/4" Bottom Case with Stainless Steel Stop Valve

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDBCS27501	6 42367 10593 8	3/4" x 1' Bury	12.0"	1.4 lbs
HIDBCS27502	6 42367 10594 5	3/4" x 2' Bury	24.0"	1.9 lbs
HIDBCS27503	6 42367 10595 2	3/4" x 3' Bury	36.0"	2.4 lbs
HIDBCS27504	6 42367 10596 9	3/4" x 4' Bury	48.0"	2.9 lbs
HIDBCS27505	6 42367 10597 6	3/4" x 5' Bury	60.0"	3.4 lbs
HIDBCS27506	6 42367 10598 3	3/4" x 6' Bury	72.0"	3.9 lbs
HIDBCS27507	6 42367 10599 0	3/4" x 7' Bury	84.0"	4.4 lbs
HIDBCS27508	6 42367 10600 3	3/4" x 8' Bury	96.0"	4.9 lbs

### Straight Stainless Steel and Galvanized 3/4" Inlet Hide-Drant Complete

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDETSS27501	6 42367 10601 0	3/4" x 1' Bury	22.0"	4.3 lbs
HIDETSS27502	6 42367 10602 7	3/4" x 2' Bury	34.0"	5.9 lbs
HIDETSS27503	6 42367 10603 4	3/4" x 3' Bury	46.0"	7.5 lbs
HIDETSS27504	6 42367 10604 1	3/4" x 4' Bury	58.0"	9.1 lbs
HIDETSS27505	6 42367 10605 8	3/4" x 5' Bury	70.0"	10.7 lbs
HIDETSS27506	6 42367 10606 5	3/4" x 6' Bury	82.0"	12.3 lbs
HIDETSS27507	6 42367 10607 2	3/4" x 7' Bury	94.0"	13.9 lbs
HIDETSS27508	6 42367 10608 9	3/4" x 8' Bury	106.0"	15.5 lbs

### Standard 3/4" Hide-Drant Stainless Steel Valve and Galvanized Stand Pipe Only

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDESPG201	6 42367 10609 6	3/4" x 1' Bury	38.0"	4.9 lbs
HIDESPG202	6 42367 10610 2	3/4" x 2' Bury	50.0"	6.0 lbs
HIDESPG203	6 42367 10611 9	3/4" x 3' Bury	62.0"	7.1 lbs
HIDESPG204	6 42367 10612 6	3/4" x 4' Bury	74.0"	8.2 lbs
HIDESPG205	6 42367 10613 3	3/4" x 5' Bury	86.0"	9.3 lbs
HIDESPG206	6 42367 10614 0	3/4" x 6' Bury	98.0"	10.4 lbs
HIDESPG207	6 42367 10615 7	3/4" x 7' Bury	110.0"	11.5 lbs
HIDESPG208	6 42367 10616 4	3/4" x 8' Bury	122.0"	12.6 lbs

### Straight 3/4" Hide-Drant Galvanized Stand Pipe Only

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDESPSG201	6 42367 10649 2	3/4" x 1' Bury	21.0"	2.9 lbs
HIDESPSG202	6 42367 10650 8	3/4" x 2' Bury	33.0"	4.0 lbs
HIDESPSG203	6 42367 10651 5	3/4" x 3' Bury	45.0"	5.1 lbs
HIDESPSG204	6 42367 10652 2	3/4" x 4' Bury	57.0"	6.2 lbs
HIDESPSG205	6 42367 10653 9	3/4" x 5' Bury	69.0"	7.3 lbs
HIDESPSG206	6 42367 10654 6	3/4" x 6' Bury	81.0"	8.4 lbs
HIDESPSG207	6 42367 10655 3	3/4" x 7' Bury	93.0"	9.5 lbs
HIDESPSG208	6 42367 10656 0	3/4" x 8' Bury	105.0"	10.6 lbs



### Standard All PVC 3/4" Hide-Drant Complete

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDE27501	6 42367 10617 1	3/4" x 1' Bury	40.0"	2.8 lbs
HIDE27502	6 42367 10618 8	3/4" x 2' Bury	52.0"	3.5 lbs
HIDE27503	6 42367 10619 5	3/4" x 3' Bury	64.0"	4.3 lbs
HIDE27504	6 42367 10620 1	3/4" x 4' Bury	76.0"	5.0 lbs
HIDE27505	6 42367 10621 8	3/4" x 5' Bury	88.0"	5.8 lbs
HIDE27506	6 42367 10622 5	3/4" x 6' Bury	100.0"	6.5 lbs
HIDE27507	6 42367 10623 2	3/4" x 7' Bury	112.0"	7.3 lbs
HIDE27508	6 42367 10624 9	3/4" x 8' Bury	124.0"	8.0 lbs

### Interchangeable All PVC 3/4" Bottom Case with Stainless Steel Stop Valve

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDEBC27501	6 42367 10625 6	3/4" x 1' Bury	12.0"	0.9 lbs
HIDEBC27502	6 42367 10626 3	3/4" x 2' Bury	24.0"	1.4 lbs
HIDEBC27503	6 42367 10627 0	3/4" x 3' Bury	36.0"	1.9 lbs
HIDEBC27504	6 42367 10628 7	3/4" x 4' Bury	48.0"	2.4 lbs
HIDEBC27505	6 42367 10629 4	3/4" x 5' Bury	60.0"	2.9 lbs
HIDEBC27506	6 42367 10630 0	3/4" x 6' Bury	72.0"	3.4 lbs
HIDEBC27507	6 42367 10631 7	3/4" x 7' Bury	84.0"	3.9 lbs
HIDEBC27508	6 42367 10632 4	3/4" x 8' Bury	96.0"	4.4 lbs

### Straight All PVC 3/4" Inlet Hide-Drant Complete

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDET27501	6 42367 10633 1	3/4" x 1' Bury	22.0"	1.8 lbs
HIDET27502	6 42367 10634 8	3/4" x 2' Bury	34.0"	2.5 lbs
HIDET27503	6 42367 10635 5	3/4" x 3' Bury	46.0"	3.3 lbs
HIDET27504	6 42367 10636 2	3/4" x 4' Bury	58.0"	4.0 lbs
HIDET27505	6 42367 10637 9	3/4" x 5' Bury	70.0"	4.8 lbs
HIDET27506	6 42367 10638 6	3/4" x 6' Bury	82.0"	5.5 lbs
HIDET27507	6 42367 10639 3	3/4" x 7' Bury	94.0"	6.3 lbs
HIDET27508	6 42367 10640 9	3/4" x 8' Bury	106.0"	7.0 lbs

### Standard All PVC 3/4" Hide-Drant Stand Pipe Only

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDESP201	6 42367 10641 6	3/4" x 1' Bury	38.0"	1.9 lbs
HIDESP202	6 42367 10642 3	3/4" x 2' Bury	50.0"	2.2 lbs
HIDESP203	6 42367 10643 0	3/4" x 3' Bury	62.0"	2.4 lbs
HIDESP204	6 42367 10644 7	3/4" x 4' Bury	74.0"	2.7 lbs
HIDESP205	6 42367 10645 4	3/4" x 5' Bury	86.0"	2.9 lbs
HIDESP206	6 42367 10646 1	3/4" x 6' Bury	98.0"	3.2 lbs
HIDESP207	6 42367 10647 8	3/4" x 7' Bury	110.0"	3.4 lbs
HIDESP208	6 42367 10648 5	3/4" x 8' Bury	122.0"	3.7 lbs

### Straight All PVC 3/4" Hide-Drant Stand Pipe Only

Order Number	UPC Bar Code (Qty. 1)	Inlet Bury Size x Depth	Overall Length	Approx. Weight
HIDESPS201	6 42367 10657 7	3/4" x 1' Bury	21.0"	0.9 lbs
HIDESPS202	6 42367 10155 8	3/4" x 2' Bury	33.0"	1.2 lbs
HIDESPS203	6 42367 10659 1	3/4" x 3' Bury	45.0"	1.4 lbs
HIDESPS204	6 42367 10660 7	3/4" x 4' Bury	57.0"	1.7 lbs
HIDESPS205	6 42367 10661 4	3/4" x 5' Bury	69.0"	1.9 lbs
HIDESPS206	6 42367 10662 1	3/4" x 6' Bury	81.0"	2.2 lbs
HIDESPS207	6 42367 10663 8	3/4" x 7' Bury	93.0"	2.4 lbs
HIDESPS208	6 42367 10664 5	3/4" x 8' Bury	105.0"	2.7 lbs


## ALL PVC SPECIFICATIONS

### Standard 3/4"

Inlet: 3/4" Female NPT into Extra Heavy Wall PVC  
 Outlet: 3/4" No-Lead Brass Vacuum Breaker  
 Stand Pipe 3/4" Sch.40 PVC includes:  
 Repairable Stop Valve w/Stainless Steel Spring

### Standard 3/4" Flow Rates

Gallons Per Minute (GPM)  
 0 5 10 15 20 25



### Interchangeable 3/4" Bottom Case with Stainless Steel Stop Valve

Inlet: 3/4" Female NPT into Stainless Steel  
 Outlet: Repairable Stainless Steel Stop Valve  
 Bottom Case 1-1/2" Sch. 40 PVC includes:  
 Repairable Stainless Steel Stop Valve  
 Ground Level Cap Attaches to 1-1/2" PVC

### Straight 3/4"

Inlet: 3/4" Female NPT into Extra Heavy Wall PVC  
 Outlet: 3/4" PVC Ball Valve  
 Stand Pipe 3/4" Sch. 40 PVC includes:  
 Repairable Stop Valve w/Stainless Steel Spring

### Straight 3/4" Flow Rates with Ball Valve

Gallons Per Minute (GPM)  
 0 5 10 15 20 25



**WARNING:** This hydrant must have the stand pipe removed and water drained out of the pipe when freezing temperatures may be present. Warranty does not cover damage due to freezing temperatures or water frozen within the product.



© 2025 Merrill Manufacturing  
315 Flindt Dr. | Storm Lake, Iowa 50588 | (800) 831-6962 | [merrillmfg.com](http://merrillmfg.com)