


ASSEMBLY INSTRUCTION






This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage. Attach Metal Sheet (D) to the Top Frame (A) using Bolt (E) with Allen Wrench (H).






Attach 3pcs Leg (B) to the Top Frame (A) using Bolt (E) with Allen Wrench (H). **Notice: Please assemble the legs to the top frames according to the black dots.**




Attach the 4th Leg (B) to the Top Frame (A) using Bolt (E) with Allen Wrench (H).

Notice: Please assemble the legs to the top frames according to the black dots. Position the left side on the inside of the cross legs, and the right side on the outside of the cross legs.



Turn the assembled unit counterclockwise. Attach the 5th Leg (B) to the Top Frame (A) using Bolt (E) with Allen Wrench (H).


Notice: Please assemble the legs to the top frames according to the black dots. Position the left side on the inside of the cross legs, and the right side on the outside of the cross legs.




3

Turn the assembled unit counterclockwise. Attach the 6th Leg (B) to the Top Frame (A) using Bolt (E) with Allen Wrench (H).

Notice: Please assemble the legs to the top frames according to the black dots. Position the left side on the inside of the cross legs, and the right side on the outside of the cross legs.



Insert Leveler (F) into the Leg (B). Stand the assembled unit upright. If the unit has a slight wobble, adjust the Leveler (F) until it is stabilized. Then place the Glass Pad (G) and the Glass Top (C) on the Top Frame (A) as shown.



Cleaning & Care

5

Treat surfaces with care. Surfaces are resistant to scratches but are not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.

4