

Eaton LPS-RK-3SP

Catalog Number: LPS-RK-3SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 3 A, Dual, RK1, Non-indicating, Ferrule end x ferrule end, Time delay, Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc, 300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

General specifications



Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-3SP
UPC	Product Length/Depth
051712548182	5 in
Product Height	Product Width
0.81 in	1.06 in
Product Weight	Warranty
1.6 lb	Not Applicable
Compliances	
CE Marked	

Electrical rating

Amperage Rating

3 A

Interrupt rating

300 kAIC at 600 Vac

100 kAIC at 300 Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Electrically isolated end cap

Resources

Catalogs

[Low Voltage Branch Circuit Fuse Chapter](#)

[Bussmann Full Line Catalog](#)

Compliance information

[RoHS Search Tool](#)

Multimedia

[Bussmann series Fuseology](#)

Technical service bulletins

[Bussmann series Low-Peak 600 V LPS Class RK1 time-delay fuses, up to 600 A data sheet no. 1001](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia