



XOU24ORS

24" OUTDOOR REFRIGERATOR

LIFESTYLE OUTDOOR REFRIGERATION



XOU24ORS

- Zero Clearance Hinges Flush Integration
- Secure Door Lock
- Non- Reversible Door
- Library Quiet 39 DbA Operation


24" UNDERCOUNTER OUTDOOR REFRIGERATOR

Store up to 145 (12oz) cans at a frosty 34° to 50° F and still find just what your are looking for. The clear glass shelves slide out while fully loaded making it easier to store and locate contents at a glance. No more fumbling around or emptying the unit to find what you want.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES

OUR LASTING COMMITMENT TO YOU

*Specify **R** for right hand hinge - or - **L** for left hand hinge



FEATURES

CAPACITY

Clear glass shelves | Unit and hold up to 145 (12oz) cans at 34° to 50° F

FEATURES

- Zero clearance hinges for flush integration*
- Secure door lock
- Non- reversible door - specify right or left hinge
- Library quiet 39 dBA operation
- Elegant tri-color interior illumination
- Intuitive digital touch controls
- 6-1/2' Power Cord with low profile 90 flat plug
- Alarm Functions
- Energy Saver and Sabbath Mode

Note: zero clearance hinges are visible just above and below the door

SPECIFICATIONS

ELECTRICAL 120V 60HZ 4.35 AMP*

DIMENSIONS H 34 1/8"
W 23 7/8"
D 23 1/4"

ROUGH IN H 34 1/4" min
W 24"
D 24"

REFRIGERANT R600A



Two Different Style Handles Included

NEW



Optional Modern Design Flat Handle


XO the next level
in luxury appliances

xoappliance.com | 800.966.8300



XO is exclusively distributed by EASTERN MARKETING CORP.
24 Eisenhower Parkway Roseland, NJ 07068


ROUGH-IN DIMENSIONS



All XO undercounter units arrive pre-wired with low profile plugs for easy installation




Need more space - Cut into an adjoining cabinet to reach an outlet there



When installing with the hinge side next to a wall leave 3 1/2" clearance gap for Cabinet handles

Door must open a minimum of a 90°



If the door cannot open fully
You cannot extend the shelves.