

Version 1.1	SDS Number: 400000000198	Revision Date: 02/28/2018

SECTION 1. IDENTIFICATION

Product name	: GOJO® ORIGINAL FORMULA™ Hand Cleaner	
Manufacturer or supplier's Company name of supplier		
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANAD	A

Recommended use of the chemical and restrictions on use

Recommended use	:	Skin-care
Restrictions on use	:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage	: Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H318 Causes serious eye damage.



Version 1.1	SDS Number: 40000000198	Revision Date: 02/28/2018
Precautionary statements	: Prevention: P280 Wear eye protection/ face Response: P305 + P351 + P338 + P310 IF water for several minutes. Rem and easy to do. Continue rinsin CENTER or doctor/ physician.	IN EYES: Rinse cautiously with ove contact lenses, if present

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
C11-15 Alkane/cycloalkane	64742-47-8	>= 30 - < 50
Mineral Oil (Paraffinum Liquidum)	8042-47-5	>= 10 - < 20
Trideceth-9	24938-91-8	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Petrolatum	8009-03-8	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	 If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing



Version 1.1

SDS Number: 40000000198

Revision Date: 02/28/2018

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
	Do not swallow.



Version 1.1	SDS Number: 400000000198	Revision Date: 02/28/2018	
	Avoid contact with eyes. Keep container closed when not in use.		
Conditions for safe storage	 Keep in properly labelled container Keep container tightly closed in a place. Store in accordance with the part 	dry and well-ventilated	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C11-15 Alkane/cycloalkane	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
, ,		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Mineral Oil (Paraffinum Liquidum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0

Components with workplace control parameters

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection Remarks	:	No special protective equipment required.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special measures necessary provided product is used correctly.
Protective measures	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to



Version 1.1	SDS Number: 40000000198	Revision Date: 02/28/2018
	the specific work-place. Ensure that eye flushing syster located close to the working pla	
Hygiene measures	: Handle in accordance with goo practice. Avoid contact with eyes.	d industrial hygiene and safety

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: opaque, white, yellow
Odour	: solvent-like
рН	: 9.0, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 98 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.883 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: > 100000 mm2/s (20 °C)



Version 1.1	SDS Number: 400000000198	Revision Date: 02/28/2018
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	ot classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: No data available
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of Inhalation Eye contact Skin contact	of exposure
Acute toxicity	
Not classified based on availab	ble information.
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
C11-15 Alkane/cycloalkane:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	 LC50 (Rat): > 5.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 3,160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
Mineral Oil (Paraffinum Liqui Acute oral toxicity	i dum): : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	 LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity



ersion 1.1	SDS Number: 400000000198	Revision Date: 02/28/2018
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance toxicity	g or mixture has no acute dermal
Trideceth-9: Acute oral toxicity	: LD50 (Rat): > 500 - < 2,000 r	ng/kg
Propylene Glycol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rabbit): > 159 mg/l, > Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance inhalation toxicity	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance toxicity	g or mixture has no acute dermal
Petrolatum:		
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guidelin Remarks: Based on data fror	
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guidelin Assessment: The substance toxicity Remarks: Based on data fror 	or mixture has no acute dermal
Sodium Hydroxymethylgly	cinate:	
Acute oral toxicity	: LD50 (Rat): 1,050 mg/kg	
Chloroxylenol: Acute oral toxicity	: Acute toxicity estimate : 500 Method: Expert judgement Remarks: Based on harmonis on 1272/2008, Annex VI	mg/kg sed classification in EU regulati
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg	
Chin comparing limitation		

Skin corrosion/irritation

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:

Assessment: Repeated exposure may cause skin dryness or cracking.

Mineral Oil (Paraffinum Liquidum):

Species: Rabbit Result: No skin irritation



Version 1.1

SDS Number: 40000000198

Revision Date: 02/28/2018

Trideceth-9:

Species: Rabbit Result: No skin irritation

Propylene Glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Petrolatum:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit Result: Skin irritation

Chloroxylenol: Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

C11-15 Alkane/cycloalkane: Species: Rabbit Result: No eye irritation

Mineral Oil (Paraffinum Liquidum):

Species: Rabbit Result: No eye irritation

Trideceth-9:

Species: Rabbit Result: Irreversible effects on the eye

Propylene Glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

Petrolatum:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Chloroxylenol:



Version 1.1

SDS Number: 40000000198

Revision Date: 02/28/2018

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

Components:

C11-15 Alkane/cycloalkane:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Mineral Oil (Paraffinum Liquidum):

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Result: negative

Propylene Glycol:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Petrolatum:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



Revision Date: 02/28/2018 Version 1.1 SDS Number: 40000000198 Result: negative Genotoxicity in vivo Test Type: Chromosomal aberration Test species: Rat Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials Mineral Oil (Paraffinum Liquidum): Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test **Result:** negative Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 **Result:** negative Remarks: Based on data from similar materials **Propylene Glycol:** Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative : Test Type: In vivo micronucleus test Genotoxicity in vivo Test species: Mouse Application Route: Intraperitoneal injection **Result:** negative Petrolatum: Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro **Result:** negative Remarks: Based on data from similar materials Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials Sodium Hydroxymethylglycinate: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) **Result:** negative Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammali an liver cells in vivo Test species: Rat Result: negative Chloroxylenol: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Carcinogenicity



Version 1.1

SDS Number: 40000000198

Revision Date: 02/28/2018

Not classified based on available information.

Components:

Mineral Oil (Paraffinum Liquidum): Species: Rat Application Route: Ingestion Exposure time: 24 Months Result: negative

Propylene Glycol:

Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative

Petrolatum:

Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:	
Effects on fertility :	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal : development	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
Mineral Oil (Paraffinum Liquidu	ım):
Effects on fertility :	Test Type: One-generation reproduction toxicity study Species: Rat

Result: negative

Application Route: Skin contact



Version 1.1	SDS Number: 400000000198	Revision Date: 02/28/2018
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	lopment
Propylene Glycol: Effects on fertility	: Species: Mouse Application Route: Ingestion Result: negative	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Mouse Application Route: Ingestion Result: negative	lopment
Petrolatum: Effects on fertility	: Test Type: Reproduction/Devel t Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Skin contact Result: negative Remarks: Based on data from s	t
Sodium Hydroxymethylg	•	
Effects on foetal development	: Species: Rat Application Route: Ingestion	

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

C11-15 Alkane/cycloalkane: Species: Rat NOAEL: > 10.4 mg/l Application Route: inhalation (vapour) Exposure time: 90 d Remarks: Based on data from similar materials

Mineral Oil (Paraffinum Liquidum):

Species: Rat LOAEL: 160 mg/kg Application Route: Ingestion Exposure time: 90 d



Version 1.1

SDS Number: 40000000198

Revision Date: 02/28/2018

Species: Rat LOAEL: >= 1 mg/l Application Route: inhalation (dust/mist/fume) Exposure time: 4 w Method: OECD Test Guideline 412

Propylene Glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

Petrolatum:

Species: Rat NOAEL: 5,000 mg/kg Application Route: Ingestion Exposure time: 2 y

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Mineral Oil (Paraffinum Liquidum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> C11-15 Alkane/cycloalkane:		
Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction



rsion 1.1	SDS Number: 40000000198 Revision Date: 02/28/20
	NOELR (Skeletonema costatum (marine diatom)): 993 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	 NOELR (Ceriodaphnia Dubia (water flea)): > 70 mg/l Exposure time: 8 d Test substance: Water Accommodated Fraction
Toxicity to bacteria	: EC50: > 100 mg/l Exposure time: 3 h
Mineral Oil (Paraffinum Liqu Toxicity to fish	 dum): LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	 NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d
Trideceth-9: Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50: > 1 - 10 mg/l Exposure time: 48 h
Toxicity to algae	: EC50: > 1 - 10 mg/l Exposure time: 72 h
Propylene Glycol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/ Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d



sion 1.1	SDS Number: 40000000198 Revision Date: 02/28/20	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l Exposure time: 7 d	
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h	
Petrolatum: Toxicity to fish	: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l	
	Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials	
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials 	
Toxicity to algae	 NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials 	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	 NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials 	
Sodium Hydroxymethylglyci	nate:	
Toxicity to fish	: LC50: > 10 - 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l Exposure time: 48 h	
Toxicity to algae	 ErC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 10 - 100 mg/l Exposure time: 72 h 	
Toxicity to bacteria	: EC50: > 100 mg/l Exposure time: 120 h	
Chloroxylenol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h	
M-Factor (Acute aquatic toxicity)	: 1	



sion 1.1	SDS Number: 40000000198 Revision Date: 02/28/
Persistence and degradabili	ty
Components: C11-15 Alkane/cycloalkane: Biodegradability	: Result: Readily biodegradable. Biodegradation: 82 % Exposure time: 24 d Method: OECD Test Guideline 301F
Mineral Oil (Paraffinum Liqu Biodegradability	idum): : Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d
Trideceth-9: Biodegradability	: Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d
Propylene Glycol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
Petrolatum: Biodegradability	 Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
Sodium Hydroxymethylglyci Biodegradability	inate: : Result: Readily biodegradable.
Bioaccumulative potential	
Components: Propylene Glycol: Partition coefficient: n- octanol/water	: log Pow: -1.07
Sodium Hydroxymethylglyci Partition coefficient: n- octanol/water	inate: : log Pow: < 3
Chloroxylenol: Partition coefficient: n- octanol/water	: log Pow: 3.27
Mobility in soil No data available	
Other adverse effects	



Version 1.1	SDS Number: 40000000198	Revision Date: 02/28/2018
Product:		
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances	
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR Not regulated as a dangerous good IMDG-Code Not regulated as a dangerous good

National Regulations

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



Version 1.1	SDS Number: 40000000198	Revision Date: 02/28/2018	
SARA 313	known CAS numbers that exce	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
Clean Air Act			
This product does not Air Act Section 12 (40	contain any hazardous air pollutants (HAP), CFR 61).	, as defined by the U.S. Clean	
This product does not	contain any chemicals listed under the U.S.	Clean Air Act Section 112(r) for	

Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Propylene Glycol 57-55-6 1.7691 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % Pennsylvania Right To Know C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 10 - 20 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 %		C11-15 Alkane/cycloalkane	64742-47-8	30 - 50 %			
Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % Pennsylvania Right To Know		Mineral Oil (Paraffinum Liquidum)	8042-47-5	10 - 20 %			
Pennsylvania Right To Know 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 20 57-35-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 30 - 50 % New Jersey Right To Know 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 172-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Petrolatum	8009-03-8	1 - 5 %			
C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 % Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 211-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 1732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %			
Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 % Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 211-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % 0 Oleic Acid 112-80-1 5 - 10 % 10 - 20 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %	Pennsylvania I	Pennsylvania Right To Know					
Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 % Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 211-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % 0 Oleic Acid 112-80-1 5 - 10 % 10 - 20 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		C11-15 Alkane/cycloalkane	64742-47-8	30 - 50 %			
Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 % Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know Vater (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Water (Aqua)	7732-18-5	30 - 50 %			
Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 % Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 57-55-6 30 - 50 % C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Mineral Oil (Paraffinum Liquidum)	8042-47-5	10 - 20 %			
Propylene Glycol 57-55-6 1 - 5 % Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 50 50 % C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Oleic Acid	112-80-1	5 - 10 %			
Petrolatum 8009-03-8 1 - 5 % Sodium Hydroxide 1310-73-2 0.1 - 1 % Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know 50 % 30 - 50 % C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Trideceth-9	24938-91-8	1 - 5 %			
Sodium Hydroxide Sodium Hydroxymethylglycinate 1310-73-2 70161-44-3 0.1 - 1 % 0.1 - 1 % New Jersey Right To Know 50 % C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Propylene Glycol	57-55-6	1 - 5 %			
Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 % New Jersey Right To Know		Petrolatum	8009-03-8	1 - 5 %			
New Jersey Right To Know 64742-47-8 30 - 50 % C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Sodium Hydroxide	1310-73-2	0.1 - 1 %			
C11-15 Alkane/cycloalkane 64742-47-8 30 - 50 % Water (Aqua) 7732-18-5 30 - 50 % Mineral Oil (Paraffinum Liquidum) 8042-47-5 10 - 20 % Oleic Acid 112-80-1 5 - 10 % Trideceth-9 24938-91-8 1 - 5 % Propylene Glycol 57-55-6 1 - 5 %		Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %			
Water (Aqua)7732-18-530 - 50 %Mineral Oil (Paraffinum Liquidum)8042-47-510 - 20 %Oleic Acid112-80-15 - 10 %Trideceth-924938-91-81 - 5 %Propylene Glycol57-55-61 - 5 %	New Jersey Right To Know						
Mineral Oil (Paraffinum Liquidum)8042-47-510 - 20 %Oleic Acid112-80-15 - 10 %Trideceth-924938-91-81 - 5 %Propylene Glycol57-55-61 - 5 %		C11-15 Alkane/cycloalkane	64742-47-8	30 - 50 %			
Oleic Acid112-80-15 - 10 %Trideceth-924938-91-81 - 5 %Propylene Glycol57-55-61 - 5 %		Water (Aqua)	7732-18-5	30 - 50 %			
Trideceth-924938-91-81 - 5 %Propylene Glycol57-55-61 - 5 %		Mineral Oil (Paraffinum Liquidum)	8042-47-5	10 - 20 %			
Propylene Glycol 57-55-6 1 - 5 %		Oleic Acid	112-80-1	5 - 10 %			
		Trideceth-9	24938-91-8	1 - 5 %			
Sodium Hydroxymethylglycinate 70161-44-3 0.1 - 1 %		Propylene Glycol	57-55-6	1 - 5 %			
		Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %			

California Prop 65This product does not contain any chemicals known to State
of California to cause cancer, birth defects, or any other
reproductive harm.

The components of this product are reported in the following inventories:TSCA: On TSCA Inventory




Version 1.1	SDS Number: 40000000198	Revision Date: 02/28/2018
AICS	: On the inventory, or in compliance	with the inventory
DSL	: On the inventory, or in compliance	with the inventory
ENCS	: On the inventory, or in compliance	with the inventory
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 02/28/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.