



ADEX  
since 1897



FLOOR COLLECTION




**FLOOR** Glazed Porcelain Tiles (39% Recycled)  
**Semi-Matte Finish**

**SQUARE 7.4"x7.4"**



**ADFW 500** Square White



**ADFB 500** Square Bone



**ADFL 500** Square Light Gray



**ADFD 500** Square Dark Gray



**ADFA 500** Square Azure



**ADFK 500** Square Black

**PICKETS 1.5"x9"**



**ADFW 700** Picket White



**ADFB 700** Picket Bone



**ADFL 700** Picket Light Gray



**ADFD 700** Picket Dark Gray



**ADFM 700** Picket Wood



**ADFA 700** Picket Azure




**ADFK 700** Picket Black




**FLOOR** Glazed Porcelain Tiles (39% Recycled)  
**Semi-Matte Finish**


**HEX 8"x9"**




**ADFW 300** Hex White




**ADFB 300** Hex Bone




**ADFL 300** Hex Light Gray



**ADFD 300** Hex Dark Gray




**ADFA 300** Hex Azure



**ADFK 300** Hex Black

**HEX DECO 8"x9"**



**ADFB 301** Hex Deco Bone




**ADFL 301** Hex Deco Light Gray



**ADFD 301** Hex Deco Dark Gray



**ADFA 301** Hex Deco Azure



**ADFK 301** Hex Deco Black



**ADFW**

White

**ADFA**

Azure



**ADFK**


Black




**FLOOR** Glass Floor Tiles (98% Recycled)  
**Semi-Matte Finish**

**VINTAGE HEX 1"**

**MESH MOUNTED 11.85"x11.41"**




**ADGL 946** Vintage Hex 1" White



**ADGL 947** Vintage Hex 1" Black

**MESH MOUNTED 11.85"x9.13"**



**ADGL 945** Vintage Hex 1" Flower



FLOOR



| FIELD TILES                        |                |
|------------------------------------|----------------|
| SIZE                               | THICKNESS*     |
| GLAZED PORCELAIN TILES             |                |
| Square 7.4"x7.4"                   | 0.236" (6mm)   |
| Picket 1.5"x9"                     | 0.236" (6mm)   |
| Hex 8"x9"                          | 0.275" (7mm)   |
| Hex Deco 8"x9"                     | 0.275" (7mm)   |
| RECYCLED GLASS                     |                |
| Vintage Hex 1" 11.85"x11.41"       | 0.173" (4.4mm) |
| Vintage Hex 1" Flower 11.85"x9.13" | 0.173" (4.4mm) |

| APPLICATIONS                      |                        |                |                        |                |
|-----------------------------------|------------------------|----------------|------------------------|----------------|
|                                   | SUITABLE RESIDENTIAL   |                | SUITABLE COMMERCIAL    |                |
|                                   | GLAZED PORCELAIN TILES | RECYCLED GLASS | GLAZED PORCELAIN TILES | RECYCLED GLASS |
| Bathroom Walls                    | YES                    | YES            | YES                    | YES            |
| Shower Walls                      | YES                    | YES            | YES                    | YES            |
| Kitchen Walls                     | YES                    | YES            | YES                    | YES            |
| Countertops                       | YES                    | YES            | NO                     | NO             |
| Fireplace Surrounds               | YES                    | YES            | YES                    | YES            |
| Outdoor Cooking / Bar Spaces      | YES                    | YES            | YES                    | YES            |
| Pool Waterlines / Water Fountains | NO                     | YES            | NO                     | YES            |
| Floors                            | YES                    | YES            | NO                     | NO             |

| PERFORMANCE CHARACTERISTICS     |                                        |                        |   |                |
|---------------------------------|----------------------------------------|------------------------|---|----------------|
|                                 | TEST METHOD ATSM / ISO                 | RESULT                 |   |                |
|                                 |                                        | GLAZED PORCELAIN TILES |   | RECYCLED GLASS |
| Target DCOF * >.42Wet           | ANSI A137-2012                         | >0.50                  |   | >0.42          |
| PEI Rating                      | ANSI A137.1-2008<br>UNE EN ISO 10545-7 | White                  | 4 | 5              |
|                                 |                                        | Bone                   | 3 |                |
|                                 |                                        | Light Gray             | 3 |                |
|                                 |                                        | Dark Gray              | 3 |                |
|                                 |                                        | Azure                  | 3 |                |
|                                 |                                        | Black                  | 2 |                |
|                                 |                                        | Wood                   | 3 |                |
|                                 |                                        | Deco                   | 3 |                |
| Moisture Absorption             | ASTM C-373<br>UNE EN ISO 10545-3       | ≤ 0.50%*               |   | < 0.50%        |
| Break Strength                  | ASTM C-648<br>UNE EN ISO 10545-4       | Pass                   |   | Pass           |
| Chemical Resistance to Staining | ASTM C-650<br>UNE EN ISO 10545-14      | Ressistant             |   | Ressistant     |
| Freeze-Thaw Resistance          | ASTM C-1026<br>UNE EN ISO 10545-12     | Yes                    |   | Yes            |

| INSTALLATION                                                        |                        |                         |
|---------------------------------------------------------------------|------------------------|-------------------------|
| GROUT JOINT RECOMMENDATION                                          |                        | SHADE VARIATION         |
| Minimum of 5/64"                                                    |                        | GLAZED PORCELAIN TILES  |
|                                                                     |                        | V1 - Uniform Appearance |
|                                                                     |                        | RECYCLED GLASS          |
|                                                                     |                        | V2 - Slight Variation   |
| CLEANING RECOMMENDATIONS                                            |                        |                         |
| Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner |                        |                         |
| CHARACTERISTICS                                                     |                        |                         |
|                                                                     | GLAZED PORCELAIN TILES | RECYCLED GLASS          |
| Glaze                                                               | Solid                  | Solid                   |
| Surface Sheen                                                       | Semi-Matte             | Semi-Matte              |
| Texture                                                             | Smooth                 | Slightly Undulated      |

\*Thickness is understood as the highest point of the tile.  
Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.



**CONTACT US**

**Corporate Headquarters  
South East Distribution Center**

9450 N.W.12th St.  
Miami, FL 33172  
Office: 305-513-4633  
Fax: 305-513-4634  
[customerservice@adexusa.com](mailto:customerservice@adexusa.com)

**West Coast Distribution Center**

2344 E. Walnut Ave.  
Fullerton, CA 92831  
Office: 714-773-0197  
Fax: 714-773-9352  
[customerservicewest@adexusa.com](mailto:customerservicewest@adexusa.com)

**North East Distribution Center**

1000 Wall St. W.  
Lyndhurst, NJ 07071  
Office: 201-355-8772  
Fax: 201-636-2802  
[customerservicene@adexusa.com](mailto:customerservicene@adexusa.com)



Our company has an environmental management system  
in place according to the Norm ISO 14001 certified by  
European Quality Assurance (EQA)