
INSTRUCTION MANUAL



Patio Sectional 5-Piece Deep Seating Set
With Frame and Cushion

V1.0

TABLE OF CONTENTS

ASSEMBLY INSTRUCTIONS


Patio Deep Seating Club Chair With Cushion 3

Patio Deep Seating Right Arm Chair With Cushion 10

Patio Deep Seating Left Arm Chair With Cushion 20

37" Conversation Table 30

INSTRUCTION MANUAL




Patio Deep Seating Club Chair With Cushion

CARE & MAINTENANCE

Please keep these instructions for your future reference.

- Be careful when assembling, avoid damaging the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



ALLEN WRENCH (PROVIDED)



CHECK PARTS & HARDWARE FIRST*



1 PERSON ASSEMBLY



UP TO 20 MIN. ASSEMBLY

HARDWARE


*For missing parts or hardware, please contact customer service.

1 **SCREW** M6.3 X 40mm



16 PCS


2 **SCREW** M6.3 X 55mm



2 PCS


PARTS

A **CHAIR SEAT**




1 PC

B **BACKREST**




1 PC

C **CHAIR RIGHT ARM**



1 PC

D **CHAIR LEFT ARM**




1 PC

E **BACK SUPPORT**




1 PC

CUSHION




PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1 Attach **Part C Chair Right Arm** to **Part A Chair Seat** with 4 pcs of **Hardware #1 Screw**.




2 Attach **Part D Chair Left Arm** to **Part A Chair Seat** with 4 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY


3 Attach **Part A Chair Seat** to **Part C Chair Right Arm** and **Part D Chair Left Arm** with 4 pcs of **Hardware #1 Screw**.




4 Place **Part E Back Support** between **Part C Chair Right Arm** and **Part D Chair Left Arm** as below and attach them with 2 pcs of **Hardware #1 Screw**.



5 Place **Part B Backrest** onto **Part A Chair Seat** as below**.** Attach **Part B Backrest** to **Part C Right Arm** and **Part D Chair Left Arm** with 2 pcs of **Hardware #2 Screw**.



6 Attach **Part B Backrest** to **Part E Back Support** with 2 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY

7


Check and tighten all the screws when the parts are loosely attached.

Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to secure it in place.



INSTRUCTION MANUAL




Patio Deep Seating Right Arm Chair With Cushion


CARE & MAINTENANCE

Please keep these instructions for your future reference.

- Be careful when assembling, avoid damaging the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.


TOOLS REQUIRED






HARDWARE

*For missing parts or hardware, please contact customer service.




PARTS



PARTS

D1 REAR LEG



1 PC

E1 FRONT LEG




1 PC

F1 BACK SUPPORT



1 PC


G1 CHAIR LEFT ARM



1 PC


CUSHION

Z1 BACK CUSHION



1 PC


Z2 SEAT CUSHION



1 PC


PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1 Attach **Part C1 Bottom Bar** to **Part E1 Front Leg** with 2 pcs of **Hardware #3 Screw**.




PRODUCT ASSEMBLY

2 Attach **Part D1 Rear Leg** to **Part C1 Bottom Bar** with 2 pcs of **Hardware #3 Bolt**.




3 Attach **Part A1 Chair Seat** to **Part E1 Front Leg** with 2 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY

4 Attach **Part D1 Rear Leg** to **Part A1 Chair Seat** with 2 sets of **Hardware #4 Bolt**, **#5 Washer** and **#6 Nut**.




5 Attach **Part G1 Chair Left Arm** to **Part A1 Chair Seat** as below with 4 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY

6 Attach **Part A1 Chair Seat** to **Part G1 Chair Left Arm** from inside with 2 pcs of **Hardware #1 Screw**.




7 Place **Part F1 Back Support** as below and attach the **Part F1 Back Support** to **Part D1 Rear Leg** with 2 pcs of **Hardware #1 Screw**.


Attach **Part F1 Back Support** to **Part G Chair Left Arm** with 1 pc of **Hardware #1 Screw**.



8 Place **Part B1 Backrest** onto **Part A1 Chair Seat** as below and attach them with 1 pc of **Hardware #1 Screw**.




9 Attach **Part B1 Backrest** to **Part G1 Chair Left Arm** with 1 pc of **Hardware #2 Screw**.



PRODUCT ASSEMBLY


10 Attach **Part B1 Backrest** to **Part F1 Back Support** with 2 pcs of **Hardware #1 Screw**.



11 Check and tighten all the screws when the parts are loosely attached.


Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to secure it in place.




PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form comfortable sofa set by connecting the seats together as following methods.




By Hardware set:
Bolt (M6 x 60mm) +M6 Washer+M6 Nut



Specially By Hardware set:
Bolt (M6 x 80mm) +M6 Washer+M6 Nut

INSTRUCTION MANUAL




Patio Deep Seating Left Arm Chair With Cushion

CARE & MAINTENANCE

Please keep these instructions for your future reference.

- Be careful when assembling, avoid damaging the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.


TOOLS REQUIRED






HARDWARE

*For missing parts or hardware, please contact customer service.




PARTS




PARTS

D2 REAR LEG



1 PC

E2 FRONT LEG




1 PC

F2 BACK SUPPORT



1 PC


G2 CHAIR RIGHT ARM



1 PC


CUSHION

Z1 BACK CUSHION



1 PC


Z2 SEAT CUSHION



1 PC


PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1 Attach **Part C2 Bottom Bar** to **Part E2 Front Leg** with 2 pcs of **Hardware #3 Screw**.




PRODUCT ASSEMBLY

2 Attach **Part D2 Rear Leg** to **Part C2 Bottom Bar** with 2 pcs of **Hardware #3 Bolt**.




3 Attach **Part A2 Chair Seat** to **Part E2 Front Leg** with 2 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY


4 Attach **Part D2 Rear Leg** to **Part A2 Chair Seat** with 2 sets of **Hardware #4 Bolt**, **#5 Washer** and **#6 Nut**.



5 Attach **Part G2 Chair Right Arm** to **Part A2 Chair Seat** as below with 4 pcs of **Hardware #1 Screw**.




6 Attach **Part A2 Chair Seat** to **Part G2 Chair Right Arm** from inside with 2 pcs of **Hardware #1 Screw**.




7 Place **Part F2 Back Support** as below and attach the **Part F2 Back Support** to **Part D2 Rear Leg** with 2 pcs of **Hardware #1 Screw**.


Attach **Part F2 Back Support** to **Part G2 Chair Right Arm** with 1 pc of **Hardware #1 Screw**.



8 Place **Part B2 Backrest** onto **Part A2 Chair Seat** and **Part F2 Back Support** as below and attach with 1 pc of **Hardware #1 Screw**.




9 Attach **Part B2 Backrest** to **Part G2 Chair Right Arm** and **Part A2 Chair Seat** with 1 pc of **Hardware #2 Screw**.



PRODUCT ASSEMBLY


10 Attach **Part B2 Backrest** to **Part F2 Back Support** with 2 pcs of **Hardware #1 Screw**.



11 Check and tighten all the screws when the parts are loosely attached.


Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to secure it in place.




PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form comfortable sofa set by connecting the seats together as following methods.




By Hardware set:
Bolt (M6 x 60mm) +M6 Washer+M6 Nut



Specially By Hardware set:
Bolt (M6 x 80mm) +M6 Washer+M6 Nut

INSTRUCTION MANUAL




37" Conversation Table


CARE & MAINTENANCE

Please keep these instructions for your future reference.

- Use caution during assembly to avoid damaging the top surface.
- Clean the furniture with lukewarm water, a mild detergent, and a soft cloth.
- Ensure all bolts are securely tightened before use. Do not use any part of this item as a step ladder.
- Recheck and tighten all bolts, screws, and nuts every 90 days.
- Do not use or store this item near uncontrolled fire or flammable materials.
- Be aware that some parts may be heavy or have sharp edges.
- Do not overtighten screws. Insert all screws before tightening.
- Do not exceed the recommended weight capacity of this item.


TOOLS REQUIRED






HARDWARE

*For missing parts or hardware, please contact customer service.




PARTS



PRODUCT ASSEMBLY - OVERALL VIEW


Look at following overall view of this table and learn the exact position of each part to be assembled.



PRODUCT ASSEMBLY


1

Attach **Part E Table Bottom Feet** to **Part B Table Support Bar** with 2 pcs of **Hardware #1 Screw**.
Attach **Part D Table Leg** to **Part E Table Bottom Feet** with 2 pcs of **Hardware #1 Screw**.
Attach **Part B Table Support Bar** to **Part D Table Leg** with 2 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY

2 Attach **Part E Table Bottom Feet** to **Part C Table Support Bar** with 2 pcs of **Hardware #1 Screw**.




3 Attach **Part D Table Leg** to **Part E Table Bottom Feet** with 2 pcs of **Hardware #1 Screw**.
Attach **Part C Table Support Bar** to **Part D Table Leg** with 2 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY


4 Attach **Part D Table Leg** to **Part A Table Top** with 4 pcs of **Hardware #2 Bolt**, 4 pcs of **Hardware #4 Washer** and 4 pcs of **Hardware #3 Nut**.




5 Attach **Part C Table Support Bar** to **Part B Table Support Bar** with 1 pc of **Hardware #1 Screw**.



6 Attach **Part D Table Leg** to **Part A Table Top** with 4 pcs of **Hardware #2 Bolt**, 4 pcs of **Hardware #4 Washer**, 4 pcs of **Hardware #3 Nut**.



7 Check and tighten all the bolts and screws again to finish the assembly.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.