

# Galway

EMPLOYS THE SPIRIT OF MINIMALISM TO  
CREATE BEAUTIFUL DISORDER OR COHESIVE  
SIMPLICITY.



Grey 24" x 48"

## Colors



Aqua



Birch



Black



Blue



Brick




Caviar



Curry



Dark Grey



Dove




Ecru




Grey




Lace



Mink



Oyster




Palm



Pine




Plaster



Scarlet



Stone



Taupe



Timeless

## Field Tiles\*

| SIZE   | THICKNESS             | FINISH                      |
|--|-----------------------|-----------------------------|
| 8" x 8" Tile   | 9 mm                  | Matte                       |
| 8" x 8" Pattern Tile<br>(Arabesque, Medallion,<br>Petal & Mix) | 9 mm                  | Matte                       |
| 12" x 24" Rectified  | 9 mm                  | Matte                       |
| 15" x 30" Rectified  | 9 mm                  | Matte                       |
| 16" x 32" Rectified Wall Tile                                  | 8.5 mm                | Matte                       |
| 16" x 32" Sculpt 3D Deco<br>Rectified                          | 10 mm                 | Matte                       |
| 24" x 24" Rectified  | 9 mm                  | Matte                       |
| 24" x 47" Rectified  | 9 mm                  | Matte                       |
| 24" x 48" Rectified  | 9 mm                  | Matte                       |
| 30" x 30" Rectified  | 9 mm                  | Matte                       |
| 30" x 59" Rectified  | 9 mm                  | Matte                       |
| 47" x 47" Rectified  | 6 mm, 9 mm &<br>20 mm | Bush<br>Hammered<br>& Matte |
| 47" x 95" Slab Rectified                                       | 9 mm                  | Matte                       |
| 47" x 110" Slab Rectified                                      | 6 mm                  | Matte                       |
| 63" x 63" Slab Rectified                                       | 6 mm                  | Matte                       |
| 63" x 126" Slab Rectified                                      | 6 mm                  | Matte                       |

## Mosaics &amp; Coordinating Trims\*

| SIZE                                    | THICKNESS | FINISH                      |
|---|-----------|-----------------------------|
| 12" x 13" Geometric Mosaic              |           | Matte                       |
| 12" x 24" Stair Tread                   |           | Matte                       |
| 13" x 13" Corner Step                   |           | Matte                       |
| 13" x 24" Step                          |           | Matte                       |
| 13" x 36" Step                          |           | Matte                       |
| 13" x 47" Elemento L Grip               |           | Bush<br>Hammered<br>& Matte |
| 13" x 47" Step                          |           | Matte                       |
| 13" x 59" Step                          |           | Matte                       |
| 1" x 3" Minibrick Mosaic                |           | Matte                       |
| 2" x 2" Mosaic                          |           | Matte                       |
| 2" x 24" Digitale Bullnose<br>Rectified |           | Matte                       |
| 3" x 12" Bullnose Left Corner           |           | Matte                       |
| 3" x 12" Right Bullnose                 |           | Matte                       |
| 3" x 24" Bullnose Rectified             |           | Matte                       |
| 5/8" x 16" 3D Corner                    |           | Matte                       |
| 5/8" x 16" Corner                       |           | Matte                       |
| 5/8" x 5/8" Corner A.E                  | 8.5 mm    | Matte                       |
| Mosaic Hexagon                          |           | Matte                       |

## Product Characteristics\*\*

|   |   |
|---|---|
| Breaking Strength<br>(ASTM C648 or ISO 10545-4)     | Range of $\geq 600$ N to<br>$\geq 10,000$ N |
| Chemical Resistance<br>(ASTM C650 or ISO 10545-13)  | A   |
| DCOF  | $>0.42$ Wet                                 |
| Deep Scratch Resistance - Unglazed<br>(ISO 10545-6) | $\leq 150\text{mm}^3$                       |
| Frost Resistance<br>(ASTM C1026 or ISO 10545-12)    | Resistant                                   |
| Mohs Hardness - EN101                               | 6   |
| Water Absorption<br>(ASTM C373 or ISO 10545-3)      | $\leq 0.1\%$ or $10\% < EV \leq 20\%$       |
| Certifications                                      | LEED  |
| Country of Origin                                   | Italy                                       |
| Shade Variation Code                                | v2, v3 & v4                                 |

\*Not all sizes/trims are available in all colors and finishes

\*\*Not all characteristics apply to all tiles. To confirm product characteristics, please check with your sales representative or send us an email.



GALWAY EMPLOYS THE SPIRIT OF MINIMALISM TO CREATE BEAUTIFUL DISORDER OR COHESIVE SIMPLICITY. PRESENTING A VARIETY OF COMMERCIAL TILE OPTIONS THAT CAN BE PAIRED WITH BRIGHT COLORS, THESE CLAY-INSPIRED LOOKS WILL REDEFINE YOUR UNDERSTANDING OF CREATIVE CONCRETE STYLING.

## Request samples.

[www.vitlsurfaces.com](http://www.vitlsurfaces.com)  
[samples@vitlsurfaces.com](mailto:samples@vitlsurfaces.com)

