MATERIAL SAFETY DATA SHEETS

For

Lithium-ion polymer battery

Prepared for	:	ACCO Brands USA LLC
Address	:	4 Corporate Dr. Lake Zurich IL 60047 United States
Prepared by	:	EMTEK (SUZHOU) CO., LTD
Address	:	No. 1388 Songjia Road, Guoxiang Street, Wuzhong Economic Development Zone, Suzhou
Tel	:	+86-0512-80996798
Fax	:	+86-0512-80996689
Report Number	:	ESZ2501090241C00101R
Date of Conduct	:	Jan. 21,2025
Date of Report	:	Jan. 22,2025

Signed for and on behalf of
EMTEK(Suzhou) Co., Ltd.

Prepared by: Sally — Zhu Songmei, Sally

Reviewed by: Damon — Du Shi, Damon

Approved by: Jason — Jiang Yufeng, Jason
Authorized signatory
Jan.22, 2025

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

MATERIAL SAFETY DATA SHEETS

1- Identification of the substance /preparation and of the company/undertaking

Product identifier

Sample Name	:	Lithium-ion polymer battery
Model	:	08220
End Uses	:	/
Battery parameters	:	/
Unique Formula Identifier(UFI)	:	N/A

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	:	/
Restricted use	:	/

Details of the supplier of the safety data sheet

Prepared for	:	ACCO Brands USA LLC
Company Address	:	4 Corporate Dr. Lake Zurich IL 60047 United States
FAX	:	/
Phone Number	:	/
Email	:	/
Producer	:	/
Address	:	/

2- Hazards Identification

Hazards Classification	:	This chemical is not considered hazardous by the Regulation (EC) No 1272/2008 (CLP), the sample is divided into class 9.	
Main Hazards	:	Batteries in short circuits, over-charging or under extreme thermal conditions may leak fluid and potentially explosive.	
Nvasion route	**Eye contact**	:	Eye contact with contents of an open battery can cause severe iritationor burns to the eye
	Skin contact	:	Skin contact with contents of an open battery can cause severe iritation or burns to the skin.
	Inhalation	:	Vapors or mists from a ruptured battery may cause respiratory irritation.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Ingestion : The battery ingredients contained within or their ingredients products can cause serious chemical burns of mouth,esophagus,and gastrointestinal tract.

Other hazards : Not dangerous with normal use.Do not dismantle,open or shred the battery ingredients contained within or their ingredients products could be harmful.

3 - Composition / Information on Ingredients

Substance □ Mixture □

Component/ Substance	% by wt	CAS Number	EC Number	Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
$LiCoO_2$	34.06	12190-79-3	235-362-0	None	None
CNT	0.24	308068-56-6	231-153-3	Eye Irrit. 2 STOT SE 3;	None
Corbon Black	0.27	1333-86-4	215-609-9	None	None
PVDF	0.36	24937-79-9	/	None	None
Corbon	17.47	7782-42-5	231-955-3	None	None
CMC	0.24	9000-11-7	/	None	None
SBR	0.33	25085-39-6	/	None	None
Al	4.02	7429-90-5	231-072-3	None	None
Cu	8.97	7440-50-8	231-159-6	None	None
Dissepiment(PE)	3.33	/	/	None	None
Electrolyte(LiPF6、EC)	24.14	21324-40-3	244-334-7	None	None

Note: CAS Number is Chemical Abstract Service Registry Number.
EINECS Number is EUROPEAN Inventory of Existing Commercial Chemical Substance.
N/A=Not apply.

4 - First Aid Measures

Description of first aid measures : The battery or hazardous components of the battery are contained in a sealed unit. The following measures are only applicable when the battery or battery

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

leaks, is exposed to high temperature, or is subjected to mechanical, electric shock or physical abuse/damage.

If inhaled	:	If breathed in, remove to fresh air immediately. Keep the respiratory tract smooth. Use oxygen if available. Get medical aid.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. First treatment with calcium gluconate paste.
In case of eye contact	:	If contact with eyes, flush the eyes with plenty of water or saline water at least 15 minutes. Get medical aid at once.
If swallowed	:	Never give anything by mouth to an unconscious person. Rinse mouth with water.
Most important symptoms and effects, both acute and delayed	:	Acute: The items in the battery are rated as corrosive items. Ingestion of electrolytes may cause severe gastrointestinal irritation, accompanied by nausea, vomiting and potential burns. Inhalation of vapors may cause severe irritation of the mouth and upper respiratory tract, as well as burning sensation, pain, burns and inflammation in the nose and throat; there may also be coughing or difficulty breathing. Eye contact may cause severe eye irritation or, in the worst case, irreversible injury and possible burns to the eyes. Skin contact may cause irritation and skin burns. Chronic: Skin contact may aggravate/exacerbate existing skin conditions, such as dermatitis. Chronic inhalation may cause the same symptoms as the acute inhalation described above.
Indication of any immediate medical attention and special treatment needed	:	Transfer patients to a safe place. Consult a doctor. Present this chemical safety data sheet to the doctor on site.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

5 - Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media	:	Foam, CO2, dry chemical extinguishers.
Special hazards arising from the substance or mixture	:	Combustion will produce toxic smoke of lithium batteries, lithium oxide fumes and carbon dioxide, carbon monoxide.
Unusual Fire and Explosion Hazards	:	Battery may burst and release hazardous decomposition products when exposed to a fire situation.
Special Fire-Fighting Procedures	:	Wear suitable protective clothing, gloves, eye/face protection and self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	:	Restrict access to area until completion of clean-up. Do not touch the splled material.Wear adequate personal protective equipment as indicated in Section 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Absorbspilled material with an inert absorbent (dry sandor earth).Scoop contaminated absorbent into an acceptable waste container.Collect all contaminated absorbent and dispose of according to directions in Section 13.Scrub the area with detergent and water;collect all contaminated wash water for proper disposal.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

7 - Handling and Storage

Personal precautions, protective equipment and emergency procedures	:	If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate. Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed with sand, earth or other inert substance and contaminated area should be ventilated meantime.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Evacuate spill area immediately and remove sources of ignition. Do NOT touch spilled material. Cleanup personnel must be trained in the safe handling of this product. Spills may be absorbed on non-reactive absorbents such as vermiculite. Place cells or batteries into individual plastic bags and then place into appropriate containers and close tightly for disposal. Ensure that cleanup procedures do not expose spilled material to any moisture. Immediately transport closed containers outside. Lined steel drums are suitable for storage of damaged cells or batteries until proper disposal can be arranged.
Reference to other sections	:	For disposal see section 13.

8 - Exposure Controls / Personal Protection

Maximum Admissible Concentration	:	/
Monitoring Method	:	/
Engineering Control	:	No engineering controls are required for handling batteries that have not been damaged.Personal protective equipments for damaged batteries should include chemical resistant gloves and safety glasses.
Respiratory Protection	:	in case of battery venting,provide as much ventilation as possible.Avoid confined areas with venting cell cores.Respiratory Protection is not necessary under conditions of normal use.Not necessary under conditions of normal use.
Eye/face protection	:	Not necessary under normal use. Wear safety goggles or glasses with side
	:	shields if handing a leaking of rupture battery.
Skin protection	:	Not necessary under normal use. Use rubber apron and protective working
	:	in case of handing of a rupture battery.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Personal Protection is recommended for venting batteries	:	Respiratory Protection, Protective Gloves, Protective Clothing and safety glasses with side shields.
Other Protection	:	No smoking, dining and drinking water in the workplace. Keep good habit of hygiene. Shower and change clothes after work.

9 - Physical and Chemical Properties

Appearance	:	No data available.	Odor	:	No data available.
Boiling Point	:	No data available.	Density	:	No data available.
Melting Point	:	No data available.	Flashing Point	:	No data available.
pH	:	No data available.	Specific Heat	:	No data available.
Vapor Pressure	:	No data available.	Solubility	:	No data available.

10 - Stability and Reactivity

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	Stable under recommended storage conditions.
Conditions to avoid	:	Fire source, heating source, disassemble, external short circuit, crushes, deformation, high temperature above 100°C, direct sunlight and high humidity, immerse in water or overcharge
Incompatible materials	:	Conductive materials, water, strong oxidizers and strong acids.
Hazardous Polymerization	:	No available data.
Hazardous decomposition products	:	In case of fire, it will decompose to produce harmful substances. - Carbon oxides, other irritating and toxic gases.

11 - Toxicological Information

Information on toxicological effects

Acute Toxicity	:	No available data.
Skin corrosion/irritation	:	No available data.
Serious eye damage/eye irritation	:	Smoke from broken batteries can irritate the eyes, trachea and lungs.
Respiratory or skin Sensitization	:	No available data.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Germ cell mutagenicity	:	No available data.
Carcinogenicity	:	No available data.
Reproductive toxicity	:	No available data.
Specific target organ toxicity-single exposure	:	No available data.
Specific target organ toxicity-repeated exposure	:	No available data.
Aspiration hazard	:	No available data.
Information on other hazards	:	The mixture does not contain endocrine disruptor
Endocrine disrupting properties		
Additional information	:	Inhalation, skin contact and eye contact are possible when the battery is opened. Exposure to internal contents, the corrosive fumes will be very irritation to skin, eyes and mucous membranes. Overexposure can cause symptoms of non-fibrotic lung injury and membrane irritation.

12 - Ecological Information

Toxicity	:	No available data.
Persistence and degradability	:	No available data.
Bioaccumulative potential	:	No available data.
Mobility in soil	:	No available data.
Results of PBT and vPvB assessment	:	No available data.
Endocrine disrupting properties	:	The mixture does not contain endocrine disruptor
Other adverse effects	:	Waste batteries can be harmful to the environment

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

13 - Disposal Considerations

Waste disposal methods		
Product	:	Deserted batteries couldn't be treated as ordinary trash. Couldn't be thrown into fire or placed in high temperature. Couldn't be dissected, pierced, crushed or treated similarly.Best way is recycling.
Contaminated packaging	:	Dispose of as unused product.
Attention for Waste Treatment	:	Regulations vary for different countries. Dispose of in accordance with local regulations.

14 - Transport Information

Transport Attentions:

This report is applicable to sea, air and land transportation;

The lithium battery was tested and passed in accordance with Section 38.3 of Part III of the United Nations Manual of Tests and Standards.

Lithium batteries shall meet the requirements of Part II/Part I of Packaging Specification 965, or meet the requirements of Packaging Specification 66th Edition of 2025 IATA Dangerous Goods Rules and subsequent updates, Part II of 966~967. As well as the US DOT regulations applicable to the safe transportation of lithium batteries, the transported batteries and battery packs must be packed in the inner packaging of completely closed batteries or battery packs; In order to protect the battery from damage or compression, the inner packaging must be placed in a solid and hard outer packaging;

Packaging should be sufficient to avoid mechanical damage during transportation, handling and stacking. Materials and packaging design should be selected to prevent accidental conduction, terminal corrosion and moisture ingress.

The packaging must be handled with care. If the packaging is damaged, there is a flammable danger.

Each package must be labeled with a lithium battery handling label or a Class 9 hazard label.

According to Article 188 of IMDG Code (Amdt), (41-22), the goods are not bound by this law and other laws and regulations.

With regard to transportation, the following laws and regulations were cited and considered.

-Technical instructions of the International Civil Aviation Organization (ICAO).

-International Air Transport Association (IATA) Dangerous Goods Regulations.

IMDG Code	:	Assigned to the miscellaneous class 9.
UN-Number	:	UN3480 or UN3481

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Label	:	
Packing group	:	PI965/PI966/PI967
Proper shipping name	:	Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment (including lithium ion polymer batteries)

DOT regulations

Hazard class	:	Assigned to the miscellaneous class 9.
UN-Number	:	UN3480 or UN3481
Label	:	
Packing group	:	PI965/PI966/PI967
Proper shipping name	:	Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment(including lithium ion polymer batteries)

Air transport ICAO-TI and IATA-DGR

ICAO-TI-II class	:	Assigned to the miscellaneous class 9.
UN-Number	:	UN3480 or UN3481
Label	:	
Packing group	:	PI965/PI966/PI967
Proper shipping name	:	Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment(including lithium ion polymer batteries)
Marine pollutant	:	No

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

15 - Regulatory Information

Regulatory Information	:	Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Regulation (EC) No 1272/2008 Classification, Labelling and Packaging of Substances and Mixtures. 《Dangerous Goods Regulations》 《 Recommendation on the Transport of Dangerous Goods Model Regulations》 《International Maritime Dangerous Goods》 《Technical Instructions for the Safe Transport of Dangerous Goods》 《Classification and code of dangerous Goods》 For other detail regulation you should be contacted the appropriate agency in your country, or refer to domestic, EU/international regulations.

16 - Other Information

Date	:	Jan. 22,2025
Data Audit Units	:	EMTEK (SUZHOU) CO., LTD
Abbreviation	:	EC：European Inventory of Existing Commercial chemical Substances CAS：Chemical Abstracts Service (division of the American Chemical Society) RTECS：Registry of Toxic Effects of Chemical Substances.
ACGIH	:	American Conference of Governmental Industrial
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
CLP	:	Classification Packaging and Labelling
EC	:	European Commission
ECHA	:	European Chemicals Agency
EINECS	:	The European Inventory of Existing Commercial Chemical Substances
GHS	:	Globally Harmonised System of Classification and Labelling of Chemicals
IARC	:	International Agency for Research on Cancer
IATA	:	International Air Transport Association
IBC Code	:	International code for the construction and equipment of ships carrying dangerous chemical in bulk

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

ICAO	:	International Civil Aviation Organization
IMDG	:	International Maritime Dangerous Goods
IC50	:	Inhibitory Concentration fifty
LD	:	Lethal dose
LC50	:	Lethal Concentration fifty
LD50	:	Lethal Dose fifty per cent.
MARPOL	:	International Convention for the Prevention of Pollution From Ships
REACH	:	Registration Evaluation And Authorisation Of Chemicals
RID	:	Regulations Relating to International Carriage of Dangerous Goods by Rail
RTECS	:	Registry of Toxic Effects of Chemical Substances
STEL	:	Short term exposure limit
TWA	:	Time-Weighted Average
OSHA	:	Occupational Safety and Health Administration
NIOSH	:	National Institute for Occupational Safety and Health
TLV-TWA	:	Threshold Limit Value-Time Weighted Average
TLV-STEL	:	Threshold Limit Value-Short Term Exposure Limit
PEL	:	Permissible Exposure Limit
Other	:	The above information based on accurate data, because this
InformationOther	:	information may be applied under conditions beyond our control, or is modified, and we do not bear any responsibility. This information determines the purpose of the case of proprietary materials and configurations in the recipient.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

声明 Statement

1.本检测报告首页所列信息中除样品来源、接样日期、检测日期、检测结果和检测结论外，均由委托方提供，委托方对样品的代表性和 资料的真实性负责，本实验室不承担任何相关责任。
The information as listed on the first page of this test report was all provided by the client except the sample from, date received, test period, test results and test conclusion. The client shall be responsible for the representativeness of sample and authenticity of materials, for which EMTEK shall bear no responsibilities.

2.本检测报告以实测值进行符合性判定，未考虑不确定度所带来的风险，特别约定、标准或规范中有明确规定的除外。此种判定方式所带来的风险由客户自行承担，本实验室不承担相关责任。
The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by the judgment method, and EMTEK shall not bear related responsibilities.

3. 检测报告无批准人签字及“检验检测专用章”无效，未经本实验室书面同意，不得整体或部分复制本报告。
The test report is effective only with both signature and specialized stamp. Without written approval of EMTEK, this report can’t be reproduced in full or in part.

4.本检测报告的检测结果仅对送测样品负责，未加盖资质认定标志的检测报告不对社会具有公证证明作用，对于检测数据、结果的使用，所产生的直接或间接损失及一切法律后果，本实验室不承担任何经济和法律责任。
This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society, and EMTEK is not responsible for any economic and legal responsibility for the use of the test data, the direct or indirect losses resulting from the use of the test and all legal consequences.

5.本检测报告中检测项目标注有下划线则该项目不在本实验室资质认定能力范围内，该项目检测结果仅作为客户委托、科研、教学或内部质量控制等目的使用。
The underlined test item in the report is out of the scope of CMA accreditation. The test result only used for client's requirement, scientific researching ,teaching or internal quality control.

6.其它声明请查阅报告页脚及书面报告背页。
For other statements, please refer to the footer of the report.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

签发测试报告条款
Conditions of Issuance of Test Reports

1. 苏州市信测标准技术服务有限公司（以下简称[本公司]）为提供符合下述条款的测试和报告，而接受有关样品和货品。本公司基于下述条款提供服务，下述条款为本公司与申请服务的个人，企业或公司（以下简称[客户]）的协议。
All samples and goods are accepted by the EMTEK(Suzhou) Co., Ltd. (the “Company”) solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the “Clients”).

2. 由此测试申请所发出的任何报告（以下简称[报告]），本公司会严格为客户保密。未经本公司的书面同意，报告的整体或部分不得复制，也不得用于广告或授权的其他用途。然而，客户可以将本公司印制的报告或认可的副本，向其客户、供货商或直接相关的其他人出示或提交。除非相关政府部门、法律或法规要求，否则未经客户同意，本公司不得将报告内容向任何第三方讨论或披露。
Any report issued by Company as a result of this application for testing services (the “Report”) shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. 除非相关政府部门、法律或法院要求，否则未经公司预先书面同意，本公司毋需，也并无义务到法院对有关报告作证。
The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. 如果本公司确定报告被不当地使用，本公司保留撤回报告的权利，并有权要求其它适当的额外赔偿。
In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. 本公司接受样品进行测试的前提是，该测试报告不能作为针对本公司法律行动的依据。
Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. 如因使用本公司中心任何报告内的资料，或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害，本公司概不负责。
The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

7. 若需要在法院审理程序或者仲裁过程中使用测试报告，客户必须在提交测试样品前将该意图告知本公司。
Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的，检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限，数据和信息将被处理掉。任何情况下，本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害，本公司在任何情况下也不必承担任何损害，包括（但不限于）补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权（包括疏忽）、产品责任或其他原因的惩罚性损害。
Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Test results are only responsible for delivered samples. This test report is issued by the company and is intended for your exclusive use. This test report includes all of the testes requested by you and the results thereof based upon the information that you provided. You have 30 days from data of issuance of this test report to notify us of any error or omission caused by our negligence. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

苏州市信测标准技术服务有限公司 / 地址：江苏省苏州市吴中经济开发区郭巷街道淞葭路1388号 / 网址：Http://www.emtek.com.cn 邮箱：E-mail: suzhou@emtek.com.cn
EMTEK (Suzhou) Co., Ltd. Add: No. 1388 Songjia Road, Guoxiang Street, Wuzhong Economic Development Zone, Suzhou, Jiangsu, China
Http://www.emtek.com.cn E-mail: suzhou@emtek.com.cn