

LEVEL FIFTEEN

F
R
A
C
T
I
O
N
S

Developmental Mathematics

L. George Saad, Ph. D.
Professor Emeritus
Long Island University

ADVANCED SKILLS

15

© Copyright 1993, by L. George Saad, all rights reserved. Manufactured in the United States of America. This publication is protected by copyright. No part of this work herein may be reproduced, transmitted, stored or used in any form, or by any means, graphic, electronic, or mechanical. Including but not limited to photocopying, recording, scanning, digitizing, taping, web distribution, information networks, or information storage and retrieval systems. To obtain permissions to use material from this work please submit a written request to copyright@developmentalmathematics.store.

1 CHANGING INTO A SMALLER FRACTIONAL UNIT

Example 1.

The figure to the right is divided into fourths.


One fourth is shaded.

- If each one fourth is divided into 2 equal parts, the figure becomes 8 eighths.


1 fourth becomes 2 eighths.

- If each one fourth is divided into 3 equal parts, the figure becomes 12 twelfths.

1 fourth becomes 3 twelfths.



$$\frac{1}{4} = \frac{2}{8}$$



$$\frac{1}{4} = \frac{3}{12}$$

Example 2.


The figure is divided into halves.

One half is shaded.

Divide each one half into 2 equal parts.

The whole becomes _____

One-half becomes _____



$$\frac{1}{2} =$$



Example 3.

The figure is divided into thirds.

One third is shaded.

Divide each one third into 4 equal parts.

The whole becomes _____

One third becomes _____



$$\frac{1}{3} =$$



Example 4.

The figure is divided into sevenths.

One seventh is shaded.


Divide each one seventh into 5 equal parts.

The whole becomes _____

One seventh becomes _____



$$\frac{1}{7} =$$



APPLICATIONS

1. The figure is divided into fourths.
1 fourth is shaded.



$$\frac{1}{4} =$$

Make the whole into 12 twelfths.

1 fourth is made into _____

2. The figure is divided into fifths.
1 fifth is shaded.



$$\frac{1}{5} =$$

Make the whole into twentieths.

1 fifth is made into _____

3. The figure is divided into thirds.
1 third is shaded.





$$\frac{1}{3} =$$

Make the whole into eighteenths.

1 third is made into _____



4.



4 fourths become _____

1 fourth becomes _____

5.



6 sixths become _____

1 sixth becomes _____

6. Write the missing number.

a. $\frac{1}{3} = \frac{\quad}{12}$

b. $\frac{1}{5} = \frac{\quad}{15}$

c. $\frac{1}{8} = \frac{\quad}{56}$

d. $\frac{1}{9} = \frac{\quad}{18}$

e. $\frac{1}{3} = \frac{\quad}{15}$

f. $\frac{1}{6} = \frac{\quad}{30}$

g. $\frac{1}{10} = \frac{\quad}{40}$

h. $\frac{1}{7} = \frac{\quad}{42}$

i. $\frac{1}{9} = \frac{\quad}{45}$

j. $\frac{1}{8} = \frac{\quad}{80}$

k. $\frac{1}{5} = \frac{\quad}{85}$

l. $\frac{1}{12} = \frac{\quad}{108}$

Example 5.


The figure is divided into fifths.

2 fifths are shaded.

Divide each one-fifth into 4 equal parts,

The whole becomes 20 twentieths.

2 fifths become 8 twentieths.



$$\frac{2}{5} =$$

Example 6.


The figure is divided into fourths.

3 fourths are shaded.

Divide each one fourth into 5 equal parts,

The whole becomes 20 twentieths.

3 fourths become 15 twentieths.



$$\frac{3}{4} =$$

Example 7.


The figure is divided into thirds.

2 thirds are shaded.

Divide each one-third into 4 equal parts.

The whole becomes 12 twelfths.

2 thirds become _____ twelfths.



$$\frac{2}{3} =$$

Example 8.

The figure is divided into sixths.

5 sixths are colored.

- If you divide each one-sixth into 2 equal parts, the whole becomes 12 twelfths.

5 sixths become 10 twelfths.

- If you divide each one-sixth into 3 equal parts, the whole becomes 18 eighteenths.

5 sixths become _____

- If you divide each one-sixth into 5 equal parts, the whole becomes 30 thirtieths.

5 sixths become _____



APPLICATIONS

1. The figure is divided into ninths.
4 ninths are shaded.



You make the ninths into eighteenths.


1 ninth is made into _____

$$\frac{1}{9} =$$

4 ninths are made into _____

$$\frac{4}{9} =$$

2. The figure is divided into sevenths.
3 sevenths are shaded.



You make the sevenths into fourteenths.


1 seventh is made into _____

$$\frac{1}{7} =$$

3 sevenths are made into _____

$$\frac{3}{7} =$$

3. The figure is divided into thirds.
2 thirds are shaded.



- If you make the figure into sixths, what fraction of the figure would be shaded? _____
- If you make the figure into ninths, what fractions of the figure would be shaded? _____
- If you make the figure into twelfths, what fractions of the figure would be shaded? _____
- If you make the figure into fifteenths, what fraction of the figure would be shaded? _____

4. Write the missing number:

a. $\frac{5}{8} = \frac{15}{24}$

b. $\frac{6}{7} = \frac{\quad}{35}$

c. $\frac{3}{10} = \frac{\quad}{30}$

d. $\frac{2}{7} = \frac{6}{21}$

e. $\frac{5}{11} = \frac{\quad}{55}$

f. $\frac{9}{20} = \frac{\quad}{100}$

g. $\frac{4}{5} = \frac{8}{10} = \frac{40}{50}$

h. $\frac{8}{12} = \frac{\quad}{60} = \frac{\quad}{24}$

i. $\frac{3}{8} = \frac{\quad}{64} = \frac{\quad}{40}$

j. $\frac{5}{6} = \frac{20}{24} = \frac{25}{30}$

k. $\frac{2}{9} = \frac{\quad}{45} = \frac{\quad}{36}$

l. $\frac{7}{10} = \frac{\quad}{100} = \frac{\quad}{1000}$

2

CHANGING INTO A LARGER FRACTIONAL UNIT

Example 1.

The figure to the right is divided into 15 equal parts.


Each part is $\frac{1}{15}$ of the whole.

We may group each 3 fifteenths.

The whole becomes 5 equal parts.

Each part is $\frac{1}{5}$ of the whole.

3 fifteenths become 1 fifth.



$$\frac{3}{15} =$$

Example 2.

The figure to the right is divided into 14 equal parts.


Each part is $\frac{1}{14}$ of the whole.

We may group each 2 fourteenths.

The whole becomes 7 equal parts.

Each part is $\frac{1}{7}$ of the whole.

2 fourteenths become 1 seventh.



$$\frac{2}{14} =$$

Example 3.

The figure to the right is divided into 18 equal parts.

Each part is $\frac{1}{18}$ of the whole.


- We may group each 2 eighteenths.

The whole becomes 9 equal parts.

Each part is $\frac{1}{9}$ of the whole.

2 eighteenths become 1 ninth.

$$\frac{2}{18} =$$




- We may group each 3 ninths.

The whole becomes 3 equal parts.

Each part is $\frac{1}{3}$ of the whole.

3 ninths become 1 third.

$$\frac{3}{9} =$$



- We may start by grouping each 6 eighteenths.

The whole becomes 3 equal parts.

Each part is $\frac{1}{3}$ of the whole.

6 eighteenths become 1 third.

$$\frac{6}{18} =$$


APPLICATIONS

1. The figure is divided into sixths.

Group each 2 sixths.

The whole becomes _____

Each part is _____ of the whole.




$$\frac{2}{6} =$$

2. The figure is divided into eighths.

Group each 4 eighths.

The whole becomes _____

Each part is _____ of the whole.




$$\frac{4}{8} =$$

3. The figure is divided into twenty-fourths.

- a. Group each 2 twenty-fourths.

The whole becomes _____

Each part is _____ of the whole.




$$\frac{2}{24} =$$

- b. Group each 3 twenty-fourths.

The whole becomes _____

Each part is _____ of the whole.




$$\frac{3}{24} =$$

- c. Group each 4 twenty-fourths

The whole becomes _____

Each part is _____ of the whole.




$$\frac{4}{24} =$$

- d. Group each 6 twenty-fourths.

The whole becomes _____

Each part is _____ of the whole.



$$\frac{6}{24} =$$

4. The figure is divided into thirtieths.

You may group the thirtieths in different ways.

$$\frac{2}{30} = \frac{1}{15}$$


$$\frac{3}{30} = \frac{1}{10}$$

$$\frac{10}{30} = \frac{1}{3}$$

$$\frac{5}{30} = \frac{1}{6}$$

$$\frac{6}{30} = \frac{1}{5}$$


$$\frac{15}{30} = \frac{1}{2}$$



Example 4.

The figure is divided into fifteenths.
6 fifteenths are shaded.


We may group each 3 fifteenths.
The whole becomes 5 fifths.
The shaded area becomes 2 fifths.




Example 5.

The figure is divided into twelfths.
8 twelfths are shaded.

a. We may group each 2 twelfths.
The figure becomes 6 sixths.
The shaded area becomes 4 sixths.



b. We may group each 4 twelfths.
The figure becomes 3 thirds.
The shaded area becomes 2 thirds.



c. We may group each 3 twelfths.
The figure becomes 4 fourths.
We are unable to decide how many fourths are shaded.




Example 6.

The figure is divided into twenty-fourths.
18 twenty-fourths are shaded.

- If you group each 2 twenty-fourths,
the figure becomes 12 twelfths.
The shaded area becomes 9 twelfths. $\frac{18}{24} =$

- If you group each 3 twenty-fourths,
the figure becomes 8 eighths.
The shaded area becomes 6 eighths. $\frac{18}{24} =$

- If you group each 6 twenty-fourths, the figure becomes 4 fourths.
The shaded area becomes 3 fourths. $\frac{18}{24} =$



APPLICATIONS


1. The figure is divided into tenths.

4 tenths are shaded.

Group each 2 tenths.

The whole becomes _____

The shaded area becomes _____




$$\frac{4}{10} =$$

2. The figure is divided into twenty-fourths.

18 twenty-fourths are shaded.

Group each 3 twenty-fourths.

The shaded area becomes _____



$$\frac{18}{24} =$$

3. The figure is divided into eighteenths.

12 eighteenths are shaded.

Group each 2 eighteenths.

The shaded area becomes _____




$$\frac{12}{18} =$$

4. The figure is divided into sixteenths.

12 sixteenths are shaded.

Group each 4 sixteenths.

The shaded area becomes _____




$$\frac{12}{16} =$$

5. The figure is divided into twentieths.

15 twentieths are shaded.

Group each 5 twentieths.

The shaded area becomes _____



$$\frac{15}{20} =$$

6. Group as many units as you can, and then write the fraction you obtain:

a. $\frac{20}{30} =$

b. $\frac{20}{48} =$

c. $\frac{18}{27} =$

d. $\frac{8}{10} =$

e. $\frac{5}{100} =$

f. $\frac{75}{1000} =$

g. $\frac{42}{70} =$

h. $\frac{45}{60} =$

i. $\frac{48}{72} =$

3 EXPRESSING A DECIMAL AS A COMMON FRACTION AND VICE VERSA

- You know that .8 or 0.8 may be written $\frac{8}{10}$.
You also know that $\frac{8}{10}$ may be changed into $\frac{4}{5}$. $.8 = \frac{8}{10} = \frac{4}{5}$
- You know that .75 or 0.75 may be written $\frac{75}{100}$.
You also know that $\frac{75}{100} = \frac{15}{20} = \frac{3}{4}$. $.75 = \frac{75}{100} = \frac{15}{20} = \frac{3}{4}$
- You know that .025 or 0.025 may be written $\frac{25}{1000}$.
You also know that $\frac{25}{1000} = \frac{5}{200} = \frac{1}{40}$. $.025 = \frac{25}{1000} = \frac{5}{200} = \frac{1}{40}$

In these examples, we have expressed each decimal fraction as a fraction with a numerator and denominator, and then changed the fraction into the largest unit.

EXERCISES

1. Express as a fraction in the largest unit.

a. $0.5 =$

b. $0.05 =$

c. $0.005 =$

d. $0.0005 =$

e. $0.2 =$

f. $0.002 =$

g. $0.6 =$

h. $0.25 =$

i. $0.125 =$

j. $0.875 =$

k. $0.625 =$

l. $0.3125 =$

2. Express the sum of .06 and 0.0025 as a fraction in the largest unit.

3. Express the difference between 12.7 and 12.675 as a fraction in the largest unit.

EXPRESSING A DECIMAL AS A COMMON FRACTION AND VICE VERSA

Example 1.

Change $\frac{1}{2}$ into a decimal fraction.

Discussion:

To change $\frac{1}{2}$ into a decimal fraction we have to change it into tenths, or hundredths, or thousandths.

$$\frac{1}{2} = \frac{5}{10} = 0.5$$

Example 2.

Change $\frac{1}{4}$ into a decimal fraction.

Discussion:

You cannot change $\frac{1}{4}$ into tenths, but you can change it into hundredths.

$$\frac{1}{4} = \frac{25}{100} = .25$$

Example 3.

Change $\frac{1}{8}$ into a decimal fraction.

Discussion:

You cannot change $\frac{1}{8}$ into tenths or hundredths, but you can change it into thousandths.

$$\frac{1}{8} = \frac{125}{1000} = .125$$

EXERCISES

1. Change into decimal fractions

a. $\frac{1}{5} =$

b. $\frac{3}{5} =$

c. $\frac{3}{4} =$

d. $\frac{1}{50} =$

e. $\frac{3}{50} =$

f. $\frac{37}{50} =$

g. $\frac{3}{25} =$

h. $\frac{6}{25} =$

i. $\frac{1}{20} =$

j. $\frac{3}{20} =$

2. Add 1.391 to $\frac{3}{4}$

3. Subtract $\frac{4}{5}$ from 0.912