

PRODUCT GUIDE




BEST IN BASKETBALL

6 Goalsetter

TABLE OF CONTENTS

| Goalsetter Features | 5 |
|---------------------|----|
| Launch® Series | 6 |
| Signature Series | 8 |
| Extreme Series | 11 |
| Elite Series | 12 |
| Collegiate | 14 |
| Accessories | 15 |
| Rim Styles | 11 |
| Find a Dealer | 1. |
| FAQs | 1 |
| Warranty | 17 |





say that our basketball hoops are made in the heartland of the USA.





THE GOALSETTER GROUND ANCHOR HINGE SYSTEM provides a solid foundation to ensure superior performance and durability. Assembly of a Goalsetter goal can be done before it is raised upright.

H-FRAME BACKBOARD TECHNOLOGY

- Constructed of 1½" structural steel tubing around entire backboard
- Innovative H-Frame design provides precise and consistent ball response with lifetime durability

Pick your backboard size:

72" x 42" • 60" x 38" • 54" x 36" • 48" x 32"

WIDE-GRIP BACKBOARD EXTENSION ARMS

- Die-formed, one-piece design with no welded joints avoid potential breakage and rust areas
- Effectively counters backboard torque
- Design provides balanced backboard stability

FULLY TEMPERED GLASS BACKBOARD

- %" competition, tempered glass backboard
- Maximum strength to withstand the harshest environments and the toughest play
- Rounded edges and corners for safer play
- Acrylic backboards also available
- Limited Lifetime Warrantv

EXCLUSIVE OFF-SET POLE DESIGN

- Square, 7-gauge structural steel (3/16" wall thickness) construction
- Minimizes shake, reducing wear on system joints
- Maximizes backboard stability and ball response
- Pick your size: 6" x 6", 5" x 5", 4" x 4"
- Allows height mechanism to be inside for safe play

EFFORTLESS HEIGHT ADJUSTMENT

- Players of all ages and sizes can easily adjust
- Crank handle easily removed
- Optional keyed pinlock allows locking the rim at any height

EXCLUSIVE INTERNAL COMPRESSION HEIGHT ADJUSTMENT MECHANISM

- Patented mechanism adjusts rim height from 6' to 10'—smoothly and effortlessly
- Increased safety with no pinch and grab points
- Superior and safer than tension jack mechanisms
- Easy-To-Read height indicator in 6" increments

SUPERIOR CORROSION-RESISTANT PAINT PROCESS

- One primer coat and two-part, acrylic-enamel paint
- Oven-cured to ensure superior adhesion and high-gloss finish
- Meets homeowner association requirements

EXCLUSIVE GROUND ANCHOR HINGE SYSTEM

- Square 42" long structural steel anchor
- Allows for easy goal assembly—no ladders or scaffold
- Hardware uses Magni 577 corrosion resistant coating
- Goal system can easily move with you







PERFECT FOR CUSTOM BASKETBALL COURTS, the all-new Goalsetter Launch® 60" and Launch® Pro 72" feature a telescoping pole for consistent overhang regardless of height adjustment. Combine this revolutionary actuation with all the highest American-made quality you expect from Goalsetter and the Launch® will take your game higher.





PATENT PENDING PERFORMANCE

allows court lines to stay valid as the hoop is raised and lowered between 7.5' to 10'.

TRULY VERTICAL HEIGHT ADJUSTMENT

Perfect for courts with marked free throw and 3pt lines

SUPERIOR FINISH

One primer and two-part, acrylic enamel paint

45 MINUTE ASSEMBLY

No lifting of backboard required

LOCKABLE RIM HEIGHT

Avoid vandalism and unwanted play





AN INTERNAL COMPRESSION HEIGHT ADJUSTMENT MECHANISM

allows players of all levels and ages to enjoy the indoor basketball experience at your home. Blending functionality with practicality, the Signature Series offers a variety of backboard sizes, pole sizes, and extensions so you can choose the perfect goal for your driveway, backyard, school, or park.



60" x 38" Tempered Glass (Acrylic Optional)

SAFE PLAY

3' Extension from Pole to Backboard

POLE SIZE 5" x 5" Square Offset Steel Pole

HEIGHT ADJUSTABILITY 6' - 10'

WEIGHT 435 lbs.



BACKBOARD

54" x 36" Tempered Glass (Acrylic Optional)

SAFE PLAY

3' Extension from Pole to Backboard

POLE SIZE

5" x 5" Square Offset Steel Pole

HEIGHT ADJUSTABILITY 6' - 10'

WEIGHT

410 lbs.



CONTENDER

BACKBOARD

54" x 36" Tempered Glass (Acrylic Optional)

SAFE PLAY

2½' Extension from Pole to Backboard

POLE SIZE

4" x 4" Square Offset Steel Pole

HEIGHT ADJUSTABILITY 6' - 10'

WEIGHT 355 lbs.



HEIGHT-ADJUSTABLE

Adjust rim height from 6' to 10' smoothly and effortlessly, making it perfect for all ages and sizes.

Internal height adjustment mechanism enables safe play with no pinch and grab points.





WEIGHT

535 lbs.





HEIGHT ADJUSTABILITY


6'8" - 10'

WEIGHT

400 lbs.











GET THE HOME COURT ADVANTAGE with the Goalsetter Elite basketball hoop. The next time you're in the mood to ignite your game, hit the open three or drive the lane...just walk outside. This quality, entry level basketball hoop adjusts from 7' to 10', allowing even the youngest players to perfect their shot!



EVERY GOALSETTER BASKETBALL GOAL

is made in the USA with superior quality and workmanship. Your Goalsetter basketball hoop will provide many years of fun, exercise and memories for the entire family.

THE AWNING CRANK HEIGHT ADJUSTMENT MECHANISM

is a time-proven, economical system designed to raise and lower the rim.

THE EXCLUSIVE HINGED GROUND-ANCHOR SYSTEM

enables complete assembly of your basketball goal by 2-3 persons without ladders and a scaffold prior to raising it upright. The steel anchor placed in the ground provides unmatched stability and durability.

When it's time to move, your Goalsetter basketball hoop moves with you by simply purchasing a replacement ground anchor.





ELITE PLUS BOARD ARMS



ELITE PLUS ANCHOR SYSTEM





1. COLLEGIATE POLE PADS

- 72" tall, Tri-Fold Pad
- Fits 4", 5" and 6" square pole systems
- 1 ½" high-impact, closed cell foam
- · All-weather vinyl, will not absorb water
- Available in many different team logos and colors
- Replacement crank handle with swivel knob
- Fits all Signature Series Internal height mechanisms
- · Does not fit Launch units

COLLEGES

American Conference

Cincinnati Bearcats

Atlantic Coast Conference

Duke Blue Devils Louisville Cardinals Pittsburgh Panthers Syracuse Orangemen

Big 12 Conference

Iowa State Cyclones Kansas Jayhawks Oklahoma Sooners Oklahoma State Cowboys

Big East Conference

Butler Bulldogs Creighton Bluejays Marquette Golden Eagles

Big Ten Conference

Illinois Fighting Illini Indiana Hoosiers Iowa Hawkeyes Michigan State Spartans Minnesota Gophers Nebraska Cornhuskers Ohio State Buckeyes

Southeastern Conference

Arkansas Razorbacks Kentucky Wildcats LSU Tigers Missouri Tigers Tennessee Volunteers

Other

North Dakota State Bison Montana State Bobcats









2. CUSTOM FITTED POLE PADDING

- 72" tall, Tri-Fold Pad
- Fits 4", 5" and 6" square pole systems
- 1 ½" high-impact, closed cell foam
- · All-weather vinyl, will not absorb water
- Colors: black, blue, red, green
 Extra Charge: custom colors, collegiate,
- or high school mascots and lettering

3. UNIVERSAL BACKBOARD PADDING

- Weatherproof pro-style pads
- Added backboard protection
- Fits 72", 60", and 54" systems

4. ANTI-WHIP NET

- Heavy braided nylon reduces net whip
 Use for competition, residential or
- playground

5. PINLOCK (SIGNATURE SERIES)

- Avoid unwanted rim height adjustment Keyed lock
- Fits all Signature Series Internal height mechanisms

6. WRAP-AROUND POLE PADDING

- 72" tall, Wrap-Around pad
- Fits any 4", 5" and 6" pole
- · 2" Poly Foam
- Colors: black, blue, red, green

7. CRANK HANDLE (SIGNATURE SERIES)

- Replacement crank handle with swivel knob
- Fits all Signature Series Internal height mechanisms





10



9



•••



8. GS COLLEGIATE BREAKAWAY RIM

INCLUDES

5x5 universal back plate, mounting hardware, and nylon net

PROTECTIVE FINISH

Solid steel construction and baked powder-coat finish for durable arena-style look

PROTECTS PLAYERS

Withstands 125-130 lbs. of down pressure for a 15-degree deflection and features an angled guard to prevent injury

9. GS DOUBLE RING STATIC RIM

NCLUDES

Double ring static rim includes 5x5, 5 $1/8 \times 47/32$, 5x4 - 4 % back plate, mounting hardware, and nylon net

PROTECTIVE FINISH

Solid steel construction and baked powder-coat finish for durable arena-style look

DOUBLE STATIC RIM

Ideal for commercial settings where break-away rims are not encouraged

10. GS HD BREAKAWAY RIM

INCLUDES

5x5 universal back plate, mounting hardware, and nylon net

PROTECTIVE FINISH

Solid steel construction and baked powder-coat finish for durable arena-style look

PROTECTS PLAYERS

Withstands 40 lbs. of down pressure for a 15-degree deflection and features an angled guard to prevent injury

11. GS DOUBLE RING SINGLE RIM

INCLUDES


Single ring static rim includes 5x5 universal back plate, mounting hardware, and nylon net

PROTECTIVE FINISH

Solid steel construction and baked powder-coat finish for durable arena-style look

SINGLE STATIC RIM

Ideal for commercial settings where break-away rims are not encouraged



Goalsetter Systems has dealers conveniently located across the United States. Goalsetter dealers are highly trained and committed to providing the best customer service and installation on in-ground basketball hoops. Visit Goalsetter.com today or call 888.USA.GOAL to find a dealer near you.

For all wallmount goals, Goalsetter Systems recommends consulting a professional architect or contractor to determine a safe wall anchoring system to match the wall construction being used in your application.



FAQs

WHAT IS THE DIFFERENCE BETWEEN A GLASS AND ACRYLIC BACKBOARD?

Glass is the backboard material of choice in residential settings. Glass provides better ball response and wears better over time as it does not fade or discolor. Acrylic is the board of choice for non-residential use.

HOW IS A GOALSETTER ANCHORED INTO THE GROUND?

Each Goalsetter System is anchored using our ground anchor hinge system. First, the ground anchor is placed in a 4' deep hole (18" diameter) and secured using concrete. When cured (approx. 48 hours), the hinge system allows complete assembly of the Goalsetter hoop before it is raised upright and bolted to the ground anchor.

IS IT POSSIBLE FOR ME TO INSTALL THE GOAL?

This decision is up to you! The installation and assembly of a Goalsetter inground goal can be accomplished by two or three people without the use of ladders or scaffolds. The patented ground anchor hinge system allows complete assembly of the Goalsetter goal before it is raised upright. The toughest task during the installation of a Goalsetter goal is digging the hole. Most of our dealers also offer professional installation as an option for an additional fee.

WARRANTY

Subject to proper installation and normal, intended use, all structural components of Goalsetter Systems Launch® Series*, Signature Series*, Extreme Series* and GS Wall-Mount Series* Basketball Systems are warranted to be free of defects in material and workmanship for the duration of ownership by the original retail purchaser, subject to the limitations below. The Elite and the GS Baseline Wall Mount Basketball Systems will be covered by this warranty for a period of five years. The Goalsetter Systems*Munior MVP and GS Junior Wall Mount Basketball Systems are covered for a time period of two (2) years from date of purchase. Goalsetter shall have the right to require the purchaser to deliver the allegedly defective product to Goalsetter for testing, repair or replacement. Goalsetter shall not be responsible for any expenses associated with the replacement or removal of the product from its application for such delivery. Modification of any product by the customer, unless approved by Goalsetter Systems, will void all warranty. Where listed as "LIMITEO", the warranties shall cover damage or failure that occurs during the course of NORMAL or INTENDED USE of the product. Normal or intended use shall be described as activity that is necessary for the participation in the sport for which the equipment is designed. NOT COVERED is damage caused by deliberate hanging, and laids, mon-basketball activities or any other activity that could be regarded as abusive. Where stated as "UNCONDITIONAL", the warranty limitations listed above do not apply.

*Launch® Series - Launch® Pro, Launch®; Signature Series - MVP, Captain, All-American, All-Star, Contender; Extreme Series - X672, X660, X560, X554, X454, X448; GS Wall Mount Series - GS72 Wall Mount, GS60 Wall Mount, GS64 Wall Mount, GS68 Wall Mount.

PADDING WARRANTY: Multi-Purpose Backboard Edge Padding: one-year limited; Indoor Backboard Edge Padding: five-year limited (indoor only); Custom-Fit Pole Padding: one-year limited; Wrap-Around Pole Padding: one-year limited.

NOT COVERED BY THIS WARRANTY


• Use in non-residential applications of glass backboards on Signature Series systems.

- \bullet Use in non-residential applications of Extreme Series and Elite complete systems.
- Any products subjected to abuse, negligence, improper installation, vandalism, acts of God, alteration of product or any other events beyond the control of Goalsetter Systems.
- Junior Series breakage caused by the act of dunking.
- Paint or rusted parts. Touch-up paint is included in all hardware kits.
- Deterioration of product due to time or wear and tear.

Normal deterioration of products due to atmospheric conditions, weather, wear and tear (including paint), or other causes that do not affect functional use are not covered by Goalsetter Systems warranties. All warranties are valid only when product is used in the intended application and when installed according to Goalsetter Systems instructions. Warranty will be void if maintenance instructions in the Owners Manual are not followed. If you did not receive an Owners Manual, please call 888.USA.GOAL or go to www.qoalsetter.com to download a copy.

WARRANTY CLAIMS: All returns must be arranged through the Goalsetter Systems, Inc. dealer where the product was originally purchased. Warranties do not cover dealer service charges, labor charges, freight charges, and travel expenses associated with replacement, repair or removal of warranty items. Photos of the damaged product prior to any repair or clean-up actions must clearly show and permit analysis of the damaged product by Goalsetter Systems, Inc. A Goalsetter Warranty Claim form must be completed, and photos submitted, together with proof of purchase, for any item you wish to claim under warranty. If the purchase was not made through a dealer, this form is available by email, fax or mail. In response to your claim, you will receive an order confirmation as well as a notice stating whether Goalsetter Systems, Inc. needs your warranty item returned. Goalsetter Systems, Inc. will notify you by fax or phone if we determine that the item cannot be claimed under warranty, Goalsetter Systems, Inc. is not responsible for any charges for labor to install or repair defective product without prior authorization. Goalsetter Systems, Inc. will determine the most economical method to either repair or replace product before any work is to commence.





M Goalsetter



© 2023 Goalsetter Systems 817 Maxwell Ave. • Evansville, IN 47711 888.USA.GOAL • goalsetter.com