

"T"	"E"	"H"	"A"	"B"
3.527	3.407	.500	3.645	.605
MATERIAL: POLYPROPYLENE				
WEIGHT: 13.0 GRAMS + / - 2.5 Grams				

DISCLAIMER

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:




REF NO.:

DWG30537

DESCRIPTION:

89-400 PP Matte Top, Ribbed Sides Cap with SG75 Plain Liner (Heat Seal For PE)

Product	.020" Pulp SG-75M		
Scope	Two piece white-lined pulp backed heat induction foil innerseal that will provide a tamper evident seal to polyethylene containers.		
Composition	Material	Standard	Metric
	Pulp	.020"	.508 mm
	Wax	-	-
	Aluminum Foil	.001"	.025 mm
	Polyester Film	.0005"	.013 mm
	Heat Seal	.0015"	.038 mm




Composition does not include adhesive, resin or wax bonding layers (if any).

FDA Status: 23 CFR 175.300	Recommended Storage and Handling: refer to www.seligsealing.com	
Drug Master File (DMF): 3782	EU / EP Reg.:	
GTR Oxygen: Essentially Zero	MVTR: Essentially Zero	
Print Location (if any): Foil Layer		

Selig materials are compliant with current USFDA Food allergen Guidelines.
Selig materials are compliant with California Proposition 65 labeling requirements.
Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

DISCLAIMER	DISTRIBUTED BY: 	REF NO.: DWG30537
THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.	DESCRIPTION: 89-400 PP Matte Top, Ribbed Sides Cap with SG75 Plain Liner (Heat Seal For PE)	