30W Outdoor IP Horn Speaker

IP30W-SPKR



FEATURES

- 30 W built-in amplifier, up to 120 dB SPL @ 1 m
- Built-in microphone with two-way audio
- PoE+ network power, or 12 V / 24 V DC alternate power
- SIP, ONVIF, HTTP, RTSP, RTP and other standard IP audio protocols
- OPUS, MP3, G.722 and G.711 (PCMU/PCMA) audio codecs
- ONVIF / compatible VMS platform integration
- Pre-recorded warning and notification messages
- IP67 weather rating, -30 °C to +60 °C operating temperature
- Applications: IP paging and announcements, security and surveillance audio, outdoor commercial audio, camera/VMS integrations, two-way communication

SPECIFICATIONS

Specification	IP30W-SPKR
GENERAL	
Product Type	IP network horn speaker with built-in microphone
Rated Power	30 W
Amplifier	Built-in 30 W amplifier
Maximum SPL	120 dB @ 1 m
Frequency Response	350 Hz - 8 kHz
Built-in Microphone	Yes
Two-Way Audio	Yes
NETWORK	
Network	10/100 Base-TX Ethernet
Network Connection	RJ45
Network / Audio Protocols	SIP, ONVIF, HTTP, IPv4, DHCP, RTSP, RTP, RTCP, TCP, UDP and others
Audio Codecs	OPUS 48 kHz, MP3 44.1 kHz, G.722, G.711 PCMU/PCMA
VMS Integration	ONVIF / compatible VMS platforms
Pre-recorded Messages	Supported
POWER	
PoE	PoE+
Alternate Power	12 V / 24 V DC
ENVIRONMENT	
Weather Rating	IP67
Operating Temperature	-30 °C to +60 °C (-22 °F to 140 °F)
PHYSICAL	
Housing	ABS
Dimensions	285 x 205 x 290 mm (approx. 11.2 x 8.1 x 11.4 in.)
Weight	Approx. 4.4 lb (2 kg)
Mounting	Wall / bracket mount



The United States government passed the John S. McCain National Defense Authorization Act for the 2019 fiscal year on August 13, 2018 (NDAA 2019). This act specifies the budget, expenditures and policies of the United States Department of Defense, and prohibits the purchase and use of specific electronic security products manufactured and supplied by specific companies based in China.

We are aware of the NDAA and abide by the stipulations set forth in this regulation. Illumivue is always committed to providing products of the highest standards while ensuring compliance with project requirements.

Our goal is to continue providing only the best equipment we can. Safety and security are our top priority, and we sincerely appreciate all partners' support and patience.

WARRANTY

All Illumivue products come with a 3-year limited liability warranty covering parts and labor repairs on components found defective in material or workmanship under normal use. This warranty does not apply to products that have been abused, modified, or disassembled, and is honored only through authorized resellers — not through non-authorized online sellers.

Products that fail under conditions outside this coverage will be repaired at the current price of parts and labor. Repairs are warranted for 90 days from the date of reshipment to the buyer. Units delivered by mail travel at the customer's risk unless insured. No unit will be accepted without a return authorization number, and proof of sale may be required to claim warranty.