

Eaton 16D27R

Catalog Number: 16D27R

Eaton Bussmann series low voltage D fuse, Ultra-rapid, 500V, 16A, Non Indicating, fuse, Class gR, Ultra rapid, Grey, Ceramic body



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage D fuse	16D27R
	Model Code
	FUSE D2 16A 500 VAC F GR E27
UPC	EAN
051712831727	5027590437578
Product Length/Depth	Product Height
50 mm	22 mm
Product Width	Product Weight
22 mm	29.8 g
Compliances	Certifications
GoST-R	IEC 60269
CE Marked	VDE
RoHS Compliant	DIN EN 60269-3 (VDE 0636 Part 30)
	DIN EN 60269-1 (VDE 0636 Part 10)
	DIN VDE 0636-301

Type

fuse

Special features

Ultra-rapid

Application

For domestic and general industrial applications

Amperage Rating

16 A

Fuse size

DII

Breaking capacity

50 kA

Construction size (fuse inserts)

DII

Rated voltage AC

500 V

Class

Class gR

Fuse type

D27R - Ultra rapid

Accessory/spare part type

10GD27 Red screw cap gauge piece

Utilization category

gR (general purpose semiconductor protection)

Color

Gray

Interrupt rating

50 kAIC

Fuse indicator

Non-indicating

Connection

Other

Construction

D2

Construction size

Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

Catalogs

[CA134002EN](#)

[Bussmann series complete full line catalog no. 1007](#)

[16D27R~FUSE-D2 16A F GR 500VAC E27](#)

Compliance information

[UKCA Bottle fuse-links, holders, carriers and accessories](#)

[CE Bottle fuse-links, holders, carriers and accessories](#)

Technical data sheets

[4124 D and D0 fuses, bases and accessories](#)

DII

Fuse shape

Bottle

Response time

Ultra rapid

Suitable for

E27/DII Fuse base

TFD27 Fuse base screw fixing

SFRD27 Fuse base DIN-Rail mount

TFRD27 Fuse base DIN-Rail mount

Material

White ceramic body

Release characteristic

Super fast (FF)

Quantity

25

Voltage rating

500 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia