



FIFRA Section 2(ee) Recommendation

For Control of Spotted Lanternfly on Roses, Flowers, Houseplants, Ground Covers, Vines, Ornamentals, Shrubs, and Trees in all states except NY and TX.

BioAdvanced Science-Based Solutions 3-In-1 Insect, Disease & Mite Control Ready-to-Spray I

EPA Reg. No. 92564-63

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the US Environmental Protection Agency. This recommendation must be in the possession of the user at the time of pesticide application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Spotted Lanternfly, connect your garden hose to the bottle. To begin spraying, turn on water at faucet. Point nozzle towards the area to be treated and press lock tab while using other hand to turn sprayer valve to on position. Extend hose to farthest plants to be treated and work back toward the faucet to avoid contacting wet, treated plants. Use an even sweeping motion, ensuring thorough coverage of both the top and bottom leaf surfaces. Follow all other label directions, restrictions and precautions on the product label.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and observe the precautionary statements plus all other information appearing on the product labels. For Utah and Washington, this recommendation is not required to be in the possession of the user at the time of pesticide application. For all other states, this recommendation must be in the possession of the user at the time of pesticide application.

This Technical Information Bulletin expires on 12/31/2024.

©2022 SBM Life Science Corp.

www.Bioadvanced.com.

BioAdvanced® is a registered trademark of SBM Life Science Corp.