accessories

Blank panels cover open areas on an installed rack face, providing a clean, professional appearance.

Serie

- Highest Aesthetics
- · Aluminum, Flanged Style
- Lightweight, Easy to Machine
- Available in 1 Through 4 Space Sizes
- 1/2 and 1/3 Space Blank Panels Also Available
- · Black Brushed and Anodized Finish



FEB Series

- Economical Steel Blank Panel
- Flat (FEB) or Flanged (EB) Styles
- 1/2 and 1/3 Space Blank Panels Also Available (EB style only)
- Available in 1 Through 6 Space Sizes
- Durable Black Powder Coat Finish



Series

- Highest Aesthetics
- Aluminum
- Lightweight, Easy to Machine
- Available in 1 Through 4 Space Sizes
- Black Brushed and Anodized



Series

- Lightweight, Easy to Machine
- Aluminum
- Flanged for Strength
- Available in 1 Through 4 Space Sizes
- Durable Black Powder Coat Finish
- Also available in 1/2 rack width (HRBL Series)



HRBL-2



accessories

Blank panels cover open areas on an installed rack face, providing a clean, professional appearance.

IBL Serie

- · Lightweight, Easy to Machine
- Aluminum
- Flat Style
- Available in 1 Through 4 Space Sizes
- Durable Black Powder Coat Finish



PBL-2



PHBL-3

WSB Series

- Heavy Duty
- Steel
- Flanged for Strength
- Available in 1 Through 6 Space Sizes (SB) and 1 Through 4 Space Sizes (WSB)
- Durable Textured Black Powder Coat Finish (SB), Wrinkle Black Powder Coat (WSB)



WSB3

pecifications

A brand of || legrand

Blank panels shall be Middle Atlantic Products model # __ (refer to chart). Blank panels shall be __ rackspaces in height with a __ finish (refer to chart). Blank panels shall be __ rackspaces in height with a __ finish (refer to chart). Blank panels shall be constructed of aluminum (BL, PBL, HBL, HBL, PHBL), or steel (FEB, EB, SB, WSB). Blank panels shall be RoHS EU Directive 2002/95/EC compliant. Blank panels shall be manufactured by an ISO 9001 and ISO 14001 registered company. Blank panels shall be warrantied to be free from defects in material or workmanship under normal use and conditions for the lifetime of the panel.

EIA/TIA COMPLIANT






PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818

what **great systems** are built on.™



basic dimensions



PARTS	DIM "A"	DIM "B"	DIM "C"	DIM "D"	DIM "E"
BL1/3, EB1/3	0.583 [15]	N/A	19 [483]	18.344 [466]	17.374 [441]
BL1/2, EB1/2	0.875 [22]	N/A	19 [483]	18.344 [466]	17.374 [441]
BL1, PBL1, EB1, SB1, WSB1	1.718 [44]	1.25 [32]	19 [483]	18.344 [466]	17.374 [441]
BL2, PBL2, EB2, SB2, WSB2	3.468 [88]	3.00 [76]	19 [483]	18.344 [466]	17.374 [441]
BL3, PBL3, EB3, SB3, WSB3	5.218 [133]	2.25 [57]	19 [483]	18.344 [466]	17.374 [441]
BL4, PBL4, EB4, SB4, WSB4	6.968 [177]	4.00 [102]	19 [483]	18.344 [466]	17.374 [441]
EB5, SB5	8.718 [221]	5.75 [146]	19 [483]	18.344 [466]	17.374 [441]
EB6, SB6	10.468 [266]	7.50 [191]	19 [483]	18.344 [466]	17.374 [441]
HRBL1	1.718 [44]	1.25 [32]	10.4 [264]	9.744 [247]	8.774 [223]


PARTS	HRBL	BL	PBL	EB	SB	WSB
FINISH	BLACK POWDER COAT	BLACK BRUSHED & ANODIZED	BLACK POWDER COAT	BLACK POWDER COAT		WRINKLE BLACK POWDER COAT

NOTE: DIMENSION FORMAT SHOWN INCHES [MM]

what **great systems** are built on.™



basic dimensions



PARTS	DIM "A"	DIM "B"
HBL1, PHBL1, FEB1	1.735 [44]	1.25 [32]
HBL2, PHBL2, FEB2	3.485 [89]	3.00 [76]
HBL3, PHBL3, FEB3	5.235 [133]	2.25 [57]
HBL4, PHBL4, FEB4	6.985 [177]	4.00 [10]
HBL5, FEB5	8.735 [222]	5.75 [146]
HBL6, FEB6	10.485 [266]	7.50 [191]

PARTS	HBL	PHBL	FEB
FINISH	BLACK BRUSHED	BLACK POWDER	BLACK
	& ANODIZED	COAT	POWDER COAT

NOTE: DIMENSION FORMAT SHOWN INCHES [MM]

