

element





element

- INSPIRED BY NATURAL QUARTZITE STONE
- RICH, MULTI-FACETED SURFACE
- EVOKES A CLOSENESS TO NATURE AND BIOPHILIC DESIGN
- REGULAR/INDOOR AND GRIP/OUTDOOR FINISHES AVAILABLE
- NEW LARGER BRICK MOSAIC AND UNIQUE TURTLE MOSAIC



NATURAL ELEGANCE

TIMELESS COMFORT

Inspired by rich, untouched quartzite stone, the Element collection adds texture and energy to any surface. The multi-faceted, stone-look tile is designed to blur the line between the built environment and nature. Element is offered in a regular finish for indoor applications and a grip finish that is suitable for outdoors allowing for seamless design across spaces. Element's colorways, floor tile, mosaics and trim pieces create a sense of comfort and relaxation in residential, commercial or hospitality settings.

element

Colors



IVORY

SILVER

GRAY

EARTH

CARBON

Shade variation



IVORY



SILVER



GRAY

COLORED BODY PORCELAIN TILE



EARTH



CARBON



element
Element Gray 11³/₄"x23⁵/₈" - 30x60cm
Element Ivory Brick Mosaic 11³/₄"x11³/₄" - 30x30 cm



element

element

Element Gray 11³/₄"x23⁵/₈" - 30x60cm

Element Ivory Brick Mosaic 11³/₄"x11³/₄" - 30x30 cm

element

Element Gray 11³/₄"x23⁵/₈" - 30x60cm





element
Element Earth 11³/₄"x23⁵/₈" - 30x60cm
Element Carbon Turtle Mosaic 15¹/₄"x13³/₈" - 39x34cm
Homeland Rye 7³/₄"x39³/₈" - 20x100 cm
Element Earth Bullnose 3"x24" - 7.2x60cm



element

- Element Earth 11³/₄"x23⁵/₈" - 30x60cm
- Element Earth **grip** 11³/₄"x23⁵/₈" - 30x60cm
- Element Carbon Turtle Mosaic 15¹/₄"x13³/₈" - 39x34cm
- Element Earth Bullnose 3"x24" - 7.2x60cm



element

element

Element Earth 11³/₄"x23⁵/₈" - 30x60cm

Element Earth grip 11³/₄"x23⁵/₈" - 30x60cm

Element Carbon Turtle Mosaic 15¹/₄"x13³/₈" - 39x34cm

Homeland Rye 7³/₄"x39³/₈" - 20x100 cm



element

- Element Carbon 11³/₄"x23⁵/₈" - 30x60cm
- Element Silver 11³/₄"x23⁵/₈" - 30x60cm
- Element Silver **grip** 11³/₄"x23⁵/₈" - 30x60cm
- Element Carbon Cove Base 6"x12" - 15x30cm
- Element Silver Bullnose 3"x24" - 7.2x60cm

element

element
Element Carbon 11³/₄"x23⁵/₈" - 30x60cm
Element Silver 11³/₄"x23⁵/₈" - 30x60cm
Element Carbon Mosaic 11³/₄"x11³/₄" - 30x30cm
Element Carbon Cove Base 6"x12" - 15x30cm



element
Element Silver **grip** 11³/₄"x23⁵/₈" - 30x60cm

STONE LOOK
ELEMENT
COLORED BODY PORCELAIN TILE

element

STONE LOOK ELEMENT

COLORLED BODY PORCELAIN TILE

element
Element Ivory 11³/₄"x23⁵/₈" - 30x60cm
Element Ivory Turtle Mosaic 15¹/₄"x13³/₈" - 39x34cm
Element Ivory Bullnose 3"x24" - 7.2x60cm

element



element
Element Ivory Turtle Mosaic 15 1/4"x13 3/8" - 39x34cm

element
Element Ivory 11 3/4"x23 5/8" - 30x60cm





element
Element Silver 11³/₄"x23⁵/₈" - 30x60cm
Element Carbon Turtle Mosaic 15¹/₄"x13³/₈" - 39x34 cm



element
Element Carbon Turtle Mosaic 15¹/₄"x13³/₈" - 39x34 cm



element
Element Silver 11³/₄"x23⁵/₈" - 30x60cm



Compliant with standards ANSI A137.1-2012

SIZE	THICKNESS	FINISH
11 3/4" x 23 5/8" - 30 x 60 cm 11 3/4" x 23 5/8" grip - 30 x 60 cm	9 mm	MATTE - GRIP



ELEMENT IVORY
11 3/4" x 23 5/8" - 30x60 cm
610010004683
grip 610010004688



ELEMENT SILVER
11 3/4" x 23 5/8" - 30x60 cm
610010004684
grip 610010004689



ELEMENT GRAY
11 3/4" x 23 5/8" - 30x60 cm
610010004685
grip 610010004690



ELEMENT EARTH
11 3/4" x 23 5/8" - 30x60 cm
610010004686
grip 610010004691



ELEMENT CARBON
11 3/4" x 23 5/8" - 30x60 cm
610010004687
grip 610010004692

MOSAICS & DECORS



ELEMENT IVORY MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
600110001086




ELEMENT SILVER MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
600110001087



ELEMENT GRAY MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
600110001088



ELEMENT EARTH MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
600110001089



ELEMENT CARBON MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
600110001090

MOOD



ELEMENT IVORY BRICK MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2.9"x5.8")
600110001091



ELEMENT SILVER BRICK MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2.9"x5.8")
600110001092



ELEMENT GRAY BRICK MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2.9"x5.8")
600110001093



ELEMENT EARTH BRICK MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2.9"x5.8")
600110001094



ELEMENT CARBON BRICK MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2.9"x5.8")
600110001095



ELEMENT IVORY TURTLE MOSAIC
15 1/4" x 13 3/8" - 39x34 cm
(Mosaic 5.1"x3.8")
600110001096



ELEMENT SILVER TURTLE MOSAIC
15 1/4" x 13 3/8" - 39x34 cm
(Mosaic 5.1"x3.8")
600110001097



ELEMENT GRAY TURTLE MOSAIC
15 1/4" x 13 3/8" - 39x34 cm
(Mosaic 5.1"x3.8")
600110001098



ELEMENT EARTH TURTLE MOSAIC
15 1/4" x 13 3/8" - 39x34 cm
(Mosaic 5.1"x3.8")
600110001099



ELEMENT CARBON TURTLE MOSAIC
15 1/4" x 13 3/8" - 39x34 cm
(Mosaic 5.1"x3.8")
600110001100

COORDINATING TRIMS

	Bullnose	Cove base
ELEMENT IVORY	610130007060	610130007065
ELEMENT SILVER	610130007061	610130007066
ELEMENT GRAY	610130007062	610130007067
ELEMENT EARTH	610130007063	610130007068
ELEMENT CARBON	610130007064	610130007069

Bullnose
3"x 24" - 7.2x60 cm

Cove base
6"x12" - 15x30 cm - 9 mm



Compliant with standards ANSI A137.1-2012



SIZE

11 3/4" x 23 5/8" - 30 x 60 cm
11 3/4" x 23 5/8" grip - 30 x 60 cm

THICKNESS

9 mm

FINISH

MATTE - GRIP



V3 MODERATE VARIATION

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tile, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

FIELD TILES

Available in all colors

MOSAICS

AND COORDINATING TRIMS

Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12" x 24"	11 3/4" x 23 5/8"	9 mm	Matte	-
12" x 24" grip	11 3/4" x 23 5/8"	9 mm	Grip	-
Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	
Mosaic 2" x 2"	11 3/4" x 11 3/4"	9 mm	Matte	
Brick Mosaic 2.9" x 5.8"	11 3/4" x 11 3/4"	9 mm	Matte	
Turtle Mosaic 5.1" x 3.8"	15 1/4" x 13 3/8"	9 mm	Matte	
Bullnose 3" x 24"	2 7/8" x 23 5/8"	9 mm	Matte	
Cove Base 6" x 12"	5 7/8" x 11 3/4"	8.5 mm (*)	Matte	

Please refer to caliber chart for work sizes. Close joints are not recommended. (*): Cove Base thickness is 7 mm on flat top part.

PERFORMANCE & FEATURES

REGULARITY CHARACTERISTICS



Nominal Size	ASTM C499	-3.00%	3.00%	-3.00%	2.00%	Compliant
Caliber Range (Variation from average facial dimension of sample)		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
Thickness ⁽¹⁾		N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
Wedging	ASTM C502	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
Warpage Edge	ASTM C485	-0.75% or -0.09 in (-2.3 mm) (*)	0.75% or 0.09 in (2.3 mm) (*)	-0.40% or -0.05 in (-1.3 mm) ⁽²⁾ or -1.8 mm ⁽³⁾ (*)	0.40% or 0.05 in (1.3 mm) ⁽²⁾ or 1.8 mm ⁽³⁾ (*)	Compliant
Warpage Diagonal		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.40% or -0.07 in (-1.8 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant

STRUCTURAL CHARACTERISTICS



Water Absorption	ASTM C373	≤ 0.5%	≤ 0.5%
------------------	-----------	--------	--------

BULK MECHANICAL CHARACTERISTICS



Breaking Strength	ASTM C648	Average ≥ 250 lbf. (1.11 kN) Individual ≥ 225 lbf. (1.00 kN)	≥ 350 lbf. avg
-------------------	-----------	---	----------------

PHYSICAL PROPERTIES



Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)	≥ 100 psi
---------------	-----------	---------------------	-----------

THERMAL AND IGROMETRIC CHARACTERISTICS



Resistance to Freeze/Thaw Cycling	ASTM C1026	As Reported	Resistant
-----------------------------------	------------	-------------	-----------

CHEMICAL CHARACTERISTICS



Chemical Resistance	ASTM C650	As Reported	Unaffected
---------------------	-----------	-------------	------------



Stain Resistance	ASTM C1378	As Reported	Unaffected
------------------	------------	-------------	------------

SAFETY CHARACTERISTICS



Dynamic coefficient of friction	DCOF	Requires a minimum value of 0.42 for commercial areas that are likely to be wet	Matte > 0.42 Wet Grip > 0.6 Wet
---------------------------------	------	---	------------------------------------



(*) Whichever is less
(1) May not apply to textured surfaces or tiles with uneven back patterns.
(2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).
(3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).

For more details please see the catalogue or visit atlasconcordeusa.com
The Health Product Declaration® logo is a registered trademark of HPD Collaborative.

Scan to learn more

