

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--|------------------|
| Trade name or designation of the mixture | LEAK DETECTOR |
| Registration number | - |
| Synonyms | None. |
| Product code | BDS002539AE |
| Issue date | 06-December-2022 |
| Version number | 1.1 |
| Revision date | 27-February-2023 |
| Supersedes date | 06-December-2022 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|----------------------|-------------------|
| Identified uses | Gas leak detector |
| Uses advised against | None known. |

1.3. Details of the supplier of the safety data sheet

| | |
|--------------|---|
| Company name | CRC Industries UK Ltd. |
| Address | Wylids Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom |
| Telephone | +44 1278 727200 |
| Fax | +44 1278 425644 |
| E-mail | hse.uk@crcind.com |
| Website | www.crcind.com |

| | |
|--------------|--|
| Company name | CRC Industries Europe bv |
| Address | Touwslagerstraat 1 9240 Zele Belgium |
| Telephone | +32(0)52/45.60.11 |
| Fax | +32(0)52/45.00.34 |
| E-mail | hse@crcind.com |
| Website | www.crcind.com |

1.4. Emergency telephone number Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

| | | |
|-----------------------------------|------------|--|
| Physical hazards | | |
| Aerosols | Category 3 | H229 - Pressurized container: May burst if heated. |
| Health hazards | | |
| Serious eye damage/eye irritation | Category 2 | H319 - Causes serious eye irritation. |

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended**Hazard pictograms****Signal word**

Warning

Hazard statements

H229 Pressurized container: May burst if heated.
 H319 Causes serious eye irritation.

Precautionary statements**Prevention**

P102 Keep out of reach of children.
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P251 Do not pierce or burn, even after use.
 P280 Wear eye protection/face protection.

Response

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Regulation (EC) No 648/2004 on detergents: benzisothiazolinone

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****General information**

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---|-------|--------------------------|------------------------|--------------|-------|
| Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)- | <2.5 | 110-25-8 203-749-3 | 01-2119488991-20 | - | |
| Classification: Acute Tox. 4;H332, Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Acute 1;H400 | | | | | |
| Nitrous oxide | <2.5 | 10024-97-2 233-032-0 | 01-2119970538-25 | - | # |
| Classification: Ox. Gas 1;H270, Press. Gas;H280, STOT SE 3;H336 | | | | | |
| Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | <0.25 | 308062-28-4 931-292-6 | - | - | |
| Classification: Acute Tox. 4;H302, Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 2;H411 | | | | | |
| 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one | <0.05 | 2634-33-5 220-120-9 | 01-2120761540-60 | 613-088-00-6 | |
| Classification: Acute Tox. 4;H302, Acute Tox. 2;H330, Skin Irrit. 2;H315, Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Acute 1;H400, Aquatic Chronic 2;H411 | | | | | |

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

| | |
|--|--|
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |
| 4.1. Description of first aid measures | |
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Ingestion | In the unlikely event of swallowing contact a physician or poison control centre. Rinse mouth. |
| 4.2. Most important symptoms and effects, both acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
| 4.3. Indication of any immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |

SECTION 5: Firefighting measures

| | |
|---|---|
| General fire hazards | Not available. |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| 5.2. Special hazards arising from the substance or mixture | During fire, gases hazardous to health may be formed. |
| 5.3. Advice for firefighters | |
| Special protective equipment for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Special fire fighting procedures | Containers should be cooled with water to prevent vapour pressure build up. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

SECTION 6: Accidental release measures

| | |
|---|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | |
| For non-emergency personnel | Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. |
| For emergency responders | Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS. |
| 6.2. Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 6.3. Methods and material for containment and cleaning up | Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| 6.4. Reference to other sections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. |

SECTION 7: Handling and storage

| | |
|--|---|
| 7.1. Precautions for safe handling | Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with eyes. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| 7.2. Conditions for safe storage, including any incompatibilities | Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters) |
| 7.3. Specific end use(s) | Observe industrial sector guidance on best practices. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

| Components | Type | Value |
|--------------------------------|------|----------------------------------|
| Nitrous oxide (CAS 10024-97-2) | TWA | 183 mg/m ³ 100 ppm |

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General population

| Components | Value | Assessment factor | Notes |
|---|-----------------------|-------------------|------------------------|
| 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one (CAS 2634-33-5) | | | |
| Long-term, Systemic, Dermal | 0.345 mg/kg bw/day | 200 | Repeated dose toxicity |
| Long-term, Systemic, Inhalation | 1.2 mg/m ³ | 50 | Repeated dose toxicity |

Workers

| Components | Value | Assessment factor | Notes |
|---|------------------------|-------------------|------------------------|
| 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one (CAS 2634-33-5) | | | |
| Long-term, Systemic, Dermal | 0.966 mg/kg bw/day | 100 | Repeated dose toxicity |
| Long-term, Systemic, Inhalation | 6.81 mg/m ³ | 25 | Repeated dose toxicity |

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

Skin protection

- Hand protection For incidental contact with the product wear chemical-resistant gloves (standard EN 374). The use of disposable gloves is acceptable provided that they are changed immediately after a splash or spill. For prolonged or repeated skin contact use suitable protective gloves. Neoprene gloves are recommended.

- Other Not available.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge. (Filter type A)

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.

Form Aerosol.

Colour Colourless.

Odour Odourless.

Odour threshold Not available.

| | |
|---|--------------------------------|
| pH | 7.5 |
| Melting point/freezing point | -90.8 °C (-131.4 °F) estimated |
| Initial boiling point and boiling range | 100 °C (212 °F) |
| Flash point | Not applicable. |
| Evaporation rate | Not applicable. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Explosive limit - lower (%) | Not available. |
| Explosive limit – upper (%) | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | 1 g/cm ³ at 20°C |
| Solubility(ies) | |
| Solubility (water) | Soluble in water |
| Auto-ignition temperature | > 200 °C (> 392 °F) |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |

9.2. Other information

VOC 0 g/l

SECTION 10: Stability and reactivity

| | |
|---|---|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Avoid high temperatures. |
| 10.5. Incompatible materials | Strong oxidising agents. |
| 10.6. Hazardous decomposition products | Carbon oxides. |

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. |
| Skin contact | May cause an allergic skin reaction. |
| Eye contact | Causes serious eye irritation. |
| Ingestion | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. |

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides (CAS 308062-28-4)

Acute

Oral

LD50

Rat

1064 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory sensitisation Based on available data, the classification criteria are not met.

| | |
|-------------------------------|---|
| Skin sensitisation | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |

IARC Monographs. Overall Evaluation of Carcinogenicity

Nitrous oxide (CAS 10024-97-2) 3 Not classifiable as to carcinogenicity to humans.

| | |
|---|---|
| Reproductive toxicity | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Not likely, due to the form of the product. |
| Mixture versus substance information | Not available. |
| Other information | May cause allergic respiratory and skin reactions. |

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | Species | Test Results |
|---|---------|---|
| 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one (CAS 2634-33-5) | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | LC50 | Harpacticoid copepod (<i>Nitocra spinipes</i>) >= 21 - <= 30 mg/l, 96 hours |
| Fish | LC50 | Bleak (<i>Alburnus alburnus</i>) >= 8 - <= 13 mg/l, 96 hours |
| Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides (CAS 308062-28-4) | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | EC50 | Daphnia 3.1 mg/l |
| Fish | LC50 | Fish 2.67 mg/l |
| <i>Chronic</i> | | |
| Algae | NOEC | Algae 0.067 mg/l |
| Crustacea | NOEC | Daphnia 0.7 mg/l |

12.2. Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Nitrous oxide 0.36

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. GWP: 3

Substance Global Warming Potential per (Annex IV), Regulation 517/2014/EU on fluorinated greenhouse gases, as amended

Nitrous oxide (CAS 10024-97-2) 298

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

| | |
|-------------------------------------|---|
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | AEROSOLS |
| 14.3. Transport hazard class(es) | |
| Class | 2.2 |
| Subsidiary risk | - |
| Label(s) | 2.2 |
| Hazard No. (ADR) | Not assigned. |
| Tunnel restriction code | E |
| ADR/RID - Classification code: | 5A |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No. |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

RID

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | AEROSOLS |
| 14.3. Transport hazard class(es) | |
| Class | 2.2 |
| Subsidiary risk | - |
| Label(s) | 2.2 |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No. |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

ADN

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | AEROSOLS |
| 14.3. Transport hazard class(es) | |
| Class | 2.2 |
| Subsidiary risk | - |
| Label(s) | 2.2 |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No. |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IATA

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | Aerosols, non-flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.2 |
| Subsidiary risk | - |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No. |
| ERG Code | 2L |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo aircraft | Allowed with restrictions. |
| Cargo aircraft only | Allowed with restrictions. |

IMDG

| | |
|--|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | Aerosols, non-flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.2 |
| Subsidiary risk | - |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | |
| Marine pollutant | No. |
| EmS | F-D, S-U |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not established. |

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Nitrous oxide (CAS 10024-97-2)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one (CAS 2634-33-5)

Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).
CAS: Chemical Abstract Service.
Ceiling: Short Term Exposure Limit Ceiling value.
CEN: European Committee for Standardization.
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
GWP: Global Warming Potential.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative and toxic.
REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TLV: Threshold Limit Value.
TWA: Time Weighted Average.
VLE: Exposure Limit Value.
VME: Exposure Average Value.
VOC: Volatile organic compounds.
vPvB: Very persistent and very bioaccumulative.
STEL: Short-term Exposure Limit.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H270 May cause or intensify fire; oxidiser.
H280 Contains gas under pressure; may explode if heated.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Revision information

Product and Company Identification: Alternate Trade Names

Training information

Follow training instructions when handling this material.

Disclaimer

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.