

The intelligent use of space



Flexibility for workstations

novus[®]
MORE.SPACE.SYSTEM.



Dahle North America, Inc.

Dahle North America, Inc.
49 Vose Farm Road
Peterborough, NH 03458

tel: (800) 995-1379
web: www.NovusMoreSpace.com
email: info@NovusMoreSpace.com

EXPERTISE 04 - 15

REFERENCES 16 - 33

NOVUS PRODUCTS 34 - 111

MORE SPACE SETS 36 - 41

FLAT-SCREEN HOLDERS NOVUS MY | NOVUS Tetra-Support-System 42 - 91
NOVUS LiftTEC® | NOVUS ScreenMount | Accessory

OFFICE ORGANIZATION universal support arms | tray sets | trays and shelves 92 - 109
display pocket holders | mounting options

INTELLIGENT PRODUCT FEATURES 110 - 111

Clever solutions, combined in
any way you like for more
space and flexibility.

Efficiency and convenience at any workstation: since the company was founded in 1949, the Novus brand has been synonymous with innovative and technically advanced office products developed in the spirit of “German Engineering”.

Novus is part of the emco Group, four strong brands united in one group. The expertise and products segments covered within the group generate effects of synergy that not only benefit the brands involved – but above all emco Group's customers and partners.

As a holding positioned on the international stage, the emco Group is consciously and resolutely committed to high standards in quality, safety and environmental protection. This also includes a clearly defined ecology concept based on the EN ISO 14001 environment management system in place world-wide. At the company's own production facilities, state-of-the-art equipment and efficient processes ensure optimum production conditions.

Products developed in-house at Novus are synonymous with solutions of exceptionally high quality, functionality and long life. Quality management holding certification under DIN EN ISO 9001 confirms that practice at Novus meets the level of international quality standards.

The background of the advertisement is a close-up, shallow depth-of-field photograph of a mechanical component, likely a part of a Novus machine. The component is dark and metallic, with various bolts and structural elements visible. In the foreground, a cylindrical metal rod is prominent, topped with a dark, circular cap. The cap has the "NOVUS" logo and "Germany" embossed on it. The text "Perfection and innovation in every single detail." is overlaid on the image, centered horizontally and positioned above the cap.

Perfection and innovation
in every single detail.

ERGONOMICS

for a healthy posture.



Responding with flexibility to individual needs.

For Novus, the focus is on the human element – and for good reason. This is the only way of creating workspaces that are perfectly tailored to the needs of every individual.



MORE SPACE

by using space efficiently.



The flexibility to organize any workplace with perfection.

The systematic layout of different elements, such as monitor, light and telephone, as well as adding useful accessories brings order and neat organization to the office. Using the third level provides space for working even more productively – wherever needed.



FLEXIBILITY

by options combined in any chosen way.

Leaving room for changes.

The system-based philosophy behind the Novus more space system provides space for all sorts of organizational options. Because with the various products being so easy to combine, the system can be extended to meet any need even after years down the line.





SAFE and SECURE

thanks to reliable quality.


Making decisions with a clear conscience.

Long-lasting products of perfect quality provide an unbeatable platform for coping with the challenges of everyday work routine.



Focus on user success.

Novus has a commitment to German Engineering across the board. This quality hallmark only goes to products that are developed by our engineers and manufactured world-wide at our own production facilities. This allows us to meet customer needs and the latest market demands with speed and flexibility.



German
Engineering
by Novus



INDIVIDUAL SOLUTIONS

for different demands.



Convincing references
at every workstation.

"Only when functionality
and appearance are perfectly
matched workstation design
is truly up to date."

Stefan Kleinhenz, qualified office consultant
Campus 4 GmbH



administration consulting
 home office training
 healthcare university office
 ship radio television
 control room industry
 mobility broadcast bank
 hotel production control centre
 airport reception stadium
 caravan

From desk to efficient workstation.

Nowadays, a modern workstation is used in many different ways. This means the various components involved, like monitor arm, telephone support etc., must also provide the required level of flexibility.

The Novus more space system impressively demonstrates how existing workspace can be efficiently organized and tailored to suit individual needs.






Everything in view thanks to perfect organization.

Specific tasks demand professional workstations: this is why working in front of several monitors at one and the same time is all part of standard practice in control rooms and control centers. All the more important to make intelligent use of existing space.

The Novus more space system provides the capability of combining several monitors so as to present the full picture.







Perfectly organized – whether alone or in dialogue.

At workstations involving contact with customers, tidiness and a well-structured layout help to create a pleasant and productive atmosphere.

Having all supporting information clearly in view makes conversation more confident in a targeted manner.



Better use of space all round.

Cost-efficient space organization and communication workplaces are not mutually exclusive. Designed and planned properly as well as tailored to existing space, there's an ideal solution to suit any situation – with one system that is equally suited to all members of staff and yet provides maximum flexibility in terms of configuration.








Stay cool all the time.

A live show or broadcast is a particular challenge to any television producer. When stress affects the posture, problems may occur.

The Novus more space system ensures ergonomic posture – at 5 in the morning just as it does at midnight.



Football stadium

A firm hold for systematic production.

Even under high workload, responsible staff has to stay on top of things all the time.

The Novus more space system provides clear structures for efficient workflows – helping to ensure cost-effective and efficient processes long-term.





Reliably attached – also on the road.

Anyone travelling a lot needs to be sure that everything stays securely fastened.

The Novus more space system provides an ideal and attractively designed combination of secure attachment and user convenience.

Everything stays where it belongs, from television to tablet.







Everything in its place.

Particularly in healthcare, every movement and turn need to be spot on. Whether in the laboratory or doctor's surgery, reliable equipment and clearly presented patient information make sure everything runs smoothly in medical practice.

The Novus more space system helps to make sure everything is where it should be, always to hand.



Intelligent product range
for individual solutions.



office organization TSS arm
 OfficeLight trays and shelves
 flat-screen holders MY
 office accessories PuraLine
 monitor support arms
 organizational walls LiftTEC
 BoardMaster ScreenMount
 office lights accessories SlatWall
 more space sets

Clever **solutions** for any need.



Individual, all-inclusive and uncompromising packages
for more space and flexibility.



Intelligent combinations for
versatile workstation design.





Color	Weight	Item Number
 silver / black	 15 lbs	220+0070+000

NOVUS Business Combination

Optimal set for your notebook workstation








Height of the column: 17.52"

Mounting standard: VESA 75/100



Column attachment: system clamp 1, clamping length .55"-1.57"

Carrying capacity: monitor weight 15 lbs / notebook weight 11 lbs, infinitely variable height

Range: TSS folding arm III 19.88" / TSS notebook holder 23.19"

VESA	Base	Height	Range	Swivel	Adaptable	Warranty
 75/100	 Syst. Clamp 1	 17.52"	 19.88"	 270°	 Univ. Clamp 1	 5 Years



Color	Weight	Item Number
 silver	 6.5-17.5 lbs	220+0220+000

NOVUS Office Toolbar

The talented organizer for the desktop with flatscreen support and accessories

Height of the column: 9.84"










Size SlatWall over the desk: 63" x 9.84"

Mounting standard: VESA 75/100

Column fixation with system clamp 1, clamping length .55"-1.57"

Carrying capacity: monitor weight 6.5-17.5 lbs, gas spring system for adjustable height

Range: LiftTEC-Arm I 15.75"

VESA	Base	Width	Height	Range	Swivel	Adaptable
 75/100	 Syst. Clamp 1	 63"	 9.84"	 15.75"	 180°	 Univ. Clamp 1
Adjustable	Warranty					
 Gas Spring	 5 Years					



NOVUS Office Max

Perfect solution – the NOVUS SlatWall as organization wall for modern workstations

Height of the column: 17.52"

Size SlatWall over the desk: 39.37" x 17.52"

Mounting standard: VESA 75/100




SlatWall attachment: system clamp 1, clamping length .55"-1.57"

Carrying capacity: monitor weight 6.5-17.5 lbs, gas spring system for adjustable height

Range: LiftTEC-arm I 15.75"



Item Number
220+0160+000





Color
silver / black

Weight
10 kg
22 lbs

Item Number
220+0120+000

NOVUS Office Wall

Functional wall solution for flat screen and paper management

Height of the column: 17.52"

SlatWall size: 39.37" x 17.52"

Mounting standard: VESA 75/100

Carrying capacity: monitor weight 22 lbs, infinitely variable height

Range: TSS folding arm II 17.72"

VESA	Base	Width	Height	Range	Swivel	Warranty
75/100	Wall Mount	39.37"	17.52"	17.72"	180°	5 Years



Color
silver / black

Weight
15 kg
33 lbs

Item Number
220+0100+000

NOVUS TSS Wall Station

Special applications demand special solutions - the NOVUS Tetra-Support-System for wall mounting

Length of the column: 35"

Mounting standard: VESA 75/100

Carrying capacity: monitor weight 33 lbs, infinitely variable height

Range: TSS support carriage 4.13" / TSS keyboard holder 20.79"

VESA	Base	Height	Swivel	Warranty
75/100	Wall Mount	35"	180°	5 Years



silver / black

Item Number
220+0140+000

NOVUS Business Board

Systematic organization – the classics for storage and telephone

BoardMaster length: 39.37", compartment depth 7.68"

BoardMaster attachment: universal clamp 1, clamping length .71-2.91"

Carrying capacity TalkMaster: telephone weight 4.4 lbs

Range: TalkMaster 27.56"

Base	Width	Range	Adjustable	Swivel	Adaptable	Warranty
Univ. Clamp 1	1000 mm 39.37"	700 mm 27.56"	3 Positions	360°	Univ. Clamp 1	5 Years Guarantee



silver/black

Item Number
220+0040+000

NOVUS Business Rail

Organization talent for your workstation

Railing length: 39.37"

Railing attachment: universal clamp 1, clamping length .71-2.91"

Carrying capacity TalkMaster: telephone weight 4.4 lbs

Range: TalkMaster 27.56"

Base	Width	Range	Adjustable	Swivel	Adaptable	Warranty
Univ. Clamp 1	1000 mm 39.37"	700 mm 27.56"	3 Positions	360°	Univ. Clamp 1	5 Years Guarantee


Cleverly **combined**
in any **situation.**



Perfect hold simply everywhere for modern flat screens, laptops and tablet PCs – ergonomically designed to individual needs.



Design and efficiency.



Infinitely height-adjustable folding arm
to position a monitor as individually requested.



Two monitors in perfect view as well.

Practical holder for tablet PCs
with screen sizes from 7 to 10 inches.



More space for modern LED screens and tablets by using the NOVUS MY. The new stylish line of screen supports an appropriate solution for almost every workspace situation.



NOVUS MY point

Mobile tablet holder as the practical and modern basis for presentation and communication

Universal stand for Tablets with a size from 6.3" to 11.8"

Tablets can be used portrait or landscape format

Anodized aluminum column with solid metal base

Rotation and tilt is given by the cross joint for more mobility at limited space

Infinitely height adjustable

Height of the column: 9.84"

Includes two cable clips

Color	Height	Item Number
	250 mm 9.84"	910+3099+000
	250 mm 9.84"	910+3091+000

Base	Range	Warranty	Certification
Desk Stand	50 mm 1.97"	2 Years	GS- Safety



NOVUS MY one C, with system clamp base

Elegant monitor holder with infinitely height adjustable support carriage

Combination of MY base and MY fix – simple, efficient and elegant

Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Height of the column: 13.78"

Includes two cable clips

Combinable with NOVUS MY tab and NOVUS Quick Release

Color	Height	Item Number
	350 mm 13.78"	910+1019+000
	350 mm 13.78"	910+1011+000

VESA	Weight	Base	Range	Warranty	Certification
STANDARD 75/100	6 kg 13 lbs	Syst. Clamp 1	50 mm 1.97"	2 Years	GS- Safety



Item Number
910+1049+000

910+1041+000

NOVUS MY one D, with drilling screw base

Elegant monitor holder with infinitely height adjustable support carriage

Combination of MY base and MY fix – simple, efficient and elegant

Table mount with drilling screw base for a table thickness of .197" - 2.76"

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Height of the column: 13.78"

Includes two cable clips

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100	6 kg 13 lbs	Drilling Screw	50 mm 1.97"	2 Years Guarantee	GS Safety



Item Number
910+1059+000

910+1051+000

NOVUS MY one G, with grommet base

Elegant monitor holder with infinitely height adjustable support carriage

Combination of MY base and MY fix – simple, efficient and elegant

Table mount with drilling screw base for a table thickness of .197" - 2.76"

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Height of the column: 13.78"

Includes two cable clips

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100	6 kg 13 lbs	Grommet	50 mm 1.97"	2 Years Guarantee	GS Safety



NOVUS MY one S, with system rail base

Elegant monitor holder with infinitely height adjustable support carriage

Combination of MY base and MY fix – simple, efficient and elegant

System rail base for use in system rails from the office furniture industry

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Height of the column: 13.78"

Includes two cable clips

Combinable with NOVUS MY tab and NOVUS Quick Release

Color	Height	Item Number
		910+1069+000
silver	13.78"	
		910+1061+000
white	13.78"	

VESA	Weight	Base	Range	Warranty	Certification
75/100 STANDARD	6 kg 13 lbs	System Rail	50 mm 1.97"	2 Years	GS- Safety



NOVUS MY one SW, with Organization wall mount

Elegant monitor holder with infinitely height adjustable support carriage

Combination of MY base and MY fix – simple, efficient and elegant

Adaption to the Organization wall via slot nuts

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space


Range: 1.97"

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

Color	Height	Item Number
		910+1079+000
silver	13.78"	
		910+1071+000
white	13.78"	

VESA	Weight	Base	Range	Warranty	Certification
75/100 STANDARD	6 kg 13 lbs	SlatWall	50 mm 1.97"	2 Years	GS- Safety



Item Number
910+1089+000

910+1081+000

NOVUS MY one W, with wall mount

Elegant monitor holder with infinitely height adjustable support carriage

Combination of MY base and MY fix – simple, efficient and elegant

Wall mounting with screws

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100 STANDARD	6 kg 13 lbs	Wall Mount	50 mm 1.97"	2 Years Guarantee	GS- Safety



Item Number
910+2019+000

910+2011+000

NOVUS MY one plus C, with system clamp base

Elegant monitor holder with infinitely height adjustable folding arm

Combination of MY base and MY arm – for more design, flexibility and dynamics at the workplace

Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100 STANDARD	6 kg 13 lbs	Syst. Clamp 1	415 mm 16.34"	2 Years Guarantee	GS- Safety



Item Number
910+2049+000

910+2041+000

NOVUS MY one plus D, with drilling screw base

Elegant monitor holder with infinitely height adjustable folding arm
Combination of MY base and MY arm – for more design, flexibility and dynamics at the workplace

Table mount with drilling screw base for a table thickness of .197"- 2.76"

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100	6 kg 13 lbs	Drilling Screw	16.34"	2 Years	GS- Safety



Item Number
910+2059+000

910+2051+000

NOVUS MY one plus G, with grommet base

Elegant monitor holder with infinitely height adjustable folding arm
Combination of MY base and MY arm – for more design, flexibility and dynamics at the workplace

Table mount with grommet for a table thickness of .197"- 2.76"

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100	6 kg 13 lbs	Grommet	16.34"	2 Years	GS- Safety



Item Number
910+2069+000

910+2061+000

NOVUS MY one plus S, with system rail base

Elegant monitor holder with infinitely height adjustable folding arm

Combination of MY base and MY arm – for more design, flexibility and dynamics at the workplace

System rail base for use with system rails from the office furniture industry

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100	6 kg 13 lbs	System Rail	415 mm 16.34"	2 Years Guarantee	GS- Safety



Item Number
910+2079+000

910+2071+000

NOVUS MY one plus SW, with Organization wall mount

Elegant monitor holder with infinitely height adjustable folding arm

Combination of MY base and MY arm – for more design, flexibility and dynamics at the workplace

Adaption to the Organization wall via slot nuts

Mounting standard: VESA 75/100

Mounting of flat screens up to 11 lbs

Range: 16.34"





Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
75/100	6 kg 13 lbs	SlatWall	415 mm 16.34"	2 Years Guarantee	GS- Safety



Color	Height	Item Number
 silver	 350 mm 13.78"	910+2089+000
 white	 350 mm 13.78"	910+2081+000

NOVUS MY one plus W, with wall mount

Elegant monitor holder with infinitely height adjustable folding arm

Combination of MY base and MY arm – for more design, flexibility and dynamics at the workplace

Wall mounting with screws

Mounting standard: VESA 75/100







Mounting of flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
 75/100 STANDARD	 6 kg 13 lbs	 Wall Mount	 435 mm 16.34"	 2 Years Guarantee	 TUV NORD GS GS- Safety



Color	Height	Item Number
 silver	 350 mm 13.78"	910+1119+000

NOVUS MY twin fix C, with system clamp base

Elegant monitor holder with two support carriages infinitely adjustable in height

Combination of MY base and MY fix – functional and well designed for the attachment of two opposite monitors

Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100







Mounting of two flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
 75/100 STANDARD	 2x6 kg 2x13 lbs	 Syst. Clamp 1	 50 mm 1.97"	 2 Years Guarantee	 TUV NORD GS GS- Safety



Color	Height	Item Number
 silver	 350 mm 13.78"	910+1149+000

NOVUS MY twin fix D, with drilling screw base

Elegant monitor holder with two support carriages infinitely adjustable in height

Combination of MY base and MY fix – functional and well designed for the attachment of two opposite monitors

Table mount with drilling screw base for a table thickness of .2"-2.76"

Mounting standard: VESA 75/100

Mounting of two flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space


Range: 1.97"

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
 75/100 STANDARD	 2x6 kg 2x13 lbs	 Drilling Screw	 50 mm 1.97"	 2 Years Guarantee	 TUV NORD GS GS- Safety



Color	Height	Item Number
 silver	 330 mm 13.78"	910+1159+000

NOVUS MY twin fix G, with grommet base

Elegant monitor holder with two support carriages adjustable height

Combination of MY base and MY fix – functional and well designed for the attachment of two opposite monitors

Table mount with grommet for a table thickness of .197"- 2.76"

Mounting standard: VESA 75/100







Mounting of two flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
 75/100 STANDARD	 2x 13 lbs	 Grommet	 50 mm 1.97"	 2 Years Guarantee	 GS- Safety



Color	Height	Item Number
 silver	 330 mm 13.78"	910+1169+000

NOVUS MY twin fix S, with system rail base

Elegant monitor holder with two support carriages adjustable height

Combination of MY base and MY fix – functional and well designed for the attachment of two opposite monitors

System rail base for use in system rails from the office furniture industry

Mounting standard: VESA 75/100







Mounting of two flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space



Range: 1.97"

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
 75/100 STANDARD	 2x 13 lbs	 System Rail	 50 mm 1.97"	 2 Years Guarantee	 GS- Safety



Color	Height	Item Number
 silver	 330 mm 13.78"	910+2219+000

NOVUS MY twin arm C, with system clamp base

Elegant monitor holder with two infinitely height adjustable folding arms

Combination of MY base and two MY arm – attractive appearance with maximum flexibility in the positioning of two monitors

Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100







Mounting of two flat screens up to 11 lbs


Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release

VESA	Weight	Base	Range	Warranty	Certification
 75/100 STANDARD	 2x 13 lbs	 Syst. Clamp 1	 415 mm 16.34"	 2 Years Guarantee	 GS- Safety



NOVUS MY twin arm D, with drilling screw base

Elegant monitor holder with two infinitely height adjustable folding arms

Combination of MY base and two MY arm – attractive appearance with maximum flexibility in the positioning of two monitors

Table mount with drilling screw base for a table thickness of .197"- 2.76"

Mounting standard: VESA 75/100


Mounting of two flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release



NOVUS MY twin arm G, with grommet base

Elegant monitor holder with two infinitely height adjustable folding arms

Combination of MY base and two MY arm – attractive appearance with maximum flexibility in the positioning of two monitors

Table mount with grommet for a table thickness of .197"- 2.76"

Mounting standard: VESA 75/100


Mounting of two flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release



NOVUS MY twin arm S, with system rail base

Elegant monitor holder with two infinitely height adjustable folding arms

Combination of MY base and two MY arm – attractive appearance with maximum flexibility in the positioning of two monitors

System rail base for use in system rails from the office furniture industry

Mounting standard: VESA 75/100


Mounting of two flat screens up to 11 lbs

Range: 16.34"

Monitor arm infinitely adjustable in height, tilt and rotation

Height of the column: 13.78"

Combinable with NOVUS MY tab and NOVUS Quick Release





NOVUS MY base W, with wall rail

Wall mounting with screws

Flat distance to the wall of about .79"

Available in lengths: 13.78", 17.52" and 35"

Covered screw holes

Customized lengths on request



Item Number
911+0089+000

911+0189+000

911+0289+000



NOVUS MY base SW, with Organization wall mount

Aluminum profile for mounting on an Organization wall

Adaption to the Organization wall via slot nuts

Flat distance to the wall of about .79"

Height of the column: 13.78"

Covered screw holes

Fastening material included



Item Number
911+1169+000



NOVUS MY arm

Infinitely height adjustable 2-part articulated arm with standard VESA 75/100

Mounting of flat screens up to 11 lbs

Swiveling and tilt-able

Range: 16.34"

Balance mechanism at the front joint for optimum monitor positioning

Enables horizontal positioning of the screen

Includes two cable clips

MY base as a mandatory extension



Item Number
911+2009+000

911+2001+000





Color



Black



white

Item Number
911+1009+000

911+1001+000

NOVUS MY fix

Infinitely height adjustable support carriage with VESA standard 75/100

Mounting of flat screens up to 11 lbs

Rotation and tilt is given by the cross joint for more mobility at limited space

Range: 1.97"

Balance mechanism at the front joint for optimum monitor positioning

MY base as a mandatory extension




75/100



2 Years



GS- Safety



Color



silver

Item Number
911+4009+000

NOVUS MY notebookarm

High quality notebook holder with 2-part aluminum arm, infinitely adjustable

Support platform (15.75" x 11.34") for regular and large notebooks

Carrying capacity 11 lbs

Turn- and tilt-able up to 45°

Grommet in the support plate

MY base as a mandatory extension



75/100



16.34"



270°



15.75" x 11.34"



5 Years



GS- Safety



Color



silver



white

Item Number
911+3005+000

911+3001+000

NOVUS MY tab

Unique tablet holder that makes it very easy to insert and remove a variety of tablets

Tablet mount for tablets with a size of 7" to 10" (clamping length 6.3"-11.8")

Tablets can be used portrait or landscape format

For attachment to NOVUS MY fix, NOVUS MY arm and NOVUS TSS support elements




1.65 lbs



2 Years



GS- Safety



Item Number
795+9095+000


NOVUS QuickRelease

Quick release system for Novus monitor arms
Enables quick and easy monitor change without tools



Reliable solutions for the most precise demands.

Sturdy flat-screen holders
for all kinds of workplace situations – reliable
performance even with multiple screens.



All components can be combined in any way:



Simply choose column with mount and support arm and get precisely the solution you are looking for.

Monitor mounts with very high loading capacities – in the production environment for instance.



The modern flat-screen holders from Novus give monitors new positioning flexibility. Whether in the office or control center, the Tetra-Support-System equips every workstation with a flexible solution for mounting monitors securely.



Color	Height	Item Number
 silver/black	 445 mm 17.52"	220+0050+000

NOVUS TSS Basic

Novus bestseller for ergonomically correct use of the flat screen at your workstation







Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100



Carrying capacity: monitor weight 14.4 lbs, infinitely variable height

Range: folding arm III 19.88"

Height of the column: 17.52"

VESA	Weight	Base	Range	Swivel	Warranty
 75/100 STANDARD	 12 kg 26 lbs	 Syst. Clamp 1	 505 mm 19.88"	 270°	 5 Years Guarantee



Color	Height	Item Number
 silver/black	 545 mm 21.46"	220+0110+000

NOVUS TSS XL

The perfect solution for bigger screens







Table mount with grommet for a table thickness of .197"- 2.76"

Mounting standards: 100x100 and 200x100

Carrying capacity: monitor weight 44 lbs, infinitely variable height

Range: 2.52"

Height of the column: 21.46"

VESA	Weight	Base	Range	Swivel	Warranty
 200 x 100 200/100	 20 kg 44 lbs	 Grommet	 64 mm 2.52"	 180°	 5 Years Guarantee



Color	Height	Item Number
 silver/black	 445 mm 17.52"	220+0060+000

NOVUS TSS Duo

Twin screen solution with the Novus Tetra-Support-System.







Table mounting with system clamp 1 for a table thickness of .55"-1.57"


Mounting standard: VESA 75/100



Total carrying capacity: 24 lbs, evenly spread over all support arms, infinitely variable height

Range: folding arm III 19.88"

Height of the column: 17.52"

VESA	Weight	Base	Range	Swivel	Warranty
 75/100 STANDARD	 11 kg 24 lbs	 Syst. Clamp 1	 505 mm 19.88"	 270°	 5 Years Guarantee



Color	Height	Item Number
 silver/black	 445 mm 17.52"	220+0180+000

NOVUS TSS Trio

Three-screen solution for a much better productivity






Drilling screw base HD, for desktop thickness 1.197" - 2.76"


Mounting standard: VESA 75/100



Total carrying capacity: 99 lbs, evenly spread over all support arms, infinitely variable height

Range: folding arm III XL 27.56" / support carriage 4.13"

Height of the column: 17.52"

VESA	Weight	Base	Swivel	Warranty
 75/100	 45 kg 99 lbs	 Drilling Screw	 270°	 5 Years



Color	Height	Item Number
 silver/black	 445 mm 17.52"	220+0130+000

NOVUS Control Center

Everything in view – the monitor bridge of the NOVUS Tetra-Support-System

Table mounting with system clamp 1 for a table thickness of .55"-1.57"







Mounting standard: VESA 75/100

Total carrying capacity: 49 lbs, evenly spread over all support arms



Range: folding arm III 19.88" / SW LM arm 0-0-1= 4.92"

Toolbar Width: 47.24"

Height of the column: 17.52"

VESA	Weight	Base	Length	Swivel	Warranty
 75/100	 22 kg 49 lbs	 Syst. Clamp 1	 1200 mm 47.24"	 270°	 5 Years



Color	Height	Item Number
 silver/black	 845 mm 33.27"	220+0080+000

NOVUS TSS Quattro

Four flat screens – no problem for the NOVUS Tetra-Support-System







Drilling screw base HD, for desktop thickness 1.197" - 2.76"

Mounting standard: VESA 75/100

Total carrying capacity: 106 lbs, evenly spread over all support arms, infinitely variable height

Range: folding arm III 19.88"

Height of the column: 33.27"

VESA	Weight	Base	Range	Swivel	Warranty
 75/100	 48 kg 106 lbs	 Drilling Screw	 505 mm 19.88"	 270°	 5 Years



NOVUS TSS column with support foot



Aluminum column with four slots and base

Solid base weighing 9 lbs with rubber pads to protect the desk surface and for stability

Available in length: 17.52"

Includes two cable clips

For TSS support carriage

Color	Height	Item Number
 silver	 445 mm 17.52"	961+0309+000

Base	Warranty	Certification
 Desk Stand	 5 Years 5 Years	 GS-Safety



NOVUS TSS column with system clamp 1 (.55"-1.57")





Aluminum column with four slots and system clamp 1

Table mounting with system clamp 1 for a table thickness of .55"-1.57"


Available in lengths: 17.52" and 21.46"

Includes two cable clips

Suitable for all TSS support elements

Color	Height	Item Number
 silver	 445 mm 17.52"	961+0609+000
 silver	 545 mm 21.46"	961+0639+000

Base	Adaptable	Warranty	Certification
 Syst. Clamp 1	 Univ. Clamp 1	 5 Years 5 Years	 GS- Safety



NOVUS TSS column with system clamp 1 (.51"-.98")

Aluminum column with four slots and system clamp 1

Table mounting with system clamp 1 for a desk thickness of .51"-.98", ideal for mounting on sliding tabletops

Available in lengths: 17.52" and 21.46"

Includes two cable clips

Suitable for all TSS support elements

Color	Height	Item Number
 silver	 445 mm 17.52"	961+2709+000

Base	Adaptable	Warranty	Certification
 Syst. Clamp 1	 Univ. Clamp 1	 5 Years 5 Years	 GS- Safety



NOVUS TSS column with system clamp 2 base

Aluminum column with four slots and system clamp 2

Table mounting with system clamp with 2 for a table thickness of .197"- 2.76"

Available in lengths: 17.52" and 21.46"

Includes two cable clips

Suitable for all TSS support elements

Color	Height
	
silver	17.52"
	
silver	21.46"

Item Number
961+0209+000

961+0239+000

Base	Adaptable	Warranty	Certification
			
Syst. Clamp 1	Univ. Clamp 1	5 Years	GS- Safety



NOVUS TSS column with drilling screw base

Aluminum column with four slots and drilling screw base

Table mount with drilling screw base for a table thickness of .197"- 2.76"

Available in lengths: 17.52", 21.46" and 33.27"

Includes two cable clips

Suitable for all TSS support elements

Color	Height
	
silver	17.52"
	
silver	21.46"
	
silver	33.27"

Item Number
961+0109+000

961+0139+000

961+0119+000

Base	Adaptable	Warranty	Certification
			
Drilling Screw	Univ. Clamp 1	5 Years	GS- Safety



NOVUS TSS column with drilling screw base HD





Aluminum column with four slots and heavy duty drilling screw mounting

Drilling screw base HD, for desktop thickness 1.197"- 2.76"

Available in lengths: 17.52" and 35"

Includes two cable clips

Suitable for all TSS support elements

Color	Height	Item Number
 silver	 17.52"	961+1809+000
 silver	 35"	961+1819+000

Base	Adaptable	Warranty	Certification
 HD Screw	 Univ. Clamp 1	 5 Years	 GS- Safety



NOVUS TSS column with grommet base







Aluminum column with four slots and grommet base

Table mount with grommet for a table thickness of .197"- 2.76"

Available in lengths: 17.52", 21.46" and 33.27"

Includes two cable clips

Suitable for all TSS support elements

Color	Height	Item Number
 silver	 17.52"	961+0409+000
 silver	 21.46"	961+0439+000
 silver	 33.27"	961+0419+000

Base	Adaptable	Warranty	Certification
 Grommet	 Univ. Clamp 1	 5 Years	 GS- Safety



NOVUS TSS column with location pin adaption

Aluminum column with four slots and pin adapter

Table mount with pin adapter (diameter .63") for use in various table adapters of the office furniture industry

Height of the column: 17.52"

Includes two cable clips

Suitable for all TSS support elements



Item Number
961+2509+000



NOVUS TSS column with system rail base

Aluminum column with four slots and system rail attachment

System rail base for use in various system rails from the office furniture industry

Available in length: 17.52"

Includes two slot nuts and two cable clips

Suitable for all TSS support elements



Item Number
961+2309+000



NOVUS TSS wall rail

Aluminum column (depth of 1.52") with three slots for wall

Wall mounting with screws

Available in lengths: 17.52" and 35"

Width of the column: 2"

Includes two cable clips

Can be combined with SlatWall elements

Suitable for all TSS support elements



Item Number
961+0509+000

961+0519+000





NOVUS TSS column with ceiling mount

Aluminum column with four slots and ceiling mount

For mounting at the ceiling, depending on ceiling texture

Height of the column: 33.27"

Includes two cable clips

Suitable for all TSS support elements



NOVUS TSS column with floor-ceiling mount

Aluminum column with four slots and ceiling/floor mount

For mounting between the ceiling and floor, depending on the ceiling and floor texture

Special dimensions on request

Including mounts, the column has a length of 98.43", with length compensation from -.6" to +.6"

Includes two cable clips

Suitable for all TSS support elements



NOVUS TSS support carriage

High quality infinitely height adjustable support carriage

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 33 lbs

Restrict movement by tightening the joints


Swiveling and tilt-able for mobility in confined spaces with ball joint

Range: 4.13"

In high-quality aluminum and metal

Removable clamping grips for protection from theft

Necessary component is a TSS column





silver

Item Number
963+0029+001

NOVUS TSS support carriage 32

High quality infinitely height adjustable support carriage

Suitable for mounting standards: 100x100 and 200x100

Mounting of flat screens up to 44 lbs

Restrict movement by tightening the joints

Turnable for movement on limited space

Range: 2.52"

In high-quality aluminum and metal

Supplied with fixing screws M5 and M6

Necessary component is a TSS column

VESA	Weight	Range	Warranty
 200x100	 20 kg 44 lbs	 64 mm 2.52"	 5 Years Guarantee



silver/black

Item Number
962+0119+000

NOVUS TSS support arm

High quality infinitely height adjustable 1-part monitor support arm

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 33 lbs

Restrict movement by tightening the joints

Easy monitor adjustment by different joints






Range: 9.84"

Perfect cable management by cable clips

In high-quality aluminum and metal

Removable clamping grips for protection from theft

Necessary component is a TSS column

VESA	Weight	Range	Warranty	Certification
 75/100 STANDARD	 15 kg 33 lbs	 250 mm 9.84"	 5 Years Guarantee	 GS Safety



silver

Item Number
962+0029+000

NOVUS TSS supporting arm 32

High quality infinitely height adjustable support arm

Suitable for mounting standards: 100x100 and 200x100

Mounting of flat screens up to 44 lbs

Restrict movement by tightening the joints

Swiveling and tilt-able

Range: 7.36"

In high-quality aluminum and metal

Supplied with fixing screws M5 and M6

Necessary component is a TSS column

VESA	Weight	Range	Warranty
 200x100	 20 kg 44 lbs	 187 mm 7.36"	 5 Years Guarantee



silver/black

Color
Item Number
964+0119+000

NOVUS TSS folding arm II

High quality infinitely height adjustable 2-part monitor support arm

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 22 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints

Range: 17.72"

Perfect cable management by cable clips

In high-quality aluminum and metal

Removable clamping grips for protection from theft

Necessary component is a TSS column

VESA	Weight	Range	Warranty	Certification
75/100 STANDARD	10 kg 22 lbs	450 mm 17.72"	5 Years Guarantee 5 Years	TUV NORD GS Safety



silver/black

Color
Item Number
965+0119+000

NOVUS TSS folding arm III

High quality 2-part articulated arm, infinitely height adjustable

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 33 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints

Range: 19.88"

Perfect cable management by cable clips

Removable clamping grips for protection from theft

Necessary component is a TSS column

VESA	Weight	Range	Warranty	Certification
75/100 STANDARD	15 kg 33 lbs	505 mm 19.88"	5 Years Guarantee 5 Years	TUV NORD GS Safety



silver/black

Color
Item Number
965+0119+001

NOVUS TSS folding arm III XL (700)

High quality 2-part articulated arm, infinitely height adjustable

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 22 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints

Range: 27.56"

Perfect cable management by cable clips

Removable clamping grips for protection from theft

Necessary component is a TSS column

VESA	Weight	Range	Warranty	Certification
75/100 STANDARD	10 kg 22 lbs	700 mm 27.56"	5 Years Guarantee 5 Years	TUV NORD GS Safety



silver/black

Item Number
965+0119+003

NOVUS TSS folding arm III XL (800)

High quality 2-part articulated arm, infinitely height adjustable

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 22 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints

Range: 31.5"

Perfect cable management by cable clips

Removable clamping grips for protection from theft

Necessary component is a TSS column

VESA	Weight	Range	Warranty	Certification
STANDARD 75/100	10 kg 22 lbs	800 mm 31.5"	5 Years Guarantee	GS- Safety



silver/black

Item Number
965+0119+004

NOVUS TSS folding arm III XL (900)

High quality 2-part articulated arm, infinitely height adjustable

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 22 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints


Range: 35.43"

Perfect cable management by cable clips

Removable clamping grips for protection from theft

Necessary component is a TSS column

VESA	Weight	Range	Warranty	Certification
STANDARD 75/100	10 kg 22 lbs	900 mm 35.43"	5 Years Guarantee	GS- Safety



silver

Item Number
966+0119+000

NOVUS TSS notebook holder

High quality notebook holder with 2-part aluminum arm, infinitely adjustable

Support platform (15.75" x 11.34") for regular and large notebooks

Carrying capacity up to 22 lbs

Turn- and tilt-able up to 45°

Range: 23.19"

Grommet in the support plate

Removable clamping grips for protection from theft and cable holder

Necessary component is a TSS column

Weight	Range	Platform	Warranty	Certification
10 kg 22 lbs	589 mm 23.19"	400x288 mm 15.75" x 11.34"	5 Years Guarantee	GS- Safety



Color
silver

Item Number
967+0119+000

NOVUS TSS keyboard holder

High quality keyboard holder with 2-part aluminum arm, infinitely adjustable

Support platform for computer keyboard and mouse (25.2" x 6.77")

Restrict movement by tightening the joints

Turn- and tilt-able up to 45°

Range: 20.79"

Removable clamping grips for protection from theft and cable holder

Necessary component is a TSS column

Weight	Range	Platform	Warranty	Certification
10 kg 22 lbs	528 mm 20.79"	640x172 mm 25.2" x 6.77"	5 Years Guarantee	TÜV M0002 GS-Safety




NOVUS Cover Strips

Cover strips for TSS slots, for hygienic and easy surface cleaning

Available as pack of four

Available in lengths: 17.52", 21.46" and 33.27"

Suitable for all TSS columns in standard lengths



anthracite



Height
445 mm
17.52"

Item Number
795+4458+000




anthracite




545 mm
21.46"

795+5458+000



anthracite



845 mm
33.27"

795+8458+000



Warranty
2 Years
Guarantee



Color
silver

Item Number
795+9100+000

NOVUS drop guard

Prevents monitor arms from slipping off

Can also be used as anti-theft device



NOVUS TSS cable clip set

Clips for cable management directly at the column

Available as pack of two



Item Number
961+0005+000

Warranty



NOVUS SlatWall

Organization wall for a perfectly organized workspace

Consisting of: four SlatWall elements, two TSS-445 columns with system clamp 1

The individual elements can be mounted in varying numbers and positions

Available in lengths: 31.5", 39.37" and 47.24" (incl. TSS columns)

Combinable with monitor support arms, SlatWall boards and Pura Lin accessories



Item Number
974+0805+000

974+1005+000

974+1205+000













NOVUS SlatWall element

Element can be combined with TSS columns for a perfectly organized workspace

Available in lengths: 31.5", 39.37", 47.24" & 63" (incl. TSS columns)

Combinable with monitor support arms, SlatWall boards and Pura Line accessories

Color	Length	Item Number
 silver	 800 mm 31.5"	973+0805+000
 silver	 1000 mm 39.37"	973+1005+000
 silver	 1200 mm 47.24"	973+1205+000
 silver	 1600 mm 63"	973+1605+000

Warranty








TSS Toolbar

SlatWall element with two slots for attaching accessories and monitor arms

Table mounting with system clamp 1

Available in lengths: 47.24", 55.12", & 63" (incl. TSS columns)

Color	Length	Item Number
 silver	 1200 mm 47.24"	975+1209+000
 silver	 1400 mm 55.12"	975+1409+000
 silver	 1600 mm 63"	975+1609+000

Base



Syst. Clamp 1

Height



250 mm
9.84"

Warranty



5 Years











NOVUS railing

Rail with two slots for attaching various accessories

Not suitable for attachment of monitors

Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Available in lengths: 31.5" and 39.37"

Color	Length	Item Number
 silver	 800 mm 31.5"	972+0802+000
 anthracite	 800 mm 31.5"	972+0805+000
 silver	 1000 mm 39.37"	972+1002+000
 anthracite	 1000 mm 39.37"	972+1005+000


Warranty



NOVUS SlatWall Cable clip

Cable clip for optimal cable management at SlatWall

Available as pack of three

Color	Item Number
 silver	976+0005+000

Warranty









NOVUS Pura Line tray B4

High quality tray for documents in sizes up to DIN B4, available in two sizes

Dimensions of portrait format: W 9.76" x H 2.52" x D 13"; dimensions of landscape format: W 13" x H 2.52" x D 9.76"

In high-quality metal with powder-coated finish

Necessary component is a SlatWall element or rail

Color	Width	Item Number
 silver	 248 mm 9.76"	723+0019+000
 silver	 330 mm 13"	723+0029+000

Weight	Warranty
 5 kg 11 lbs	 2 Years Guarantee 2 Years




NOVUS Pura Line CD rack


In high-quality metal with powder-coated finish

Dimensions: W 12.52" x H 3.27" x D 5.75"

Necessary component is a SlatWall element or rail

Color	Item Number
 silver	723+0039+000

Warranty
 2 Years Guarantee 2 Years




NOVUS Pura Line hanging file holder

Hanging file holder takes your files to eye level

In high-quality metal with powder-coated finish

Dimensions: W 12.52" x H 3.27" x D 5.75"

Necessary component is a SlatWall element

Color	Item Number
 silver	723+0079+000

Weight	Warranty
 7.5 kg 17 lbs	 2 Years Guarantee 2 Years



NOVUS Pura Line pencil cup

Taking up very little space on the SlatWall, the pencil cup keeps everything neat and tidy


In high-quality metal with powder-coated finish

Dimensions: W 3.35" x H 3.31" x D 3.39"

Necessary component is a SlatWall element or rail



Item Number
723+0069+000



NOVUS Pura Line multi-purpose box


High quality multi purpose box, available in two sizes

Dimensions small: W 6.5" x H 2.52" x D 5.75"

Dimensions large: W 13" x H 2.52" x D 5.75"

In high-quality metal with powder-coated finish


Necessary component is a SlatWall element or rail



Item Number
723+0049+000



723+0059+000











NOVUS SlatWall-board

Elegant filing board for files, books and other office utensils with a large surface thanks depth of 11.89"

Practical, infinitely adjustable side supports

Available in lengths: 23.62", 31.5" and 39.37"

Necessary component is a SlatWall element

Color	Length	Item Number
 silver	 400 mm 23.62"	760+0605+000
 silver	 800 mm 31.5"	760+0805+000
 silver	 1000 mm 39.37"	760+1005+000

Warranty



5 Years



NOVUS FileMaster 34

Shelf for mounting on top of extensible more space system products

High quality, ribbed aluminum surface with back edge

Ideal for opposite arranged working surfaces

Rotating around 360°

Shelf depth: 11.97"

Width: 13.39"

Can also be hooked into SlatWall elements

Color	Item Number
 silver	762+0342+000
 Anthracite	762+0345+000

Warranty



2 Years

Everything under control in ergonomic perfection.

Adjustable joints
for various applications.

Exactly balanced for monitor weight
thanks to adjustable gas spring.

Monitor cables perfectly managed
by cable clips.

Flexible mounts for desk, wall,
TSS column and Organizational wall.

Modern design and system flexibility
for sit-stand workstations.



Comfortable work posture from **super-easy** height-adjustment capability.



The LiftTEC® arm with convenient gas spring technology can be infinitely adjusted to any height with incredible ease.



Color	Weight	Item Number
 silver/black	 18 lbs	220+0150+000

NOVUS Comfort Duo, with drilling screw base

NOVUS LiftTEC – the innovative support arm concept for ergonomics and special convenience








Drilling screw base, desktop thickness .197"- 2.76"

Mounting standard: VESA 75/100





Carrying capacity: monitor weight 2 x 6.5-17.5 lbs, infinitely variable height

Range: 21.54"

Height of the column: 17.52"

VESA	Base	Height	Range	Adjustable	Swivel	Warranty
 75/100	 Drilling Screw	 17.52"	 21.54"	 LIFTTEC® Gas Spring	 360°	 2 Years Guarantee 2 Years



Color	Weight	Item Number
 silver	 18 lbs	930+1089+000
 silver	 33 lbs	930+1159+000

NOVUS LiftTEC Arm I, w/clamp, grommet, and drill screw

1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment










3 in 1 mounting (clamp, grommet, and drilling screw)

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100





Mounting of flat screens of 18 lbs / 33 lbs

Range: 14.37"

Perfect cable management by cable clips

VESA	Base 1	Base 2	Base 3	Range	Adjustable	Swivel
 75/100	 Drilling Screw	 Grommet	 Syst. Clamp 1	 14.37"	 LIFTTEC® Gas Spring	 180°
Warranty	Certification					
 2 Years Guarantee 2 Years	 GS-Safety					



Color	Weight	Item Number
 silver	 18 lbs	930+2089+000
 silver	 33 lbs	930+2159+000

NOVUS LiftTEC Arm II, w/clamp, grommet, and drill screw

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment










3 in 1 mounting (clamp, grommet, and drilling screw)

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100





Mounting of flat screens of 18 lbs / 33 lbs

Range: 20.28"

Perfect cable management by cable clips

 VESA STANDARD 75/100	 Base 1 Drilling Screw	 Base 2 Grommet	 Base 3 Syst. Clamp 1	 Range 575 mm 20.28"	 Adjustable LIFTTEC® Gas Spring	 Swivel 180°
 Warranty 2 Years Guarantee	 Certification TUV NORD GS GS- Safety					



Color	Weight	Item Number
 silver	 18 lbs	930+3089+000
 silver	 33 lbs	930+3159+000

NOVUS LiftTEC Arm III, w/clamp, grommet, and drill screw

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment

With straight front arm section for a very low screen positioning










3 in 1 mounting (clamp, grommet, and drilling screw)

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs / 33 lbs

Range: 20.28"

Perfect cable management by cable clips

 VESA STANDARD 75/100	 Base 1 Drilling Screw	 Base 2 Grommet	 Base 3 Syst. Clamp 1	 Range 575 mm 20.28"	 Adjustable LIFTTEC® Gas Spring	 Swivel 180°
 Warranty 2 Years Guarantee	 Certification TUV NORD GS GS- Safety					



NOVUS TSS-LiftTEC-Arm I, with TSS column mount

1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment

With TSS column adapter





Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100







Mounting of flat screens of 18 lbs / 33 lbs

Range: 15.63"

Perfect cable management by cable clips

Necessary component is a TSS column

Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	980+1089+000
 silver	 7-15 kg 33 lbs	980+1159+000

VESA	Range	Adjustable	Swivel	Warranty	Certification
 STANDARD 75/100	 397 mm 15.63"	 LIFTTEC® Gas Spring	 180°	 2 Years Guarantee	 TUV MARK GS-Safety



NOVUS TSS-LiftTEC-Arm II, with TSS column mount

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment

With TSS column adapter


Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100







Mounting of flat screens of 18 lbs / 33 lbs

Range: 21.54"





Perfect cable management by cable clips

Necessary component is a TSS column

Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	980+2089+000
 silver	 7-15 kg 33 lbs	980+2159+000

VESA	Range	Adjustable	Swivel	Warranty	Certification
 STANDARD 75/100	 547 mm 21.54"	 LIFTTEC® Gas Spring	 180°	 2 Years Guarantee	 TUV MARK GS-Safety



Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	980+3089+000
 silver	 7-15 kg 33 lbs	980+3159+000

NOVUS TSS-LiftTEC-Arm III, with TSS column mount

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment

With straight front arm section for a very low screen positioning

With TSS column adapter







Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs / 33 lbs



Range: 21.54"

Perfect cable management by cable clips

Necessary component is a TSS column

VESA	Range	Adjustable	Swivel	Warranty	Certification
 75/100	 547 mm 21.54"	 Gas Spring	 180°	 2 Years	 GS- Safety



Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	981+1089+000

NOVUS SlatWall LiftTEC Arm I, with SlatWall mount

1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment

With SlatWall adapter








Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs



Range: 15.75"

Perfect cable management by cable clips

Necessary component is a SlatWall element

VESA	Base	Range	Adjustable	Swivel	Warranty	Certification
 75/100	 SlatWall	 400 mm 15.75"	 Gas Spring	 180°	 2 Years	 GS- Safety



Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	981+2089+000

NOVUS SlatWall LiftTEC Arm II, with SlatWall mount

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment

With SlatWall adapter

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs



Range: 21.65"

Perfect cable management by cable clips

Necessary component is a SlatWall element

VESA	Base	Range	Adjustable	Swivel	Warranty	Certification
 75/100	 SlatWall	 550 mm 21.65"	 Gas Spring	 180°	 2 Years	 GS- Safety



Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	981+3089+000

NOVUS SlatWall LiftTEC Arm III, with SlatWall mount

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment

With straight front arm section for a very low screen positioning

With SlatWall adapter







Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs



Range: 21.65"

Perfect cable management by cable clips

Necessary component is a SlatWall element

VESA	Base	Range	Adjustable	Swivel	Warranty	Certification
 STANDARD 75/100	 SlatWall	 550 mm 21.65"	 LIFTTEC® Gas Spring	 180°	 2 Years Guarantee	 GS- Safety



Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	931+1089+000

NOVUS LiftTEC Arm I, with wall mount

1-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment








With wall bracket

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100



Mounting of flat screens of 18 lbs depending on wall texture

Range: 15.75"

Perfect cable management by cable clips

VESA	Base	Range	Adjustable	Swivel	Warranty	Certification
 STANDARD 75/100	 Wall Mount	 400 mm 15.75"	 LIFTTEC® Gas Spring	 180°	 2 Years Guarantee	 GS- Safety



Color	Weight	Item Number
 silver	 3-8 kg 18 lbs	931+2089+000

NOVUS LiftTEC Arm II, with wall mount

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment of the monitor for mounting directly on the wall







With wall bracket

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs depending on wall texture

Range: 21.65"

Perfect cable management by cable clips

VESA	Base	Range	Adjustable	Swivel	Warranty	Certification
 STANDARD 75/100	 Wall Mount	 550 mm 21.65"	 LIFTTEC® Gas Spring	 180°	 2 Years Guarantee	 GS- Safety



Item Number
931+3089+000

NOVUS LiftTEC Arm III, with wall mount

2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment of the monitor for mounting directly on the wall

With straight front arm section for a very low screen positioning

With wall bracket


Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs depending on wall texture

Range: 21.65"

Perfect cable management by cable clips

VESA	Base	Range	Adjustable	Swivel	Warranty	Certification
STANDARD 75/100	wall mount	550 mm 21.65"	LiftTEC® Gas Spring	180°	2 Years Guarantee	GS-Safety



Item Number
930+1279+000

NOVUS LiftTEC Arm I Dual, w/clamp, grommet, and drill screw

Double monitor support arm for comfortable, ergonomic adjustment of the monitor to the personal needs with gas spring

3 in 1 mounting (clamp, grommet, and drilling screw)

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of two flat screens up to 15 lbs each alongside or above one another

Range: 16.34"

Perfect cable management by cable clips

VESA	Base 1	Base 2	Base 3	Range	Adjustable	Swivel
STANDARD 75/100	Drilling Screw	Grommet	Syst. Clamp 1	415 mm 16.34"	LiftTEC® Gas Spring	180°
Warranty		Certification				
2 Years Guarantee		GS-Safety				



Item Number
980+1279+000

NOVUS TSS-LiftTEC-Arm I Dual, with TSS column mount

Double monitor support arm for comfortable, ergonomic adjustment of the monitor to the personal needs with gas spring

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of two flat screens up to 15 lbs each alongside or above one another

Range: 17.6"

Perfect cable management by cable clips

Necessary component is a TSS column

VESA	Range	Adjustable	Swivel	Warranty	Certification
STANDARD 75/100	447 mm 17.6"	LiftTEC® Gas Spring	180°	2 Years Guarantee	GS-Safety



silver



15 kg

33 lbs

Item Number
980+0159+000

NOVUS TSS-LM-Arm 0-0-1, with TSS column mount

High quality infinitely height adjustable support carriage

With TSS column adapter


Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 33 lbs

Various joints for high mobility in limited space

Range: 4.8"

Necessary component is a TSS column



silver



15 kg

33 lbs

Item Number
980+4159+000

NOVUS TSS-LM-Arm 0-2-1, with TSS column mount

High quality infinitely height adjustable 2-part monitor support arm

With TSS column adapter

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100



Mounting of flat screens up to 33 lbs

Ergonomic monitor setting to the personal needs by various joints

Range: 10.71"

Perfect cable management by cable clips

Necessary component is a TSS column



silver



2x 15 kg

2x 33 lbs

Item Number
980+0279+000

NOVUS TSS-LM-Arm 0-0-4 Dual, with TSS column mount

High quality infinitely height adjustable double monitor support arm

With TSS column adapter

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of two flat screens up to 15 lbs each alongside or above one another



Range: 6.77"

Perfect cable management by cable clips

Necessary component is a TSS column





Color	Weight	Item Number
 silver	 8 kg 18 lbs	981+0089+000

NOVUS SlatWall LM-Arm 0-0-1, with SlatWall mount

High quality support carriage

With SlatWall adapter







Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 18 lbs



High mobility in confined space by ball joint

Range: 4.92"

Necessary component is a SlatWall element

VESA	Base	Range	Swivel	Warranty	Certification
 75/100	 SlatWall	 125 mm 4.92"	 180°	 2 Years	 GS- Safety



Color	Weight	Item Number
 silver	 8 kg 18 lbs	981+4089+000

NOVUS SlatWall LM-Arm 0-2-1, with SlatWall mount

High quality monitor support arm

With straight front arm section

With SlatWall adapter

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100







Mounting of flat screens up to 18 lbs

Various joints for high mobility


Range: 10.83"

Perfect cable management by cable clips

Necessary component is a SlatWall element

VESA	Base	Range	Swivel	Warranty	Certification
 75/100	 SlatWall	 275 mm 10.83"	 180°	 2 Years	 GS- Safety



Color	Item Number
 anthracite	795+9075+000

NOVUS Balance 30

Height adjustment to compensate different heights of parallel arranged monitors

Compensation range: + - 1.18"

For monitors suitable for the VESA mounting standard 75/100

Necessary when using the SlatWall LM arm 0-0-1 and SlatWall LM arm 0-2-1 in combination next to each other

Warranty
 2 Years



NOVUS LM arm 0-0-1 WH



High quality support carriage for mounting a monitor directly to the wall
With wall bracket







Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 18 lbs depending on wall texture

High mobility in confined space by ball joint

Wall distance: 4.92"

Color	Weight	Item Number
 silver	 18 lbs	931+0089+000

VESA	Base	Range	Swivel	Warranty	Certification
 75/100 STANDARD	 Wall Mount	 125 mm 4.92"	 180°	 2 Years	 GS-Safety



NOVUS LM-Arm 0-2-1, with wall mount

High quality monitor support for attaching a monitor directly to the wall
With wall bracket


Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100







Mounting of flat screens up to 18 lbs depending on wall texture

Various joints for high mobility

Range: 10.83"

Perfect cable management by cable clips

Color	Weight	Item Number
 silver	 18 lbs	931+4089+000


VESA	Base	Range	Swivel	Warranty	Certification
 75/100 STANDARD	 wall mount	 275 mm 10.83"	 180°	 2 Years	 GS-Safety

Great performance for maximum attention.

Impressive: the NOVUS ScreenMount is designed specifically for attaching heavy (30-100 kg) and particularly large (up to 70-inch) monitors.



Secure and flexible on wall, floor and ceiling.



Ideal for foyers and reception areas: NOVUS ScreenMount is the perfect choice for setting off prestigious-looking, large-sized screens.





Item Number
940+0405+000

ScreenMount Fix 400, wall mount

Sturdy wall mount for mounting large screens particularly close to the wall

Suitable for mounting standards: 100x100, 200x100, 200x200, 300x300, 400x200, 400x300

Mounting of flat screens up to 77 lbs


Wall distance: 1.38"

In high-quality metal with powder-coated finish

Reliable drop guard as protection against unintentional release of screen

Integrated spirit level for ease of installation

VESA	Weight	Base	Warranty
 400 x 300 400/300	 35 kg 77 lbs	 Wall Mount	 2 Years Guarantee 2 Years



Item Number
940+0705+000

ScreenMount Fix 700, wall mount

Sturdy wall mount for mounting very large flat screens particularly close to the wall

Suitable for mounting standards: 100x100, 200x100, 200x200, 300x300, 400x200, 400x400, 600x200, 600x400

Mounting of flat screens up to 99 lbs


Wall distance: 1.38"

In high-quality metal with powder-coated finish

Reliable drop guard as protection against unintentional release of screen

Integrated spirit level for ease of installation

VESA	Weight	Base	Warranty
 600 x 400 600/400	 45 kg 99 lbs	 Wall Mount	 2 Years Guarantee 2 Years



Item Number
943+0405+000

ScreenMount Vario 400, wall mount

Tilting wall mount for mounting large screens close to the wall

Suitable for mounting standards: 100x100, 200x100, 200x200, 300x300, 400x200, 400x400

Mounting of flat screens up to 77 lbs

Wall distance: 2.4"


Five adjustable tilt angles of 0°, 4°, 8°, 12° or 16° for any chosen viewing angle

In high-quality metal with powder-coated finish

Reliable drop guard as protection against unintentional release of screen

Integrated spirit level for ease of installation

VESA	Weight	Base	Warranty
 400 x 400 400/400	 35 kg 77 lbs	 Wall Mount	 2 Years Guarantee 2 Years



Color
anthracite

Item Number
943+0705+000

ScreenMount Vario 700, wall mount

Tilting wall mount for mounting large screens close to the wall

Suitable for mounting standards: 100x100, 200x100, 200x200, 300x300, 400x200, 400x400, 600x200, 600x400

Mounting of flat screens up to 99 lbs

Wall distance: 2.4"


Five adjustable tilt angles of 0°, 4°, 8°, 12° or 16° for any chosen viewing angle

In high-quality metal with powder-coated finish

Reliable drop guard as protection against unintentional release of screen

Integrated spirit level for ease of installation

VESA	Weight	Base	Warranty
600 x 400 600/400	45 kg 99 lbs	Wall Mount	2 Years Guarantee



Color
anthracite

Item Number
943+4905+000

ScreenMount Flex, wall mount

High-quality wall mount with flexible articulated arm for holding particularly large screens

Suitable for mounting standards: 200x200, 300x300, 400x200, 400x400, 600x200, 600x400

For mounting flat screens weighing up to 66 lbs

Three joints provide positioning flexibility

Wall distance: from a minimum of 1.54" to a maximum of 19.29"

180° swiveling range and forward tilt angle of up to 20° for any chosen viewing angle

In high-quality metal with powder-coated finish

Complete with spirit level for ease of installation

VESA	Weight	Base	Warranty
600 x 400 600/400	30 kg 66 lbs	Wall Mount	2 Years Guarantee



Color
silver/black

Item Number
944+1409+000

ScreenMount Ceiling 140, ceiling mount

Sturdy ceiling mount with telescopic extension for holding particularly large screens

The distance from the ceiling can be varied between 30" and 56.69", providing flexible adjustability to ceiling height

Suitable for mounting standards: 200x100, 200x200, 300x300, 400x200, 400x400, 600x200, 600x400, 800x200, 800x400

Mounting of flat screens up to 220 lbs

360° turning function and forward tilt angle of up to 15° for any chosen viewing angle

Internal cable routing for optimum cable management

In high-quality aluminum and metal

Reliable drop guard as protection against unintentional release of screen

VESA	Weight	Base	Warranty
800 x 400 800x400	100 kg 220 lbs	Ceiling Mount	2 Years Guarantee



Color
Item Number
944+2209+000

ScreenMount Ceiling 220, ceiling mount

Sturdy ceiling mount with telescopic extension for holding particularly large screens

The distance from the ceiling can be varied between 46.46" and 86.61", providing flexible adjustability to ceiling height

Suitable for mounting standards: 200x100, 200x200, 300x300, 400x200, 400x400, 600x200, 600x400, 800x200, 800x400

Mounting of flat screens up to 220 lbs

360° turning function and forward tilt angle of up to 15° for any chosen angle viewing angle

Internal cable routing for optimum cable management

In high-quality metal with powder-coated finish

Reliable drop guard as protection against unintentional release of screen

VESA	Weight	Base	Warranty
 800 x 400	 100 kg 220 lbs	 Ceiling Mount	 2 Years Guarantee 2 Years



Color
Item Number
945+1749+000

ScreenMount Stand, support stand

Universal support stand for mounting particularly large screens

Suitable for the following mounting standards: 200x100, 200x200, 300x300, 400x200, 400x400, 600x200, 600x400

For mounting flat screens weighing up to 66 lbs


60° swiveling range for any chosen viewing angle

Cable holder behind the column for perfect cable management

Support stand in high-quality aluminum with baseplate finished in high-gloss lacquer

Reliable drop guard as protection against unintentional release of screen

VESA	Weight	Base	Warranty
 600 x 400	 30 kg 66 lbs	 Floor Stand	 2 Years Guarantee 2 Years



Color
Item Number
931+0255+000

NOVUS QuickMount

For the particularly flat mounting of monitors on the wall

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

For mounting flat screens weighing up to 55 lbs

Wall distance: .87"

VESA	Weight	Base	Warranty	Certification
 75/100 STANDARD	 25 kg 55 lbs	 Wall Mount	 2 Years Guarantee 2 Years	 TUV NORD GS Safety



Color



anthracite

Item Number
950+0019+000

NOVUS SKY WallMount

Wall bracket for attachment to the wall, depending on the wall texture
Easy mounting of the monitor by quick release with one hand operation,
suitable for attachment standard 75/100

Mounting of flat screens up to 22 lbs

Swiveling and tilt-able

Wall distance: 4.92"

VESA



75/100

Weight



22 lbs

Base



Wall Mount

Warranty



2 Years

Certification



GS- Safety

Practical accessories for a well organized workspace.



Color



anthracite

Item Number
795+9055+000

NOVUS adapter plate 200 x 100

Adapter plate for connection medium size monitors to the mounting standard VESA 75/100

Suitable for the following mounting standards: 200x100



Color



anthracite

Item Number
795+9065+000

NOVUS adapter plate 200 x 200

Adapter plate for connection of large monitors to the mounting standard VESA 75/100

Suitable for the following mounting standards: 200x100, 200x200



Color



anthracite

Item Number
795+1808+000

NOVUS Cable Guide

Textile material cable conduit for flexible cable Organization

Up to a diameter of .16", the cable conduit enables a perfect guidance and Organization of the cables

Available in length: 7"



The systematic way to
more individuality
and **more space.**



Versatile accessories and filing solutions keep everything in its place for a tidy desk matched to individual requirements.



The universal support arms from Novus are the ideal answer for a well-organized workplace. Capable of accommodating telephones and even notebooks, their carrying capacity can be upgraded.



Color	Item Number
	713+0002+000
silver	
	713+0005+000
anthracite	

NOVUS PhoneMaster









Compact design offering a high carrying capacity making it particularly suitable for larger and heavier-type telephones

Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Swiveling around 360° for ease of movement

Platform can be mounted crossways or lengthwise

Dimensions base plate: 10.16" x 6.77"

Weight	Base	Range	Height	Swivel	Platform	Adaptable
 6 kg 13 lbs	 Univ. Clamp 1	 383 mm 15.1"	 140 mm 5.51"	 360°	 258x172 mm 10.16" x 6.77"	 Univ. Clamp 1
Warranty						
 2 Years						



Color	Item Number
	714+0002+000
silver	
	714+0009+000
silver/black	

NOVUS ScopeMaster

Smoothly telescoping swivel arm for positioning of devices in the third level

Table mounting with universal clamp 1 for a table thickness of .71-2.91"









Rotating support platform, inclined towards the user

Swiveling around 360° for ease of movement

Platform can be mounted crossways or lengthwise

Internal cable routing for optimum cable management

Dimensions base plate: 10.16" x 6.77"

Weight	Base	Range	Height	Swivel	Platform	Adaptable
 2 kg 4 lbs	 Univ. Clamp 1	 464-606 mm 18.27" - 23.86"	 175 mm 6.89"	 360°	 258x172 mm 10.16" x 6.77"	 Univ. Clamp 1
Warranty						
 2 Years						



Item Number
710+0002+000

710+0005+000

NOVUS TalkMaster

Telephone swivel arm with 2-part articulated arm for filing the phone in the third level










Table mounting with universal clamp 1 for a table thickness of .71-2.91"


3-stage adjustment for flexible positioning

Swiveling around 360° for ease of movement

Platform can be mounted crossways or lengthwise

Dimensions base plate: 10.16" x 6.77"

Weight  2 kg 4 lbs	Base  Univ. Clamp 1	Range  415-700 mm 16.34" - 27.56"	Height  0-155 mm 6.10"	Adjustable  3 Positions	Swivel  360°	Platform  258x172 mm 10.16" x 6.77"
Adaptable  Univ. Clamp 1	Warranty  2 Years Guarantee 2 Years					



Item Number
795+0902+000

795+0905+000

NOVUS extension platforms

Set of two extension plates to enlarge the support plate of universal support arms

Increase the size of supporting platform from 10.16" x 6.77" to 10.16" x 10.16" or 10.16" x 13.54"

Supplied with four clip connectors for easy assembling

Warranty  2 Years Guarantee 2 Years
--

NOVUS Copy Swinger System - these sturdy trays permit well-structured desk Organization and can be combined in any way with other products form the Novus more space system.



NOVUS CopySwinger I

Single tray for storage



Plastic tray with practical recessed grip for ergonomic handling







Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Swiveling around 360° for ease of movement

Supplied with transparent label holder

Expandable with other more space system products with universal clamp 1

Color	Item Number
 silver	720+1002+000
 anthracite	720+1005+000

Base	Range	Height	Swivel	Adaptable	Warranty
 Univ. Clamp 1	 282-376 mm 11.1" - 14.8"	 148 mm 5.83"	 360°	 Univ. Clamp 1	 2 Years Guarantee



NOVUS CopySwinger II

Two trays among each other for a clearly arranged office Organization

Plastic tray with practical recessed grip for ergonomic handling







Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Swiveling around 360° for ease of movement

Supplied with transparent label holder

Expandable with other more space system products with universal clamp 1

Color	Item Number
 silver	720+2002+000
 anthracite	720+2005+000

Base	Range	Height	Swivel	Adaptable	Warranty
 Univ. Clamp 1	 282-376 mm 11.1" - 14.8"	 148 mm 5.83"	 360°	 Univ. Clamp 1	 2 Years Guarantee



Color	Item Number
	720+3002+000
silver	
	720+3005+000
anthracite	

NOVUS CopySwinger III

Three trays among each other for the classic storage







Plastic tray with practical recessed grip for ergonomic handling

Table mounting with universal clamp 1 for a table thickness of .71-2.91"



Swiveling around 360° for ease of movement

Supplied with transparent label holder

Expandable with other more space system products with universal clamp 1

Base	Range	Height	Swivel	Adaptable	Warranty
					
Univ. Clamp 1	11.1" - 14.8"	5.83"	360°	Univ. Clamp 1	2 Years



Color	Item Number
	720+4002+000
silver	
	720+4005+000
anthracite	

NOVUS CopySwinger IV

Four trays among each other offer lots of space







Plastic tray with practical recessed grip for ergonomic handling

Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Swiveling around 360° for ease of movement

Supplied with transparent label holder

Expandable with other more space system products with universal clamp 1

Base	Range	Height	Swivel	Adaptable	Warranty
					
Univ. Clamp 1	11.1" - 14.8"	5.83"	360°	Univ. Clamp 1	2 Years



Color	Item Number
	720+5002+000
silver	
	720+5005+000
anthracite	

NOVUS CopySwinger V







Five trays among each other offer much storage space

Plastic trays with practical recessed grip for ergonomic handling



Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Swiveling around 360° for ease of movement

Supplied with transparent label holder

Base	Range	Height	Swivel	Adaptable	Warranty
					
Univ. Clamp 1	11.1" - 14.8"	5.83"	360°	Univ. Clamp 1	2 Years



Color	Item Number
	721+4002+000
silver	
	721+4005+000
anthracite	

NOVUS CopySwinger Duo II






Two sets of two trays about each other


Plastic tray with practical recessed grip for ergonomic handling

Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Swiveling around 360° for ease of movement

Expandable with other more space system products with universal clamp 1

Base	Range	Height	Swivel	Adaptable	Warranty
					
Univ. Clamp 1	11.1" - 14.8"	5.83"	360°	Univ. Clamp 1	2 Years



Color



silver

Item Number
721+6002+000



anthracite

721+6005+000

NOVUS CopySwinger Duo III

Three sets of two trays about each other







Plastic tray with practical recessed grip for ergonomic handling


Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Swiveling around 360° for ease of movement

Supplied with transparent label holder

Expandable with other more space system products with universal clamp 1

Base	Range	Height	Swivel	Adaptable	Warranty
					
Univ. Clamp 1	282-376 mm 5.83"	148 mm 5.83"	360° 180°	Univ. Clamp 1	2 Years Guarantee



Color



silver/black



Item Number
720+0000+000

NOVUS CopyTray, single tray

Stackable and removable B4-single tray

Plastic tray with practical recessed grip for ergonomic handling

Supplied with transparent label holder

Base	Range	Swivel	Adaptable	Warranty
				
Univ. Clamp 1	282-376 mm 11.1" - 14.8"	360°	Univ. Clamp 1	2 Years Guarantee

First class in looks and function, the BoardMasters from Novus add structure to filing. Whether over a width of 39.37" or 47.24": With these practical filing systems, everything is certain to land in the right tray.



NOVUS BoardMaster with supporting feet

Practical shelves for perfect Organization of the workplace with desktop feet

Variable division in three compartments



Elegant desktop feet for placement on the desk

Shelf depth: 7.68"

Available in length: 39.37" & 47.24"

Expandable with other more space system products with universal clamp 1

Color	Length	Item Number
 silver	 1000 mm 39.37"	750+0552+000
 anthracite	 1000 mm 39.37"	750+0555+000
 silver	 1200 mm 47.24"	750+0652+000
 anthracite	 1200 mm 47.24"	750+0655+000

Weight	Base	Height	Adaptable	Warranty
 10 kg 22 lbs	 desk mount	 164 mm 7.24"	 Univ. Clamp 1	 2 Years Guarantee 2 Years



NOVUS BoardMaster with universal clamp 1

Practical shelves for perfect Organization of the workplace for mounting at the desktop


Variable division in three compartments

Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Shelf depth: 7.68"

Available in length: 39.37" & 47.24"

Expandable with other more space system products with universal clamp 1

Color	Length	Item Number
 silver	 1000 mm 39.37"	750+0502+000
 anthracite	 1000 mm 39.37"	750+0505+000
 silver	 1200 mm 47.24"	750+0602+000
 anthracite	 1200 mm 47.24"	750+0605+000

Weight	Base	Height	Adaptable	Warranty
 10 kg 22 lbs	 Univ. Clamp 1	 168 mm 5.83"	 Univ. Clamp 1	 2 Years Guarantee 2 Years



NOVUS Duo-BoardMaster with supporting feet

Two opposite boards with desktop feet

Ideal for opposite arranged working surfaces





Variable division in three compartments per board


Elegant desktop feet for placement on the desk

Shelf depth: 7.68"

Available in length: 39.37" & 47.24"

Expandable with other more space system products with universal clamp 1

Color	Length	Item Number
	 1000 mm	751+2562+000
silver	39.37"	
	 1000 mm	751+2565+000
anthracite	39.37"	
	 1200 mm	751+2662+000
silver	47.24"	
	 1200 mm	751+2665+000
anthracite	47.24"	

Weight	Base	Height	Adaptable	Warranty
 10 kg		 184 mm		
22 lbs	desk mount	7.24"	Univ. Clamp 1	2 Years



NOVUS Duo-BoardMaster with universal clamp 1

Two opposite boards for direct mounting on the desk

Ideal for opposite arranged working surfaces

Variable division in three compartments per board

Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Shelf depth: 7.68"

Available in length: 39.37" & 47.24"



Expandable with other more space system products with universal clamp 1

Color	Length	Item Number
	 1000 mm	751+2502+000
silver	39.37"	
	 1000 mm	751+2505+000
anthracite	39.37"	
	 1200 mm	751+2602+000
silver	47.24"	
	 1200 mm	751+2605+000
anthracite	47.24"	

Weight	Base	Height	Adaptable	Warranty
 10 kg		 148 mm		
22 lbs	Univ. Clamp 1	5.83"	Univ. Clamp 1	2 Years

The ViewMasters from Novus are true all-round talents. In many work areas, these practical carousels ensure that even complex information is always in view an easy reach.



Color	Item Number
	748+0002+000
silver	
	748+0005+000
anthracite	

NOVUS ViewMaster-Fix

Display pocket holders with 2-piece plastic joints in three automatic locking positions

For twelve DIN A4 display pockets






Table mounting with universal clamp 1 for a table thickness of .71-2.91"

Range: 8.86"-20.24"


Rotating around 360°

Display pockets can be fitted with indicator tabs to make information easier to find

Display pockets are not included

Base	Range	Adjustable	Swivel	Warranty
				
Univ. Clamp 1	8.86" - 20.24"	3 Positions	360°	2 Years



Color	Item Number
	748+2002+000
silver	
	748+2009+000
silver/black	

NOVUS ViewMaster-Ergo II

Display pocket holders with 2-part aluminum arm, adjustable plastic joints and spring balancing mechanism

The infinitely adjustment ensures a comfortable presentation of information

For twelve DIN A4 display pockets

Table mounting with universal clamp 1 for a table thickness of .71-2.91"






Range: 29.29"

Swiveling around 360°

Reliable drop guard as protection against unintentional release of screen

Display pockets are not included

Display pockets can be fitted with indicator tabs to make information easier to find

Base	Range	Adjustable	Swivel	Warranty
				
Univ. Clamp 1	29.29"	3 Positions	360°	2 Years



Color	Item Number
	748+3002+000
silver	
	748+3005+000
anthracite	

NOVUS ViewMaster carousel

Swiveling arm with ball bearing display pocket holder

For 30-40 DIN A4 display pockets




Table mounting with universal clamp 2 for a table thickness of .63"-2.99"

Range: 13"

Swiveling around 360°

Display pockets can be fitted with indicator tabs to make information easier to find

Display pockets are not included

Base	Range	Height	Swivel	Warranty
				
Univ. Clamp 1	13"	7"	360°	2 Years



Color	Item Number
	748+7702+000
silver	
	748+7705+000
anthracite	

NOVUS ViewMaster desktop carousel

Desktop carousel with solid foot to accommodate display pockets

For 30-40 DIN A4 display pockets








Swiveling around 360°

Display pockets can be fitted with indicator tabs to make information easier to find

Display pockets are not included

Base	Warranty	Range
		
desk mount	2 Years	360°




Color	Item Number
 silver	795+4801+000
 white	795+4802+000
 yellow	795+4804+000
 red	795+4806+000
 green	795+4808+000
 blue	795+4811+000
 black	795+4812+000

NOVUS display pockets

Display pockets with swivel pins and plastic frame for DIN A4
Open on one long side
Delivery: individually packaged



Color	Item Number
 clear	795+4850+000

NOVUS indicator tabs

Indicator tabs set
Indicator tabs with printed paper inserts from A to Z
Pluggable with transparent display
Size: .98" x .79"
Including: 12 pieces



Novus offers a solution for every workspace situation. A big variety of mounting options for the more space range, even for the lights.



NOVUS universal clamp 1

Clamp for mounting on desktops

Clamping length: .71"-2.91"

Suitable for products with universal clamp 1

Color



silver

Item Number
795+0102+000



anthracite

795+0105+000

Base



Univ. Clamp 1

Warranty



2 Years Guarantee

2 Years



NOVUS universal clamp 1 for glass tables

Clamp, especially for attachment to glass tables

Clamping length: 8"-2.52"

Suitable for products with universal clamp 1

Color



silver

Item Number
795+0152+000



anthracite

795+0155+000

Base



Univ. Clamp 1



Warranty



2 Years Guarantee

2 Years



Color	Item Number
	795+0202+000
silver	
	795+0205+000
anthracite	

NOVUS universal clamp 2



Clamp for mounting on desktops

Clamping length: .63"-2.99"

Suitable for products mounted by universal clamp 2

Base	Warranty
	
Univ. Clamp 1	2 Years



Color	Item Number
	795+7802+000
silver	
	795+7805+000
anthracite	

NOVUS base plate

Stand (13 lbs)

Diameter: 10.24"

Suitable for products with universal clamp 1

Base	Warranty
	
desk mount	2 Years



Plastic screw-on

Plastic screw-on plate for fixing in the table

Fixing section: 2"

Suitable for products with universal clamp 1

Color



silver



anthracite

Item Number
795+1502+000

795+1505+000

Warranty



2 Years



Metal screw-on plate

Robust metal screw-on plate for mounting in the desktop

Fixing section: 2"

Comes with metal screw sleeve

Suitable for products with universal clamp 1

Color



silver



anthracite

Item Number
795+1602+000

795+1605+000

Warranty



2 Years



NOVUS drilling screw base

Drilling screw attachment for mounting on the table

Drilling diameter: .55"

Suitable for products with universal clamp 1

Color



silver



anthracite

Item Number
796+0342+000

796+0345+000

Base



Drilling Screw

Warranty



2
Years
Guarantee

2 Years



NOVUS wall mount metal standard

Wall bracket for attachment to the wall, depending on the wall texture

Suitable for products with universal clamp 1 or 2

Color



silver



white/silver

Item Number
796+0842+000

796+0849+000

Base



Wall Mount

Warranty



2
Years
Guarantee

2 Years



NOVUS plastic wall bracket

Wall mount in plastic for attachment to the wall, depending on the wall texture

Suitable for products with universal clamp 1

Color



silver



anthracite

Item Number
795+2002+000

795+2005+000

Base



Wall Mount

Warranty



2 Years



NOVUS SlatWall adapter

SlatWall adapter to mount various products on Organization rails

Carrying capacity 18 lbs

Suitable for products with universal clamp 1 or 2 and LiftTEC monitor arms

Color



silver

Item Number
796+0839+000

Weight



8 kg
18 lbs

Base



SlatWall

Adaptable



Univ. Clamp 1

Warranty



2 Years



NOVUS TSS column adapter

Adapter for attaching various products to the TSS column

Suitable for products with universal clamp 1 or 2 and LiftTEC monitor arms

Color



silver


Item Number
796+0829+000

Warranty




2 Years

Mounting options




System clamp base

Desktop mount with system clamp to mount the product without the need to drill holes in the desktop.




Ceiling mount

Ceiling mount lets you attach the product to the ceiling.




Drilling screw base

Drilling screw base to mount the product by drilling a hole in the desktop.



Ceiling/floor mount

Ceiling/floor mount lets you mount a column between ceiling and floor.




Grommet base

Grommet mount ensures secure attachment on existing cable port holes.



Wall mount

Wall mount lets you attach the product to the wall.



Pin adapter

Desktop mounting with pin adapter (.63" in diameter) is used in various desk adapters by the office furniture industry.




Floor stand

Sturdy stand for positioning on the floor.



System rail base

System rail base for use in various system rails from the office furniture industry.




Universal clamp

Desktop mount with universal clamp 1 for desktops in a thickness of .28"-2.91".



Desk stand

Elegant stand for positioning on the desk.



Expandability

All items with universal clamp 1 can be fitted to the product.



Organization wall mount


Organization wall mount to attach the products to an Organizational wall by using slot nuts.

Technical specifications




Standard monitor mount

The standard mount to use with any monitor compatible with 75 x 75 mm or 100 x 100 mm attachment standard.




Column length

The value indicates the height of the column above the desk in mm.



Monitor mount

This mount is to attach monitors compatible with the attachment standard given in mm. (The maximum possible standard is indicated.)




Height above desk

The value indicates the minimum and maximum distance between the product and desk surface.



Monitor weight

This value indicates the maximum load-bearing capacity of the supporting element or the maximum weight of a monitor in kg.




Width

The value indicates the width of the product in mm.



Carrying capacity

The weight shows the maximum weight in kg that the product is allowed to carry.



Range

The value indicates the product's range in mm.




Dimensions of support platform

The value indicates the size of the platform in mm.




Swivelling range

The value indicates the product's possible swivelling range in °.




Adjustability

The patented spring balancing mechanism gives the product very easy, infinitely variable adjustment.



Power consumption

The value indicates the lamp used and its wattage.



Adjustability

The product can be engaged in 3 fixed positions.

Would you like more space and flexibility?
Be inspired: www.NovusMoreSpace.com



MORE.SPACE.SYSTEM.

Dahle North America, Inc.
49 Vose Farm Road
Peterborough, NH 03458
(800) 995.1379
www.NovusMoreSpace.com

