

COMMERCIAL

SURFACES

INSPIRATION  
INSIDE




VITL

REN

INSPIRATION  
INSIDE

SURFACES  
COMMERCIAL



Whether you're looking  
for tiles for your home  
or business, Ren is the  
perfect option for you.

# REN



VITL | Ren Light Gray, 32" x 32"

## Colors



REN Light Gray



REN Taupe



REN Medium Gray



REN Dark Gray

# REN

---

Story has always been important to us. It is what has driven us from the very beginning and it is what continues to inspire us today. Our story begins with porcelain tiles, surfaces that are both technically excellent and beautifully satisfying to the eye. Ren is a testament to our commitment to creating products that are both functional and aesthetic.

The visual impact of bush-hammered limestone in a creative design that fuses together limestone and quartz veining. Great care was taken to combine these together in a harmonious union that delivers a unique and versatile aesthetic. The design emphasizes naturally occurring veining and variability of the sedimentary pattern, which in turn delivers a unique tile character.

# VITL





VITL | Ren, Medium Gray, 24" x 48"



# REN



V2 Slight  
Variation



Frost Resistant



DCOF >0.42



Recommend an  
offset pattern  
≤33%



EPD  
Certified

## Light Gray

## Shapes & Sizes



24" x 47" Rectified Matte 10.3mm



32" x 32" Rectified Matte 11.5mm



12" x 24" Rectified Matte 8.4mm

## Mosaic



6" x 6" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Square 8.4mm

## Trim



3" x 24" Bullnose  
8.4mm



Made in Turkey



Ready Ship

## Taupe

## Shapes & Sizes



32" x 32" Rectified Matte 11.5mm



24" x 47" Rectified Matte 10.3mm




12" x 24" Rectified Matte 8.4mm

## Mosaic



6" x 6" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Square 8.4mm

## Trim



3" x 24" Bullnose  
8.4mm



# REN



V2 Slight  
Variation



Frost Resistant



DCOF >0.42



Recommend an  
offset pattern  
≤33%



EPD  
Certified

## Medium Gray



## Shapes & Sizes



32" x 32" Rectified Matte 11.5mm



24" x 47" Rectified Matte 10.3mm




12" x 24" Rectified Matte 8.4mm

## Mosaic



6" x 6" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Square 8.4mm

## Trim



3" x 24" Bullnose  
8.4mm



Made in Turkey




Ready Ship

## Dark Gray

## Shapes & Sizes



32" x 32" Rectified Matte 11.5mm



24" x 47" Rectified Matte 10.3mm




12" x 24" Rectified Matte 8.4mm

## Mosaic



6" x 6" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Hexagon 8.4mm



2" x 2" Mosaic  
Square 8.4mm

## Trim



3" x 24" Bullnose  
8.4mm



# REN



V2 Slight  
Variation



Frost Resistant



DCOF >0.42



Recommend an  
offset pattern  
≤33%



EPD  
Certified



VITL | Ren Dark Gray, 32" x 32"




Made in Turkey



Ready Ship


## SIZES

24" x 47" Rectified Matte 10.3mm



VTL RNLG - Light Gray  
VTL RNTA - Taupe  
VTL RNMG - Medium Gray  
VTL RNDG - Dark Gray

32" x 32" Rectified  
Matte 11.5mm



VTL RNLG - Light Gray  
VTL RNTA - Taupe  
VTL RNMG - Medium Gray  
VTL RNDG - Dark Gray

12" x 24" Rectified  
Matte 8.4mm




VTL RNLG - Light Gray  
VTL RNTA - Taupe  
VTL RNMG - Medium Gray  
VTL RNDG - Dark Gray


## MOSAIC



6" x 6"  
Hexagon Mosaic 8.4mm



2" x 2"  
Hexagon Mosaic  
8.4mm



2" x 2"  
Mosaic Square 8.4mm

## TRIM



3" x 24" Bullnose 8.4mm

# DECORATIVE, MOSAICS & TRIM

| SIZE                   | THICKNESS | FINISH |
|------------------------|-----------|--------|
| 6" x 6" Hexagon Mosaic | 8.4mm     | Matte  |
| 2" x 2" Hexagon Mosaic | 8.4mm     | Matte  |
| 2" x 2" Square Mosaic  | 8.4mm     | Matte  |
| 3" x 24" Bullnose      | 8.4mm     | Matte  |

# Product Characteristics

|  |                |
|--|----------------|
| Breaking Strength (ASTM C648 or ISO 10545-4)     | >1750          |
| Chemical Resistance (ASTM C650 or ISO 10545-13)  | N/A            |
| DCOF   | >0.42          |
| Deep Scratch Resistance - Unglazed (ISO 10545-6) | N/A            |
| Frost Resistance (ASTM C1026 or ISO 10545-12)    | Resistant      |
| Mohs Hardness - EN101                            | Not Applicable |
| Water Absorption (ASTM C373 or ISO 10545-3)      | N/A            |
| Certifications                                   | EPD            |
| Country of Origin                                | Turkey         |
| Shade Variation Code                             | V2             |

## Material

Glazed Color-Body Porcelain

# PORCELAIN CARE & MAINTENANCE

## INITIAL CLEANING

Proper cleaning after installation is essential for future maintenance. Remove excess grout using clean water and a sponge. If grout leaves behind a white haze, it can be wiped off using a clean cloth after grout has cured. Stubborn residue may require the use of a grout haze remover solution or neutral detergent. Thoroughly rinse the area with clean water and dry with a clean towel or wet vacuum.

## ROUTINE MAINTENANCE

Immediately wipe up any spills and clean the area using a damp cloth or sponge. Remove loose soil using a broom or vacuum. To remove stubborn surface debris, use a scraper or putty knife. Wipe the area with a PH-neutral and soapless cleaner. Rinse with clear water and wipe dry to prevent residue. Do not use cleaning wax, oil-based cleaners, ammonia, sealants, or products containing acid or bleach for routine maintenance. Avoid using abrasive cleaning products such as steel wool.

WHEN IT MUST BE GREAT.

WHEN IT MUST BE READY.

WHEN IT MUST BE EXTRAORDINARY.

WHEN IT MATTERS MOST.

VITL

Start your journey

Request samples.

[www.vitlsurfaces.com](http://www.vitlsurfaces.com)  
[samples@vitlsurfaces.com](mailto:samples@vitlsurfaces.com)

