


ASSEMBLY INSTRUCTION


SEMI-CIRCLE DAYBED

A Left side panel




1pc

B Right side panel




1pc

C Back panel




1pc

D Side rail



2pcs

E Mattress frame




3pcs

F Finial




4pcs

G Bolt
1/4", 16MM



12pcs

H Bolt
1/4", 19MM



14pcs

I Bolt
M4, 15MM



4pcs

J Flat washer
ø16mm



26pcs

K Flat washer
ø12mm




4pcs

L Allen wrench
4X4MM



1pc



This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.



ASSEMBLY


Do not fully tighten all bolts until assembly is complete. This will help all parts to assemble properly.






This screwdriver is not provided.


1 Assemble the finial (F) to the left side panel (A) and the right side panel (B) with 4pcs bolts (I) and 4pcs flat washer (K), then fastened using screwdriver (not provided).

I		4pcs
K		4pcs




2 Assemble the side rail (D) to the left side panel (A) and the right side panel (B) with 8pcs bolts (H) and 8pcs flat washer (J), then fastened using allen wrench (L).


H		8pcs
J		8pcs
L		




- 3** Assemble the back panel (C) to the right side panel (A) and the left side panel (B) with 6pcs bolt (H) and 6pcs flat washer (J), then fastened using allen wrench (L) .



- 4** Assemble the mattress frame (E) to the side rail (D) with 12pcs bolts (G) and 12pcs flat washer (J), then fastened using allen wrench (L).





WARNINGS:

- Use only mattress which is 74"-75" long and 37½"- 38½"wide.
 - Do not allow horseplay or under the bed and prohibit jumping on the bed.
 - Periodically check and ensure that all the components are in their proper position, free from damage, and that all connectors are tight.
 - Do not use substitute parts, Contact the store for replacement part.
 - Maximum total weight is not to exceed 400 lbs.
-
- **Keep these instructions for future reference.**

Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.