

# RETROCLASSIQUE

GLAZED CERAMIC WALL TILE



floridatile

# RETROCLASSIQUE

shown on front: **60301 3x6** Lily, **60301/L3x6** Lily Floral Listello, **60301/CR4x6** Lily Chair Rail

The Retroclassique series from Florida Tile is a glazed ceramic wall tile collection. The essence of old yet new, Retroclassique represents a classic style that will never age. The 3x6 subway tiles with large decoratives were a staple of Victorian, Georgian, and Edwardian styles at the turn of the Century. Whether a regal mansion or urban Brownstone, the classic look was embraced then and still continues today.

In the tradition of hand-molded tiles, Retroclassique features slightly rounded edges and corners, a soft undulating surface and a thick 9mm body. The product of several years of research, the result is a tile that delivers a message of luxury. Solid colors are kept classic with bright white (Lily) and almond (Linen). Along with these two classic colors, we offer four earthy tones

created by using a fume' technique giving each tile a unique pattern and natural color variation.

Giving this line its true modern, yet vintage look are the decoratives. The two 6" long chair rail options are a large 4" and 2" high, respectively, while the listellos are a stylized floral motif and a circular repeating pattern that can be cut into 3 squares and used as inserts. This ample wall tile collection will give an added touch of elegance to your home or next design collaboration.

This tile is suitable for most residential and commercial wall and applications, and is GREENGUARD® certified for indoor air quality.

right: **60366 3x6** Pewter

below: **60302 3x6** Linen, **60302/CR4x6** Linen Chair Rail







# LILY

---



60301 3x6



60301/L2x6  
Circles Listello



60301/L3x6  
Floral Listello



60301/CR2x6 & 60301/CRS2x1.2  
Chair Rail &  
Chair Rail Stop (not shown)



60301/CR4x6 & 60301/CRS4x1.5  
Chair Rail &  
Chair Rail Stop (not shown)

# LINEN

---



60302 3x6



60302/L2x6  
Circles Listello



60302/L3x6  
Floral Listello



60302/CR2x6 & 60302/CRS2x1.2  
Chair Rail &  
Chair Rail Stop (not shown)



60302/CR4x6 & 60302/CRS4x1.5  
Chair Rail &  
Chair Rail Stop (not shown)

# SILVER

---



60312 3x6



60312/L2x6  
Circles Listello



60312/L3x6  
Floral Listello



60312/CR2x6 & 60312/CRS2x1.2  
Chair Rail &  
Chair Rail Stop (not shown)



60312/CR4x6 & 60312/CRS4x1.5  
Chair Rail &  
Chair Rail Stop (not shown)

# MOCHA

---



**60325 3x6**



**60325/L2x6**  
Circles Listello



**60325/L3x6**  
Floral Listello



**60325/CR2x6 & 60325/CRS2x1.2**  
Chair Rail &  
Chair Rail Stop (not shown)



**60325/CR4x6 & 60325/CRS4x1.5**  
Chair Rail &  
Chair Rail Stop (not shown)

# LT. AVOCADO

---



**60359 3x6**



**60359/L2x6**  
Circles Listello



**60359/L3x6**  
Floral Listello



**60359/CR2x6 & 60359/CRS2x1.2**  
Chair Rail &  
Chair Rail Stop (not shown)



**60359/CR4x6 & 60359/CRS4x1.5**  
Chair Rail &  
Chair Rail Stop (not shown)

# PEWTER

---



**60366 3x6**



**60366/L2x6**  
Circles Listello



**60366/L3x6**  
Floral Listello



**60366/CR2x6 & 60366/CRS2x1.2**  
Chair Rail &  
Chair Rail Stop (not shown)



**60366/CR4x6 & 60366/CRS4x1.5**  
Chair Rail &  
Chair Rail Stop (not shown)



# RETROCLASSIQUE



above: 60301 3x6 Lily

Ceramic Technical Data Properties (Floor)	ASTM®	ANSI®	Results <sup>1</sup>
Surface Hardness	Mohs Scale	N/A	5 Mohs
Break Strength	C-648	≥ 250 lbf.	≥ 150 lbf. avg.
Water Absorption	C-373	≤ 0.5%	≤ 10% <sup>2</sup>

<sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> Average production value.

## Typical Uses

Retroclassique glazed ceramic wall tile is appropriate for residential and commercial wall, countertop and backsplash applications.

Notice: Not all products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness <sup>3</sup>	Edge
3x6	7.5x15	8	9mm	Pressed

<sup>1</sup> These values may vary from lot to lot.


<sup>2</sup> These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.


Trim	Shape	SKU	Nominal Size (in) <sup>1</sup>	Metric (cm)
Bullnose		S4369	3x6	7.5x15
Outside Corner		SN4339	3x3	7.5x7.5

<sup>1</sup> These values may vary from lot to lot.

## Color Variation



**V1 Uniform Appearance** (Lily & Linen)  
Differences among pieces from the same production run are minimal.



**V2 Slight Variation** (Silver, Mocha, Lt. Avocado & Pewter)  
Clearly distinguishable differences in texture and/or pattern with similar colors.

