

Version 1.0	SDS Number: 400000005633	Revision Date: 09/05/2018				
SECTION 1. PRODUCT AND CO	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION					
Product name	: GOJO® Antimicrobial Foam Ha	andwash with 2% CHG				
Manufacturer or supplier's Company name of supplier						
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311					
Telephone	: 1 (330) 255-6000					
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887	: Outside USA & CANADA				

Recommended use of the chemical and restrictions on use

Recommended use	:
	Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin irritation	: Category 2
Serious eye damage	: Category 1
Acute aquatic toxicity	: Category 2
Chronic aquatic toxicity	: Category 2
GHS label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	 H315 Causes skin irritation. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 Prevention: P273 Avoid release to the environment. P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/



Version 1.0	SDS Number: 400000005633	Revision Date: 09/05/2018

attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage. **Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Proprietary Component 1	Not Assigned	>= 1 - < 5
Proprietary Component 2	Not Assigned	>= 1 - < 5
Proprietary Component 4	Not Assigned	>= 1 - < 5
Chlorhexidine Digluconate	18472-51-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	:	Do NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye damage. Causes skin irritation. May be harmful if swallowed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or
	carbon dioxide.



Version 1.0	SDS Number: 400000005633	Revision Date: 09/05/2018
Unsuitable extinguishing media	: None known.	
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx)	
Specific extinguishing methods	: Use extinguishing measures the circumstances and the surround Collect contaminated fire exting must not be discharged into dra Fire residues and contaminated be disposed of in accordance w	ding environment. Juishing water separately. This Jins. I fire extinguishing water must
Special protective equipment for firefighters	: In the event of fire, wear self-co Use personal protective equipm	0 11

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Avoid contact with eyes. Keep container closed when not in use.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.
Conditions for safe storage	:	Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place.



Version 1.0

SDS Number: 40000005633

Revision Date: 09/05/2018

Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	LMPE-PPT	400 ppm 980 mg/m3	MX OEL
		LMPE-CT	500 ppm 1,225 mg/m3	MX OEL
		VLE-PPT	200 ppm	NOM-010- STPS-2014
		VLE-CT	400 ppm	NOM-010- STPS-2014
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at the end of the work week	40 mg/l	MX BEI
		Acetone	Urine	End of shift at the end of the work week	40 mg/l	MX BEI
Remarks:	Correction:	Note A replac	ed with Note	B		
		Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.

Hand protection



Version 1.0	SDS Number: 400000005633	Revision Date: 09/05/2018	
Remarks	: No special protective equipment required.		
Eye protection	 No special protective equipment required. Wear face-shield and protective suit for abnormal processing problems. 		
Skin and body protection	: No special protective equipmen	t required.	
Protective measures	: Choose body protection in relat concentration and amount of da the specific work-place. Ensure that eye flushing system located close to the working pla	angerous substances, and to	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	97 °C
Flash point	:	> 93.3 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.06 g/cm3
Solubility(ies) Water solubility	:	soluble
Auto-ignition temperature	:	not determined
Viscosity Viscosity, dynamic	:	No data available



Viscosity, kinematic : No data available	
Explosive properties : No data available	
Oxidizing properties : No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No hazards to be specially mentioned.
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: Heat.
Incompatible materials	: None known.
Hazardous decomposition products	: Ammonia Hydrogen chloride gas Nitrogen oxides (NOx) Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Not classified based on available information.		
Product: Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
<u>Components:</u> Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg	
Proprietary Component 4: Acute oral toxicity	: LD50 Oral (Rat): 3,000 mg/kg Acute toxicity estimate : 3,000 mg/kg	
Chlorhexidine Digluconate: Acute oral toxicity	: LD50 Oral (Rat): 2,000 mg/kg Acute toxicity estimate : 500 mg/kg	
Acute dermal toxicity	: Median lethal dose (Rabbit): 2,000 mg/kg	



Version 1.0

SDS Number: 40000005633

Revision Date: 09/05/2018

Skin corrosion/irritation

Causes skin irritation.

Components:

Isopropyl Alcohol: Species: Rabbit Result: No skin irritation

Proprietary Component 1:

Assessment: Causes burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Isopropyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Chlorhexidine Digluconate:

Assessment: Risk of serious damage to eyes. Remarks: Risk of serious damage to eyes. Severe eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Isopropyl Alcohol: Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Genotoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:



Ve	sion	1	0
10.0	2011		.υ

SDS Number: 40000005633

Revision Date: 09/05/2018

Isopropyl Alcohol: Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

Reproductive toxicity

Not classified based on available information.

Components:

Isopropyl Alcohol: Effects on fertility

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal	: Test Type: Embryo-foetal development
development	Species: Rat

Result: negative

Application Route: Ingestion

STOT - single exposure

Not classified based on available information.

Components:

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Isopropyl Alcohol: Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

Proprietary Component 1:

Repeated dose toxicity -	:	Causes severe skin burns and eye damage.
Assessment		

Chlorhexidine Digluconate:

Repeated dose toxicity -	:	Causes serious eye damage.
Assessment		

Aspiration toxicity

Not classified based on available information.



Version 1.0SDS Number: 40000005633Revision Date: 09/05/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
<u>Components:</u> Isopropyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Proprietary Component 2: Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): 3.6 mg/l
	Exposure time: 96 h Test Type: semi-static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 4.2 mg/l Exposure time: 24 h
Proprietary Component 4: Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,516 mg/l
	Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 120 mg/l Exposure time: 72 h
Chlorhexidine Digluconate: Toxicity to fish	: (Fish): 2.08 mg/l
Toxicity to daphnia and other aquatic invertebrates	: (Daphnia magna (Water flea)): 0.087 mg/l
Toxicity to algae	: (Chlorella pyrenoidosa (aglae)): 0.081 mg/l
Ecotoxicology Assessment Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.
Persistence and degradabilit	у
<u>Components:</u> Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable
Chlorhexidine Digluconate: Biodegradability	: Result: Not readily biodegradable.



ersion 1.0	SDS Number: 400000005633	Revision Date: 09/05/2018
Bioaccumulative potential		
Components:		
Isopropyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: 0.05	
Proprietary Component 4: Partition coefficient: n- octanol/water	: log Pow: -1.72 (20 °C)	
Chlorhexidine Digluconate: Bioaccumulation	: Bioconcentration factor (BCF): 42	
Mobility in soil		
No data available		
Other adverse effects		
No data available		

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good **National Regulations**

NOM-002-SCT

Not regulated as a dangerous good **Special precautions for user** Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills.



Version 1.0	SDS Number: 400000005633	Revision Date: 09/05/2018		
The components of this product are reported in the following inventories: CH INV : On the inventory, or in compliance with the inventory				
TSCA	: On TSCA Inventory			
DSL	: All components of this product are	on the Canadian DSL.		
AICS	: On the inventory, or in compliance	e with the inventory		
NZIoC	: On the inventory, or in compliance	e with the inventory		
ENCS	: On the inventory, or in compliance	e with the inventory		
ISHL	: On the inventory, or in compliance	e with the inventory		
KECI	: On the inventory, or in compliance	e with the inventory		
PICCS	: On the inventory, or in compliance	e with the inventory		
IECSC	: On the inventory, or in compliance	e with the inventory		

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.