- s ⊂
- ת ח



Whether you're looking for tiles for your home or business, Willemstad is the perfect option for you.






VITL | Willemstad Black & White, 3" x 9"

CES

SURFA

Story has always been important to us. It is what has driven us from the very beginning and it is what continues to inspire us today. Our story begins with porcelain tiles, surfaces that are both technically excellent and beautifully satisfying to the eye. Willemstad is a testament to our commitment to creating products that are both functional and aesthetic.

Every inspiration has a color and creating an inspiring pantone is the concept of Willemstad. Color with essence, meaning, history and tailored for interior design. The classic English brick is the basis of color. Surface molded by hand that has been exposed to weather over the centuries undergoes a transformation through painting. The result is a stunning color palette created with Interior Design trends in mind, sure to please Interior Designers and Architectural Professionals alike.



VITL | Willemstad, Orange and Loam, 3" x 9"







All Colors


					har and the
White	lvory	Cashmere	Taupe	Clay	Brown
Lemon	Golden	Mustard	Orange	Carrot	Persimmon
Blossom	Blush	Pink	Rose	Red	Cherry
Teal	Pistachio	Cactus	Moors	Jungle	Ocean
Siberian	Glacier	Loam	Stone	Midnight	Black
Siberian	Glacier	Loam	Stone	Midnight	Black
Siberian Frost	Glacier Periwinkle	Loam Seafoam	Stone Pacific	Midnight	Black
				Midnight	Black

Shapes & Sizes

7.2mm



3" x 9" Matte



VITL | Willemstad Taupe, Cashmere, Ivory, and Clay, 3" x 9" Matte

DECORATIVE, MOSAICS & TRIM

SIZE	THICKNESS	FINISH
N/A	N/A	N/A
Material		

Product Characteristics

Breaking Strength (ASTM C648 or ISO 10545-4)	N/A
Chemical Resistance (ASTM C650 or ISO 10545-13)	Resistant
DCOF	N/A
Deep Scratch Resistance - Unglazed (ISO 10545-6)	N/A
Frost Resistance (ASTM C1026 or ISO 10545-12)	N/A
Mohs Hardness - EN101	5
Water Absorption (ASTM C373 or ISO 10545-3)	≤ 3.0%
Certifications	N/A
Country of Origin	N/A
Shade Variation Code	V1

CERAMIC CARE & MAINTENANCE

Glazed tile products should be cleaned routinely with an all-purpose, low VOC, household or commercial cleaner. The product chosen should also be grout joint cleaning compatible. The type of product may vary depending on the tile application and use. A multipurpose spray cleaner, which removes soap scum, hard water deposits and mildew designed for everyday use can be used on wall tile areas in residential baths and showers. A cotton mop, cloth, sponge, or non-metallic brush should be used to apply and agitate cleaner. Rinse the area with clean water and dry thoroughly. Routine cleaners should never contain harsh chemicals as these can damage tile. Acids can damage grout and the glazed surface of the tile. Ammonia can discolor grout.

Regular dust mopping, sweeping, or vacuuming is recommended prior to cleaning with liquid products.

Unglazed tile should be cleaned routinely with concentrated tile cleaners with a neutral pH for safe regular use. These cleaners are better suited for removing grease, oils, and normal spills from unglazed products. Again, these products will vary depending on the application, amount of traffic and the use. The product chosen should also be compatible with the grout.

Glazed Ceramic

WHEN IT MUST BE GREAT.

WHEN IT MUST BE READY.

WHEN IT MUST BE EXTRAORDINARY.

WHEN IT MATTERS MOST.

VITL

Start your journey

Request samples.

www.vitlsurfaces.com samples@vitlsurfaces.com





