Specifications

Eaton ABC-15-R



Catalog Number: ABC-15-R

Eaton GBB Series Very fast-acting fuse, 6A, 250 Vac, 125 Vdc, R

General specifications

Product Name
Eaton Bussmann series ABC fast-acting fuse

Catalog Number
ABC-15-R

UPC
051712646192

EAN
5027590211406

Product Length/Depth
32.6 mm

Product Height
6.4 mm

Product Width
6.4 mm

Product Weight
2.65 g

Compliances
RoHS Compliant
CE Marked

Catalog Notes
Ceramic body allows for higher amp/volt rating combinations.

Powering Business Worldwide

Product specifications

Type

Electronic

Application

Electronic circuits

Amperage Rating

15 A

Melting (I2T)

Typical pre-arc: 200.2

Resistance

0.00553 ohms DC cold

Voltage drop

0.1mV typical

Interrupt rating

10 kAIC at 125 Vac/dc

750 AIC at 250 Vac

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

4 hr at 100%, 60 min at 135%, 120 sec at 200%

Material

Nickel-plated brass endcaps

Ceramic tube

Quantity

5

Voltage rating

250 Vac, 125 Vdc, 32 Vac (self certified)

Resources

PEP Eco-passport

EATO-00033-V01.01-EN

Specifications and datasheets

Eaton Specification Sheet - ABC-15-R

Eaton ABC fast-acting ceramic tube fuses data sheet



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia