



Encore

Smart Lock

The Schlage Encore Smart Lock is designed for access doors in multi unit residential and other commercial buildings. It is suitable for use on fire rated door assemblies when installed in accordance with Schlage's installation instructions and the lock's fire rating.

The Schlage Encore Smart Lock provides numerous access options including the Schlage Breeze app on a smartphone via Bluetooth™, keypad, key tags, fingerprint scanner or mechanical key. For remote access, the lock can be paired with a Schlage Wi-Fi Bridge (BZ100) or Schlage Wired Bridge (BZ100P).



Features

- Easy to set up and program using the Schlage Breeze app
- Use voice commands via Google Assistant and Amazon Alexa
- Program and manage access codes for temporary or recurring visitors
- Touch screen keypad - up to 150 custom pin codes and 150 scheduled pin codes
- Fingerprint scanner for up to 300 fingerprints
- Includes 3 key tags and up to 200 additional tags can be programmed
- Auto locking and passage mode
- Low battery warning alerts
- Built in alarm technology to sense potential security breaches at the lock
- Mechanical key override
- Fire rated and DDA compliant
- IP65 weather rated (external escutcheon)
- Internal lever monitoring (REX)
- Cylinder monitoring
- Door status monitoring (with optional wireless door sensor)
- Available in Satin Chrome Plate or Matte Black finish
- Engineered and assembled in Australia

Warranties	
Electronic	2 years
Mechanical	2 years
Finish	allegion.co.nz/finisheswarranty

Technical Specifications

Hardware Specification	
Certifications / Approvals	Compliant to AS 4145.2 when combined with a Legge 991 mortice lock
Materials	Die cast zinc alloy body and lever
Finishes	Satin Chrome Plate or Matte Black
Keypad	12 keys with individual LED illumination
Feedback	Voice guidance, audible tones and LED indicators
Lock compatibility	Legge 991 mortice lock / Schlage Tubular Latch (sold separately) Compatible with other Australasian mortice locks or tubular latches
Temperature range	-10°C to 55°C
Humidity	0 to 95%, non-condensing
Weather rating	IP65
Batteries	2 x CR123 lithium batteries
Battery life	18 months (10-20 operations per day)
Door thickness	35-50mm (50-60mm available as a separate kit)
External body dimensions	235mm x 42mm x 28mm (L x W x D)
Internal body dimensions	235mm x 42mm x 28mm (L x W x D)
Access Specification	
Access methods	Keypad, key tag, fingerprint or Schlage Breeze app
Bluetooth app	Schlage Breeze
Key override	6-Pin PD Cylinder
Number of users	Unlimited Bluetooth
Key tags	Up to 200 (3 Key tags supplied)
Fingerprints	300
PIN code	150x custom. 150x scheduled
PIN code length	4-9 digits
Verification time	<1s
Lock Functions	
Low battery alarm	Yes
Built-in alarm technology	Yes
Incorrect PIN code lockout alarm	Yes
Passage mode	Yes (via app)
One-time password	Yes
Remote unlocking	Yes, via a Schlage Wi-Fi or Wired Bridge (BZ100 or BZ100P)
Generate random PIN codes remotely	Yes
Create custom PIN codes remotely	Yes (via Schlage Wi-Fi Bridge BZ100)
Bluetooth app	Yes (required for setup)
App Specification (Schlage Breeze)	
Platform	iPhone (iOS 8.0 and above) Android (4.3 and above)
Languages	English, Chinese (Mandarin & Cantonese), Japanese, Korean, French, Dutch, Italian, Spanish, German, Portuguese, Polish, Russian, Vietnamese, Arabic, Slovak, Serbian, Malay, Hungarian, Czech
Device management	Add, delete, modify, check status
Functions	Open/close lock, send mobile credentials, add users, check audit trail, check lock status (Locked/Unlocked), check door status (Open/Closed, requires a Door Sensor to be installed and connected to the lock and the lock to be connected to the internet via a Schlage Bridge)

Finishes



MB

Matte Black



SCP

Satin Chrome
Plate

Testing and Compliance



Fire Rating:


Successfully tested on fire door assemblies in accordance with AS1905 Part1: Fire resistance doorsets. Check with fire door manufacturer prior to installation.




Accessibility:

Compliant to the AS 1428:1-2009 Design for Access and Mobility



Dimensions



External lock body



Internal lock body



Accessories

Part Number	Description
SCEBRZDS	Schlage Breeze Door Sensor
SCEBRZGW	Schlage Wi-Fi Bridge
SCEBRZGW-P	Schlage PoE Wired Bridge
SCEEG007	Schlage Breeze Key tags (3 Pack)
SCEBRZENC	Schlage Breeze Card Encoder