


CANOPY



PARTS INCLUDED



Canopy (with bungee and hooks attached)

Qty. 1


JJ-CANOPY

STEP 1

Unfold the Canopy and locate the **top loop** sewn to the canopy. Wrap the **bungee** (attached to the top loop) around the top Rock and secure the **hook** to the bungee cord. See **Figure 1** and **Detail A**.


At this point, the Canopy will hang from the top rock, locate the rest of the upper bungees and work your way around the **upper** section of the dome, wrapping the hook and bungee around the rocks.

Top Rock



STEP 2

Wrap one of the **middle bungees** around a **middle rock** and secure the **hook** to the **bungee** cord. Keep working your way around the middle rocks until all hooks are secure. See **Figure 1** and **Detail B**.








STEP 3


Wrap a bottom bungee under the **base tube joint** and between the **blue** and **tan** tubes then secure the **hook** to the **bungee cord**. See **Figure 2**, **Detail C** & **Detail D**. Keep working your way around the base tubes until all hooks are secure.

Congratulations setup is complete!









Care & Maintenance

- Do not use the canopy during periods of strong wind and rain.
- Clean with fresh water and a soft towel only.
- Remove and store the canopy indoors when not in use.

Warranty information

• Ninety (90) day limited warranty from the original purchase date under normal use and proper care.

For warranty service, contact:

Escalade Sports P.O. Box 889 Evansville, IN 47706 1-800-GO-SWING

Or E-Mail us at: playgroundcs@escaladesports.com