
In Wall Bidet Carrier System

INSTALLATION INSTRUCTIONS



PRIOR TO INSTALLATION:

· Inspect carrier to ensure no damages have occurred while in shipping.

· Observe all plumbing and building codes in accordance with your state and local requirements.

· All dimensions are nominal! Be sure to measure prior to installation.

· The step-by-step guidelines in the installation instructions are a general reference. Should there be any discrepancies, Swiss Madison cannot be held liable. It is recommended to install all Swiss Madison products by hiring a licensed professional.

· Read installation and maintenance instructions thoroughly before installing. Be sure to use proper tools and always wear proper personal safety accessories for your protection.

· Additional floor and wall preparations may be necessary to avoid damage to the product.

· Carrier will not fit in a 2x4 wall (2x6 minimum wall).

· An access panel will be needed behind to make all connections. It is not recommended to do this on an exterior wall.

· All four bolts will need to be loosened to adjust the frame height. Do not take out loosened bolts while adjusting.

· Separate water shut offs should be installed and accessible.

· A mixing valve may be required per code and will avoid scalding.

· This product is a required component for all Swiss Madison wall-hung bidet installations.

QUESTIONS OR CONCERNS?

Please contact us:

1-434-623-4766

info@swissmadison.com


SUGGESTED TOOLS & MATERIALS:




Safety Glasses



Wrench




Socket Wrench



Level




Screwdriver



Tape Measure




Drill




Loose Parts:
Expansion Bolt
Corner Adjusting Component
Eccentric Gasket
Screw Components

1




2

· Fasten frame securely to floor. If fastening in a wood frame wall, there are four holes, two on each side, that can be used to fasten. Enclosed hardware can be used for additional or optional installations.




3


· Carefully measure from your finished floor to your trap center to set the height of carrier discharge.
With access from behind, adjustments can be made later.



4




5




6


· Plastic plugs are included for test or rough plumbing.



7




8




9


· Install threaded rods into bracket. Measure to make sure which holes apply to your installation. Make sure to leave the slotted end of the rod out for adjustment. Cut and place clear tubes over rods to protect during construction.



10




11




12

· Install faucet and drain assemblies first.




13

· A grease or soap (plumber's grease or dish soap) will be needed inside the rubber donut to help assist sliding in the waste pipe.
· Install bidet to carrier then tighten carefully and make all connections. Turn on and check for any leaks.



14

· Level and caulk unit with water soluble caulk.



ONE-YEAR LIMITED WARRANTY

Swiss Madison® products are made with quality materials and excellent craftsmanship to provide our customers with beautiful, durable, long-lasting products. Should there be any defects in materials or craftsmanship under regular use that are discovered within the first year after delivery, Swiss Madison® will provide replacement parts at no charge, or at its discretion, replace any product or part of the product that is deemed defective, under normal installation, use, service or maintenance. This warranty applies only to the original purchaser. Proof of purchase must be submitted with any warranty claim.

Swiss Madison® recommends that all installations of Swiss Madison® products be conducted by a licensed plumber or contractor. Swiss Madison® will not be held responsible for any damage or product failure due to improper installation, misuse, or failure to utilize a licensed plumber or contractor for installation. Swiss Madison® is not responsible for any installation or removal costs.

THIS ONE-YEAR LIMITED WARRANTY WILL BE VOIDED IF:

- The installation instructions were not followed by the installer
- The product has been moved from its initial place of installation
- The product has in any way been modified from its original condition
- The product has been subjected to improper maintenance, abuse, misuse, excessive use of chemicals, accidents, or other damages

Swiss Madison® makes no warranty that its products comply with any local building or plumbing codes. It is the consumer's responsibility and obligation to determine local code compliance prior to and during installation.

Swiss Madison® is not responsible for any special, incidental or consequential damages associated with the installation, replacement, return or use of the original purchaser's product. This includes, but is not limited to: freight costs, labor, travel time, lost profit, home damages and other contingent liabilities and costs (including, without limitation, costs associated with 'professionals' or 'experts', investigations, audits, analyses, attorneys and any other professional/hired services). Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

The Swiss Madison® warranty is a comprehensive and explicit limit of liability. All other warranties are hereby disclaimed and waived.

QUESTIONS OR CONCERNS? Please contact us directly at: 1-434-MADISON (623-4766)

WARNING:

Contents of your order may contain sharp and possibly other harmful pieces and may cause hazard to children and adults. Swiss Madison® is not responsible in any way for personal injuries or damages.

⚠ WARNING

This product can expose you to lead, a chemical known to the State of California to cause cancer and reproductive harm.

For more information, visit:
www.P65Warnings.ca.gov