

COMMERCIAL

SURFACES

INSIDE

INSPIRATION



VITL


LOGAN

INSPIRATION

INSIDE

SURFACES

COMMERCIAL



Whether you're looking  
for tiles for your home  
or business, Logan is the  
perfect option for you.

# LOGAN



VITL | Logan Medium Gray 10" x 24" Half Hex


## Colors




LOGAN White



LOGAN Cream



LOGAN Light Gray



LOGAN Medium Gray

# LOGAN

---

Story has always been important to us. It is what has driven us from the very beginning and it is what continues to inspire us today. Our story begins with porcelain tiles, surfaces that are both technically excellent and beautifully satisfying to the eye. Logan is a testament to our commitment to creating products that are both functional and aesthetic.

The Logan collection from VITL, inspired by the look of the natural grey Terrazzo compositions. A classic midcentury terrazzo reinvented for contemporary spaces, in a palette of four neutral colors ideal for contemporary interiors. A collage of organically shaped segments deliver the aesthetic, the texture and the tonality that defined an era.

VITL

COMMERCIAL

SURFACES



VITL | Logan White and Medium Gray Half Hexagon

# LOGAN



V3 Moderate  
Variation



Frost Resistant



Recommend an  
offset pattern  
≤33%




Water  
Absorption:  
<0.5%



DCOF ≥0.50

## White



## Shapes & Sizes



32" x 32" Rectified Matte 11.5mm




12" x 24" Rectified Matte 8.4mm

## Mosaic



10" x 24" Half Hex Rectified  
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

## Trim



3" x 24" Bullnose 8.4mm



Greenguard  
Certified



Ready Ship



Made in Turkey

## Cream



### Shapes & Sizes



32" x 32" Rectified Matte 11.5mm



12" x 24" Rectified Matte 8.4mm

## Mosaic



10" x 24" Half Hex Rectified  
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

## Trim



3" x 24" Bullnose 8.4mm

# LOGAN



V3 Moderate  
Variation



Frost Resistant



Recommend an  
offset pattern  
 $\leq 33\%$




Water  
Absorption:  
 $< 0.5\%$




DCOF  $\geq 0.50$


## Light Gray



## Shapes & Sizes




32" x 32" Rectified Matte 11.5mm




12" x 24" Rectified Matte 8.4mm

## Mosaic



10" x 24" Half Hex Rectified  
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

## Trim



3" x 24" Bullnose 8.4mm



Greenguard  
Certified




Ready Ship




Made in Turkey


## Medium Gray



### Shapes & Sizes




32" x 32" Rectified Matte 11.5mm




12" x 24" Rectified Matte 8.4mm

### Mosaic




10" x 24" Half Hex Rectified  
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

### Trim



3" x 24" Bullnose 8.4mm

# LOGAN



V3 Moderate  
Variation



Frost Resistant



Recommend an  
offset pattern  
 $\leq 33\%$



Water  
Absorption:  
 $< 0.5\%$



DCOF  $\geq 0.50$



VITL | Logan Cream 32" x 32"



Greenguard  
Certified




Ready Ship



Made in Turkey

## SIZES

32" x 32" Rectified  
Matte 11.5mm



VTL LGWH - White  
VTL LGCR- Cream  
VTL LGLG - Light Gray  
VTL LGMG - Medium Gray


12" x 24" Rectified  
Matte 8.4mm



VTL LGWH - White  
VTL LGCR- Cream  
VTL LGLG - Light Gray  
VTL LGMG - Medium Gray


## MOSAIC

10" x 24" Half Hex Rectified  
Matte 8.4mm



VTL LGWH - White  
VTL LGCR- Cream  
VTL LGLG - Light Gray  
VTL LGMG - Medium Gray

2" x 2" Mosaic  
Matte 8.4mm



VTL LGWH - White  
VTL LGCR- Cream  
VTL LGLG - Light Gray  
VTL LGMG - Medium Gray

## TRIM



3" x 24" Bullnose  
VTL LGWH - White  
VTL LGCR- Cream  
VTL LGLG - Light Gray  
VTL LGMG - Medium Gray

# DECORATIVE, MOSAICS & TRIM

| SIZE                         | THICKNESS | FINISH |
|------------------------------|-----------|--------|
| 10" x 24" Half Hex Rectified | 8.4mm     | Matte  |
| 2" x 2" Mosaic Matte         | 8.4mm     | Matte  |
| 3" x 24" Bullnose            | 8.4mm     | Matte  |

# Product Characteristics

|                                                  |            |
|--------------------------------------------------|------------|
| Breaking Strength (ASTM C648 or ISO 10545-4)     | ≥1600N     |
| Chemical Resistance (ASTM C650 or ISO 10545-13)  | N/A        |
| DCOF                                             | ≥0.50      |
| Deep Scratch Resistance - Unglazed (ISO 10545-6) | N/A        |
| Frost Resistance (ASTM C1026 or ISO 10545-12)    | Resistant  |
| Mohs Hardness - EN101                            | 6          |
| Water Absorption (ASTM C373 or ISO 10545-3)      | <0.5%      |
| Certifications                                   | Greenguard |
| Country of Origin                                | Turkey     |
| Shade Variation Code                             | V3         |

## Material

Glazed Color-body Porcelain

# PORCELAIN CARE & MAINTENANCE

## INITIAL CLEANING

Proper cleaning after installation is essential for future maintenance. Remove excess grout using clean water and a sponge. If grout leaves behind a white haze, it can be wiped off using a clean cloth after grout has cured. Stubborn residue may require the use of a grout haze remover solution or neutral detergent. Thoroughly rinse the area with clean water and dry with a clean towel or wet vacuum.

## ROUTINE MAINTENANCE

Immediately wipe up any spills and clean the area using a damp cloth or sponge. Remove loose soil using a broom or vacuum. To remove stubborn surface debris, use a scraper or putty knife. Wipe the area with a PH-neutral and soapless cleaner. Rinse with clear water and wipe dry to prevent residue. Do not use cleaning wax, oil-based cleaners, ammonia, sealants, or products containing acid or bleach for routine maintenance. Avoid using abrasive cleaning products such as steel wool.

WHEN IT MUST BE GREAT.

WHEN IT MUST BE READY.

WHEN IT MUST BE EXTRAORDINARY.

WHEN IT MATTERS MOST.

VITL

Start your journey

Request samples.

[www.vitlsurfaces.com](http://www.vitlsurfaces.com)  
[samples@vitlsurfaces.com](mailto:samples@vitlsurfaces.com)

