



# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 05/11/2024 Revision date: 02/09/2024 Supersedes version of: 28/09/2022 Version: 1.4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : DÉGRAISSANT INDUSTRIEL  
UFI : KF9X-J8DF-S00M-A0G1  
Product code : BDS002833AE  
Type of product : Detergent  
Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Cleaners - Heavy duty

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

CRC Industries Europe B.V.  
Touwslagerstraat 1  
9240 Zele  
Belgium  
T +32(0)52/45.60.11, F +32(0)52/45.00.34  
[hse@crcind.com](mailto:hse@crcind.com), [www.crcind.com](http://www.crcind.com)

#### 1.4. Emergency telephone number

Emergency number : +32(0)52/45.60.11  
Office hours: 9-17h CET

| Country/Area | Organisation/Company  | Address                      | Emergency number | Comment  |
|--------------|---|------------------------------|------------------|--|
| Belgium      | Centre Anti-Poisons/Antigifocentrum<br>c/o Hôpital Militaire Reine Astrid | Rue Bruyn 1<br>1120 Brussels | +32 70 245 245   | Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee) |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229  
Specific target organ toxicity – Single exposure, Category 3, H336  
Narcosis  
Aspiration hazard, Category 1 H304  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

# DÉGRAISSANT INDUSTRIEL


## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



|                                |   |
|--------------------------------|---|
| Signal word (CLP)              | : Danger  |
| Contains                       | : Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics; 2-methoxy-1-methylethyl acetate; 1-methoxy-2-propanol; monopropylene glycol methyl ether; butan-2-ol  |
| Hazard statements (CLP)        | : H222 - Extremely flammable aerosol.<br>H229 - Pressurised container: May burst if heated.<br>H336 - May cause drowsiness or dizziness.  |
| Precautionary statements (CLP) | : P102 - Keep out of reach of children.<br>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P211 - Do not spray on an open flame or other ignition source.<br>P251 - Do not pierce or burn, even after use.<br>P261 - Avoid breathing vapours/spray.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.<br>P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| EUH-statements                 | : EUH066 - Repeated exposure may cause skin dryness or cracking.  |

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name   | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]      |
|--|--|---------|--|
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics   | EC-No.: 919-857-5<br>REACH-no: 01-2119463258-33  | 50 – 75 | Flam. Liq. 3, H226<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>EUH066 |
| 2-methoxy-1-methylethyl acetate substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit                              | CAS-No.: 108-65-6<br>EC-No.: 203-603-9<br>EC Index-No.: 607-195-00-7<br>REACH-no: 01-2119475791-29 | 10 – 25 | Flam. Liq. 3, H226<br>STOT SE 3, H336                                |
| 1-methoxy-2-propanol; monopropylene glycol methyl ether substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit      | CAS-No.: 107-98-2<br>EC-No.: 203-539-1<br>EC Index-No.: 603-064-00-3<br>REACH-no: 01-2119457435-35 | 10 – 25 | Flam. Liq. 3, H226<br>STOT SE 3, H336                                |
| Carbon dioxide (CO <sub>2</sub> ) (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit | CAS-No.: 124-38-9  | 1 – 5   | Press. Gas (Comp.), H280   |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name  | Product identifier  | %   | Classification according to Regulation (EC) No. 1272/2008 [CLP]                |
|---|---|-----|--|
| butan-2-ol<br>substance with national workplace exposure limit(s)<br>(BE) | CAS-No.: 78-92-2<br>EC-No.: 201-158-5<br>EC Index-No.: 603-127-00-5<br>REACH-no: 01-2119475146-36 | ≤ 5 | Flam. Liq. 3, H226<br>Eye Irrit. 2, H319<br>STOT SE 3, H336<br>STOT SE 3, H335 |

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Call a physician immediately.  |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor. Allow the victim to rest. If signs/symptoms develop, get medical attention. |
| First-aid measures after skin contact | : Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Seek medical attention if irritation develops.  |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persists. Seek medical attention if irritation develops.  |
| First-aid measures after ingestion    | : Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects                    | : May cause drowsiness or dizziness.                    |
| Symptoms/effects after skin contact | : Repeated exposure may cause skin dryness or cracking. |
| Symptoms/effects after ingestion    | : Risk of lung oedema.                                  |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
| Fire hazard                                      | : Extremely flammable aerosol.                          |
| Explosion hazard                                 | : Pressurised container: May burst if heated.           |
| Hazardous decomposition products in case of fire | : During fire, gases hazardous to health may be formed. |

### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Firefighting instructions      | : Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.                             |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

- Protective equipment : Wear appropriate protective equipment and clothing during clean-up.  
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Absorb remaining liquid with sand or inert absorbent and remove to safe place. Clean contaminated surfaces with an excess of water. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>Carbon dioxide (CO2) (124-38-9)</b>                    |   |
|---|---|
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |   |
| Local name  | Carbon dioxide  |
| IOEL TWA  | 9000 mg/m <sup>3</sup>  |
|   | 5000 ppm  |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2006/15/EC   |
| <b>Belgium - Occupational Exposure Limits</b>             |   |
| Local name  | Carbone (dioxyde de) # Koolstofdioxide  |
| OEL TWA   | 9131 mg/m <sup>3</sup>  |
|   | 5000 ppm  |
| OEL STEL  | 54784 mg/m <sup>3</sup>   |
|   | 30000 ppm   |
| Remark  | A: la mention "A" signifie que l'agent libère un gaz ou une vapeur qui n'ont en eux-mêmes aucun effet physiologique mais peuvent diminuer le taux d'oxygène dans l'air. Lorsque le taux d'oxygène descend en dessous de 17-18 % (vol/vol) le manque d'oxygène provoque des suffocations qu'aucun symptôme préalable n'annonce. # A: de vermelding "A" betekent dat dit agens gas of damp vrijgeeft dat of die op zich geen fysiologische werking heeft, maar het zuurstofgehalte in de lucht verlaagt. Wanneer het zuurstofgehalte daalt onder de 17-18 % (vol/vol), veroorzaakt het zuurstoftekort verstikking, die zich manifesteert zonder dat er een waarschuwing aan voorafgaat. |
| Regulatory reference                                      | Koninklijk besluit/Arrêté royal 16/11/2023  |
| <b>2-methoxy-1-methylethyl acetate (108-65-6)</b>         |   |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |   |
| Local name  | 2-Methoxy-1-methylethylacetate  |
| IOEL TWA  | 275 mg/m <sup>3</sup>   |
|   | 50 ppm  |
| IOEL STEL   | 550 mg/m <sup>3</sup>   |
|   | 100 ppm   |
| Remark  | Skin  |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC   |
| <b>Belgium - Occupational Exposure Limits</b>             |   |
| Local name  | Acétate de 2-(1-méthoxy)propyle # 2-(1-Methoxy)propylacetaat  |
| OEL TWA   | 275 mg/m <sup>3</sup>   |
|   | 50 ppm  |
| OEL STEL  | 550 mg/m <sup>3</sup>   |
|   | 100 ppm   |
| Remark  | D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht.  |
| Regulatory reference                                      | Koninklijk besluit/Arrêté royal 16/11/2023  |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)</b>      |  |
|--|--|
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b>                      |  |
| Local name   | 1-Methoxypropanol-2  |
| IOEL TWA   | 375 mg/m <sup>3</sup>  |
|  | 100 ppm  |
| IOEL STEL  | 568 mg/m <sup>3</sup>  |
|  | 150 ppm  |
| Remark   | Skin   |
| Regulatory reference   | COMMISSION DIRECTIVE 2000/39/EC  |
| <b>Belgium - Occupational Exposure Limits</b>                                  |  |
| Local name   | 1-Méthoxy-2-propanol # 1-Methoxy-2-propanol  |
| OEL TWA  | 184 mg/m <sup>3</sup>  |
|  | 50 ppm   |
| OEL STEL   | 369 mg/m <sup>3</sup>  |
|  | 100 ppm  |
| Remark   | D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht. |
| Regulatory reference   | Koninklijk besluit/Arrêté royal 16/11/2023   |
| <b>butan-2-ol (78-92-2)</b>  |  |
| <b>Belgium - Occupational Exposure Limits</b>                                  |  |
| Local name   | Alcool sec-butylique # sec-Butanol   |
| OEL TWA  | 307 mg/m <sup>3</sup>  |
|  | 100 ppm  |
| Regulatory reference   | Koninklijk besluit/Arrêté royal 16/11/2023   |
| <b>DNEL and PNEC</b>   |  |
| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</b> |  |
| <b>DNEL/DMEL (Workers)</b>   |  |
| Long-term - systemic effects, dermal   | 208 mg/kg bodyweight/day   |
| Long-term - systemic effects, inhalation                                       | 871 mg/m <sup>3</sup>  |
| <b>DNEL/DMEL (General population)</b>  |  |
| Long-term - systemic effects, oral   | 125 mg/kg bodyweight/day   |
| Long-term - systemic effects, inhalation                                       | 185 mg/m <sup>3</sup>  |
| Long-term - systemic effects, dermal   | 125 mg/kg bodyweight/day   |
| <b>2-methoxy-1-methylethyl acetate (108-65-6)</b>                              |  |
| <b>DNEL/DMEL (Workers)</b>   |  |
| Acute - local effects, inhalation  | 550 mg/m <sup>3</sup>  |
| Long-term - systemic effects, dermal   | 796 mg/kg bodyweight/day   |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>2-methoxy-1-methylethyl acetate (108-65-6)</b>                         |                          |
|---|--------------------------|
| Long-term - systemic effects, inhalation                                  | 275 mg/m <sup>3</sup>    |
| <b>DNEL/DMEL (General population)</b>                                     |                          |
| Acute - systemic effects, oral  | 500 mg/kg bodyweight/day |
| Long-term - systemic effects, oral  | 36 mg/kg bodyweight/day  |
| Long-term - systemic effects, inhalation                                  | 33 mg/m <sup>3</sup>     |
| Long-term - systemic effects, dermal                                      | 320 mg/kg bodyweight/day |
| Long-term - local effects, inhalation                                     | 33 mg/m <sup>3</sup>     |
| <b>PNEC (Water)</b>   |                          |
| PNEC aqua (freshwater)  | 0,635 mg/l               |
| PNEC aqua (marine water)  | 0,0635 mg/l              |
| PNEC aqua (intermittent, freshwater)                                      | 6,35 mg/l                |
| <b>PNEC (Sediment)</b>  |                          |
| PNEC sediment (freshwater)  | 3,29 mg/kg dwt           |
| PNEC sediment (marine water)  | 0,329 mg/kg dwt          |
| <b>PNEC (Soil)</b>  |                          |
| PNEC soil   | 0,29 mg/kg dwt           |
| <b>PNEC (STP)</b>   |                          |
| PNEC sewage treatment plant   | 100 mg/l                 |
| <b>1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)</b> |                          |
| <b>DNEL/DMEL (Workers)</b>  |                          |
| Acute - systemic effects, inhalation                                      | 553,5 mg/m <sup>3</sup>  |
| Acute - local effects, inhalation   | 553,5 mg/m <sup>3</sup>  |
| Long-term - systemic effects, dermal                                      | 183 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                                  | 369 mg/m <sup>3</sup>    |
| <b>DNEL/DMEL (General population)</b>                                     |                          |
| Long-term - systemic effects, oral  | 33 mg/kg bodyweight/day  |
| Long-term - systemic effects, inhalation                                  | 43,9 mg/m <sup>3</sup>   |
| Long-term - systemic effects, dermal                                      | 78 mg/kg bodyweight/day  |
| <b>PNEC (Water)</b>   |                          |
| PNEC aqua (freshwater)  | 10 mg/l                  |
| PNEC aqua (marine water)  | 1 mg/l                   |
| PNEC aqua (intermittent, freshwater)                                      | 100 mg/l                 |
| <b>PNEC (Sediment)</b>  |                          |
| PNEC sediment (freshwater)  | 52,3 mg/kg dwt           |
| PNEC sediment (marine water)  | 5,2 mg/kg dwt            |
| <b>PNEC (Soil)</b>  |                          |
| PNEC soil   | 4,59 mg/kg dwt           |
| <b>PNEC (STP)</b>   |                          |
| PNEC sewage treatment plant   | 100 mg/l                 |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>butan-2-ol (78-92-2)</b>              |                          |
|--|--------------------------|
| <b>DNEL/DMEL (Workers)</b>               |                          |
| Long-term - systemic effects, dermal     | 405 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 600 mg/m <sup>3</sup>    |
| <b>DNEL/DMEL (General population)</b>    |                          |
| Long-term - systemic effects, oral       | 15 mg/kg bodyweight/day  |
| Long-term - systemic effects, inhalation | 213 mg/m <sup>3</sup>    |
| Long-term - systemic effects, dermal     | 203 mg/kg bodyweight/day |
| <b>PNEC (Water)</b>                      |                          |
| PNEC aqua (freshwater)                   | 47,1 mg/l                |
| PNEC aqua (marine water)                 | 47,1 mg/l                |
| PNEC aqua (intermittent, freshwater)     | 47,1 mg/l                |
| <b>PNEC (Sediment)</b>                   |                          |
| PNEC sediment (freshwater)               | 196,19 mg/kg dwt         |
| PNEC sediment (marine water)             | 196,19 mg/kg dwt         |
| <b>PNEC (Soil)</b>                       |                          |
| PNEC soil                                | 11,58 mg/kg dwt          |
| <b>PNEC (Oral)</b>                       |                          |
| PNEC oral (secondary poisoning)          | 1000 mg/kg food          |
| <b>PNEC (STP)</b>                        |                          |
| PNEC sewage treatment plant              | 761 mg/l                 |

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal protection equipment

#### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

### Skin protection

#### Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Wear suitable protective clothing

#### Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.



# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

### Thermal hazards

#### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                  | : Liquid                                      |
| Colour  | : Colourless.                                 |
| Appearance                                      | : CO2 propelled liquid.                       |
| Odour   | : slightly ethereal.                          |
| Odour threshold                                 | : Not available                               |
| Melting point                                   | : Not applicable                              |
| Freezing point                                  | : Not available                               |
| Boiling point                                   | : 100 – 200 °C                                |
| Flammability                                    | : Extremely flammable aerosol.                |
| Explosive properties                            | : Pressurised container: May burst if heated. |
| Lower explosion limit                           | : Not available                               |
| Upper explosion limit                           | : Not available                               |
| Flash point                                     | : 23 °C (closed cup)                          |
| Auto-ignition temperature                       | : > 200 °C                                    |
| Decomposition temperature                       | : Not available                               |
| pH  | : Not applicable                              |
| Viscosity, kinematic                            | : < 20,5 mm <sup>2</sup> /s                   |
| Solubility                                      | : Insoluble in water.                         |
| Partition coefficient n-octanol/water (Log Kow) | : Not applicable                              |
| Vapour pressure                                 | : Not available                               |
| Vapour pressure at 50°C                         | : Not available                               |
| Density   | : 0,81 g/cm <sup>3</sup> at 20 °C             |
| Relative density                                | : 0,81 at 20 °C                               |
| Relative vapour density at 20°C                 | : Not available                               |
| Particle characteristics                        | : Not applicable                              |

### 9.2. Other information

#### Information with regard to physical hazard classes

% of flammable ingredients : 75 – 100 %

#### Other safety characteristics

VOC content : 783 g/l  
Additional information : For aerosols data for the product without propellant.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

### 10.2. Chemical stability

Stable under normal conditions.

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                                    |   |
|------------------------------------|---|
| <b>Acute toxicity (oral)</b>       | : Not classified (Based on available data, the classification criteria are not met) |
| <b>Acute toxicity (dermal)</b>     | : Not classified (Based on available data, the classification criteria are not met) |
| <b>Acute toxicity (inhalation)</b> | : Not classified (Based on available data, the classification criteria are not met) |

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

|                    |              |
|--------------------|--------------|
| LD50 oral rat      | > 5000 mg/kg |
| LD50 dermal rat    | > 5000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |

#### 2-methoxy-1-methylethyl acetate (108-65-6)

|                                   |                         |
|-----------------------------------|-------------------------|
| LD50 oral rat                     | > 5000 mg/kg            |
| LD50 oral                         | 8532 mg/kg bodyweight   |
| LD50 dermal rat                   | > 2000 mg/kg bodyweight |
| LD50 dermal                       | > 5000 mg/kg bodyweight |
| LC50 Inhalation - Rat (Dust/Mist) | > 10800 mg/l            |

#### 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)

|                       |              |
|-----------------------|--------------|
| LD50 oral rat         | 4016 mg/kg   |
| LD50 dermal rabbit    | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 25,8 mg/l  |

#### butan-2-ol (78-92-2)

|                 |                         |
|-----------------|-------------------------|
| LD50 oral rat   | 2193 mg/kg              |
| LD50 dermal rat | > 2000 mg/kg bodyweight |

**Skin corrosion/irritation** : Not classified (Based on available data, the classification criteria are not met)  
pH: Not applicable

**Serious eye damage/irritation** : Not classified (Based on available data, the classification criteria are not met)  
pH: Not applicable

**Respiratory or skin sensitisation** : Not classified (Based on available data, the classification criteria are not met)

**Germ cell mutagenicity** : Not classified (Based on available data, the classification criteria are not met)

**Carcinogenicity** : Not classified (Based on available data, the classification criteria are not met)

**Reproductive toxicity** : Not classified (Based on available data, the classification criteria are not met)

**STOT-single exposure** : May cause drowsiness or dizziness.

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

|                      |                                    |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|  |  |
|--|--|
| <b>2-methoxy-1-methylethyl acetate (108-65-6)</b>                              |  |
| STOT-single exposure   | May cause drowsiness or dizziness.   |
| <b>1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)</b>      |  |
| STOT-single exposure   | May cause drowsiness or dizziness.   |
| <b>butan-2-ol (78-92-2)</b>  |  |
| STOT-single exposure   | May cause drowsiness or dizziness. May cause respiratory irritation.   |
| <b>STOT-repeated exposure</b>  | : Not classified (Based on available data, the classification criteria are not met)  |
| <b>2-methoxy-1-methylethyl acetate (108-65-6)</b>                              |  |
| NOAEL (dermal, rat/rabbit, 90 days)  | > 1000 mg/kg bodyweight  |
| <b>1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)</b>      |  |
| LOAEL (oral, rat, 90 days)   | 2757 mg/kg bodyweight  |
| NOAEL (oral, rat, 90 days)   | 919 mg/kg bodyweight   |
| NOAEL (dermal, rat/rabbit, 90 days)  | > 1000 mg/kg bodyweight  |
| <b>Aspiration hazard</b>   | : May be fatal if swallowed and enters airways.  |
| <b>DÉGRAISSANT INDUSTRIEL</b>  |  |
| Vaporizer  | Aerosol  |
| Viscosity, kinematic   | < 20,5 mm <sup>2</sup> /s  |
| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</b> |  |
| Viscosity, kinematic   | 1,33 mm <sup>2</sup> /s  |
| <b>1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)</b>      |  |
| Viscosity, kinematic   | 1,848 mm <sup>2</sup> /s   |
| <b>butan-2-ol (78-92-2)</b>  |  |
| Viscosity, kinematic   | 5,185 mm <sup>2</sup> /s   |
| <b>11.2. Information on other hazards</b>                                      |  |
| <b>Endocrine disrupting properties</b>   |  |
| Adverse health effects caused by endocrine disrupting properties               | : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % |
| <b>SECTION 12: Ecological information</b>                                      |  |
| <b>12.1. Toxicity</b>  |  |
| Ecology - general  | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  |
| Hazardous to the aquatic environment, short-term (acute)                       | : Not classified (Based on available data, the classification criteria are not met)  |
| Hazardous to the aquatic environment, long-term (chronic)                      | : Not classified (Based on available data, the classification criteria are not met)  |
| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</b> |  |
| LC50 - Fish [1]  | > 1000 mg/l  |
| EC50 - Crustacea [1]   | > 1000 mg/l  |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</b> |   |
|--|---|
| EC50 - Other aquatic organisms [1]   | > 1000 mg/l   |
| EC50 72h - Algae [1]   | > 1000 mg/l   |
| <b>2-methoxy-1-methylethyl acetate (108-65-6)</b>                              |   |
| LC50 - Fish [1]  | > 100 mg/l  |
| EC50 - Crustacea [1]   | > 500 mg/l  |
| EC50 - Other aquatic organisms [1]   | 408 mg/l  |
| EC50 - Other aquatic organisms [2]   | > 1000 mg/l   |
| EC50 72h - Algae [1]   | > 1000 mg/l   |
| NOEC (chronic)   | ≥ 100 mg/l  |
| NOEC chronic fish  | 47,5 mg/l   |
| <b>1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)</b>      |   |
| LC50 - Fish [1]  | 6812 mg/l   |
| LC50 - Fish [2]  | 20800 mg/l  |
| EC50 - Crustacea [1]   | 21100 – 25900 mg/l  |
| EC50 - Other aquatic organisms [1]   | 2954 mg/l   |
| ErC50 algae  | > 1000 mg/l   |
| <b>butan-2-ol (78-92-2)</b>  |   |
| LC50 - Fish [1]  | 2993 mg/l   |
| EC50 - Crustacea [1]   | 308 mg/l  |
| EC50 72h - Algae [1]   | 1972 mg/l   |
| EC50 96h - Algae [1]   | 2029 mg/l   |
| <b>12.2. Persistence and degradability</b>                                     |   |
| <b>DÉGRAISSANT INDUSTRIEL</b>  |   |
| Persistence and degradability  | Not established. No data is available on the degradability of this product. |
| <b>12.3. Bioaccumulative potential</b>   |   |
| <b>DÉGRAISSANT INDUSTRIEL</b>  |   |
| Partition coefficient n-octanol/water (Log Kow)                                | Not applicable  |
| <b>Carbon dioxide (CO2) (124-38-9)</b>   |   |
| Partition coefficient n-octanol/water (Log Pow)                                | 0,83  |
| <b>2-methoxy-1-methylethyl acetate (108-65-6)</b>                              |   |
| Partition coefficient n-octanol/water (Log Pow)                                | 1,2   |
| <b>1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)</b>      |   |
| Bioconcentration factor (BCF REACH)  | < 100   |
| Partition coefficient n-octanol/water (Log Pow)                                | 0,37  |
| <b>butan-2-ol (78-92-2)</b>  |   |
| Partition coefficient n-octanol/water (Log Pow)                                | 0,65  |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### DÉGRAISSANT INDUSTRIEL

|                           |  |
|---------------------------|--|
| Results of PBT assessment | Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII |
|---------------------------|--|

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

Additional information : No other effects known  
Global warming potential (GWP) : 0,05 (Fluorinated greenhouse gases - (EC) No 2024/573)






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW, EC 2000/532) : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR   | IMDG  | IATA  | ADN   | RID   |
|---|---|---|---|---|
| <b>14.1. UN number or ID number</b>   |   |   |   |   |
| UN 1950   | UN 1950   | UN 1950   | UN 1950   | UN 1950   |
| <b>14.2. UN proper shipping name</b>  |   |   |   |   |
| AEROSOLS  | AEROSOLS  | Aerosols, flammable   | AEROSOLS  | AEROSOLS  |
| <b>Transport document description</b>   |   |   |   |   |
| UN 1950 AEROSOLS, 2.1, (D)  | UN 1950 AEROSOLS, 2.1   | UN 1950 Aerosols, flammable, 2.1  | UN 1950 AEROSOLS, 2.1   | UN 1950 AEROSOLS, 2.1   |
| <b>14.3. Transport hazard class(es)</b>   |   |   |   |   |
| 2.1   | 2.1   | 2.1   | 2.1   | 2.1   |
|  |  |  |  |  |
| <b>14.4. Packing group</b>  |   |   |   |   |
| Not applicable  | Not applicable  | Not applicable  | Not applicable  | Not applicable  |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                                    | IMDG  | IATA                              | ADN                               | RID                               |
|--|---|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>14.5. Environmental hazards</b>     |   |                                   |                                   |                                   |
| Dangerous for the environment: No      | Dangerous for the environment: No<br>Marine pollutant: No<br>EmS-No. (Fire): F-D<br>EmS-No. (Spillage): S-U | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available |   |                                   |                                   |                                   |

### 14.6. Special precautions for user

#### Overland transport

|   |                      |
|---|----------------------|
| Classification code (ADR)   | : 5F                 |
| Special provisions (ADR)  | : 190, 327, 344, 625 |
| Limited quantities (ADR)  | : 1I                 |
| Excepted quantities (ADR)   | : E0                 |
| Packing instructions (ADR)  | : P207, LP200        |
| Special packing provisions (ADR)  | : PP87, RR6, L2      |
| Mixed packing provisions (ADR)  | : MP9                |
| Transport category (ADR)  | : 2                  |
| Special provisions for carriage - Packages (ADR)                        | : V14                |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12          |
| Special provisions for carriage - Operation (ADR)                       | : S2                 |
| Tunnel restriction code (ADR)   | : D                  |

#### Transport by sea

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Special provisions (IMDG)         | : 63, 190, 277, 327, 344, 381, 959 |
| Limited quantities (IMDG)         | : SP277                            |
| Excepted quantities (IMDG)        | : E0                               |
| Packing instructions (IMDG)       | : P207, LP200                      |
| Special packing provisions (IMDG) | : PP87, L2                         |
| Stowage category (IMDG)           | : None                             |
| Stowage and handling (IMDG)       | : SW1, SW22                        |
| Segregation (IMDG)                | : SG69                             |

#### Air transport

|  |                    |
|--|--------------------|
| PCA Excepted quantities (IATA)               | : E0               |
| PCA Limited quantities (IATA)                | : Y203             |
| PCA limited quantity max net quantity (IATA) | : 30kgG            |
| PCA packing instructions (IATA)              | : 203              |
| PCA max net quantity (IATA)                  | : 75kg             |
| CAO packing instructions (IATA)              | : 203              |
| CAO max net quantity (IATA)                  | : 150kg            |
| Special provisions (IATA)                    | : A145, A167, A802 |
| ERG code (IATA)                              | : 10L              |

#### Inland waterway transport

|                                   |                      |
|-----------------------------------|----------------------|
| Classification code (ADN)         | : 5F                 |
| Special provisions (ADN)          | : 190, 327, 344, 625 |
| Limited quantities (ADN)          | : 1 L                |
| Excepted quantities (ADN)         | : E0                 |
| Equipment required (ADN)          | : PP, EX, A          |
| Ventilation (ADN)                 | : VE01, VE04         |
| Number of blue cones/lights (ADN) | : 1                  |

#### Rail transport

|                           |                      |
|---------------------------|----------------------|
| Classification code (RID) | : 5F                 |
| Special provisions (RID)  | : 190, 327, 344, 625 |
| Limited quantities (RID)  | : 1L                 |
| Excepted quantities (RID) | : E0                 |

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |                 |
|---|-----------------|
| Packing instructions (RID)  | : P207, LP200   |
| Special packing provisions (RID)  | : PP87, RR6, L2 |
| Mixed packing provisions (RID)  | : MP9           |
| Transport category (RID)  | : 2             |
| Special provisions for carriage – Packages (RID)                        | : W14           |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW9, CW12     |
| Colis express (express parcels) (RID)                                   | : CE2           |
| Hazard identification number (RID)                                      | : 23            |

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### VOC Directive (2004/42)

VOC content : 783 g/l

##### Detergent Regulation (648/2004)

| Labelling of contents  |      |
|------------------------|------|
| Component              | %    |
| aliphatic hydrocarbons | ≥30% |

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| EN                          | European Standard   |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |
| ThOD                        | Theoretical oxygen demand (ThOD)  |
| TLM                         | Median Tolerance Limit  |
| VOC                         | Volatile Organic Compounds  |
| CAS-No.                     | Chemical Abstract Service number  |
| N.O.S.                      | Not Otherwise Specified   |
| vPvB                        | Very Persistent and Very Bioaccumulative  |
| ED                          | Endocrine disruptor   |

| Full text of H- and EUH-statements: |                     |
|-------------------------------------|---------------------|
| Aerosol 1                           | Aerosol, Category 1 |



# DÉGRAISSANT INDUSTRIEL

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| Asp. Tox. 1                         | Aspiration hazard, Category 1  |
| EUH066                              | Repeated exposure may cause skin dryness or cracking.                  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                          |
| Flam. Liq. 3                        | Flammable liquids, Category 3  |
| H222                                | Extremely flammable aerosol.   |
| H226                                | Flammable liquid and vapour.   |
| H229                                | Pressurised container: May burst if heated.                            |
| H280                                | Contains gas under pressure; may explode if heated.                    |
| H304                                | May be fatal if swallowed and enters airways.                          |
| H319                                | Causes serious eye irritation.   |
| H335                                | May cause respiratory irritation.                                      |
| H336                                | May cause drowsiness or dizziness.                                     |
| Press. Gas (Comp.)                  | Gases under pressure : Compressed gas                                  |
| STOT SE 3                           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.