

# trilogy





# trilogy

- INSPIRED BY THE MOST SOUGHT-AFTER WHITE MARBLES
- VERSATILE AND ELEGANT
- BRIGHT WHITE COLOR AND RICH VARIATION IN SHADES
- SUITABLE FOR DIFFERENT TYPES OF INTERIOR STYLES



# REFINEMENT

## AND AUTHENTICITY

*The Trilogy Collection mixes a refined selection of the most sought-after white marbles quarried from the most renowned sites in the world: Italy and Greece.*

*Shades represent the common theme between these precious stones which have been carefully selected for their bright white color and gray veins that vary depending on the original material, giving each surface a unique appeal and enhancing its own identity.*

*Thanks to the reputation and the look of the natural stone, marble-look surfaces can be matched with different types of interior styles, from the most classic and elegant to the modern ones.*

trilogy

## Colors



VOLAKAS ROYAL




CARRARA CLASSIC



CALACATTA

Shade variation



VOLAKAS ROYAL



CARRARA CLASSIC

COLORED BODY PORCELAIN TILE



CALACATTA



trilogy

Trilogy Calacatta 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
Trilogy Calacatta Arabesque Mosaic 13"x12<sup>5</sup>/<sub>8</sub>" - 33x32 cm

trilogy

trilogy

Trilogy Calacatta 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
Trilogy Calacatta Arabesque Mosaic 13"x12<sup>5</sup>/<sub>8</sub>" - 33x32 cm



trilogy

Trilogy Volakas Royal 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
Trilogy Volakas Royal Cove Base 6"x12" - 15x30 cm



**trilogy**  
Trilogy Volakas Royal 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
Trilogy Volakas Royal Cove Base 6"x12" - 15x30 cm

trilogy



**trilogy**

Trilogy Carrara Classic  $11\frac{3}{4}'' \times 23\frac{5}{8}''$  - 30x60 cm  
Trilogy Carrara Classic Bullnose  $3'' \times 24''$  - 7.2x60 cm  
Trilogy Carrara Classic Mosaic  $11\frac{3}{4}'' \times 11\frac{3}{4}''$  - 30x30 cm  
Trilogy Chevron Mix Mosaic  $14\frac{1}{8}'' \times 9\frac{7}{8}''$  - 36x25 cm

trilogy

Trilogy Carrara Classic 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"- 30x60 cm  
Trilogy Carrara Classic Bullnose 3"x24"- 7.2x60 cm  
Trilogy Carrara Classic Mosaic 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>"- 30x30 cm  
Trilogy Chevron Mix Mosaic 14<sup>1</sup>/<sub>8</sub>"x 9<sup>7</sup>/<sub>8</sub>"- 36x25 cm






Compliant with standards ANSI A137.1-2012

| SIZE                                                                                                                                                                  | THICKNESS | FINISH |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| 11 <sup>3</sup> / <sub>4</sub> " x 23 <sup>5</sup> / <sub>8</sub> " - 30 x 60 cm<br>23 <sup>5</sup> / <sub>8</sub> " x 47 <sup>1</sup> / <sub>4</sub> " - 60 x 120 cm | 9 mm      | MATTE  |



**TRILOGY VOLAKAS ROYAL**  
11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
610010003032



**TRILOGY CARRARA CLASSIC**  
11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
610010003033



**TRILOGY CALACATTA**  
11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
610010003034



**TRILOGY VOLAKAS ROYAL**  
23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
610010003035



**TRILOGY CALACATTA**  
23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
610010003037




**TRILOGY CARRARA CLASSIC**  
23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
610010003036


MOSAICS & DECORS



**TRILOGY VOLAKAS ROYAL MOSAIC**  
11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
(Mosaic 2"x2")  
610110000585



**TRILOGY CARRARA CLASSIC MOSAIC**  
11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
(Mosaic 2"x2")  
610110000586



**TRILOGY CALACATTA MOSAIC**  
11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
(Mosaic 2"x2")  
610110000587

MOOD



**TRILOGY VOLAKAS ROYAL CHEVRON MOSAIC**  
14<sup>1</sup>/<sub>8</sub>"x 9<sup>7</sup>/<sub>8</sub>" - 36x25 cm  
(Mosaic 7.1"x1.2")  
610110000589



**TRILOGY CARRARA CLASSIC CHEVRON MOSAIC**  
14<sup>1</sup>/<sub>8</sub>"x 9<sup>7</sup>/<sub>8</sub>" - 36x25 cm  
(Mosaic 7.1"x1.2")  
610110000590



**TRILOGY CALACATTA CHEVRON MOSAIC**  
14<sup>1</sup>/<sub>8</sub>"x 9<sup>7</sup>/<sub>8</sub>" - 36x25 cm  
(Mosaic 7.1"x1.2")  
610110000591



**TRILOGY CHEVRON MIX MOSAIC**  
14<sup>1</sup>/<sub>8</sub>"x 9<sup>7</sup>/<sub>8</sub>" - 36x25 cm  
(Mosaic 7.1"x1.2")  
610110000592



**TRILOGY VOLAKAS ROYAL ARABESQUE MOSAIC**  
13"x12<sup>5</sup>/<sub>8</sub>" - 33x32 cm  
(Mosaic 2.7"x4.1")  
610110000593




**TRILOGY CARRARA CLASSIC ARABESQUE MOSAIC**  
13"x12<sup>5</sup>/<sub>8</sub>" - 33x32 cm  
(Mosaic 2.7"x4.1")  
610110000594




**TRILOGY CALACATTA ARABESQUE MOSAIC**  
13"x12<sup>5</sup>/<sub>8</sub>" - 33x32 cm  
(Mosaic 2.7"x4.1")  
610110000595

COORDINATING TRIMS

|  |                         | Bullnose     | Cove base    |
|--|-------------------------|--------------|--------------|
|  | TRILOGY VOLAKAS ROYAL   | 610130004696 | 610130004699 |
|  | TRILOGY CARRARA CLASSIC | 610130004697 | 610130004700 |
|  | TRILOGY CALACATTA       | 610130004698 | 610130004701 |



**Bullnose**  
3"x 24" - 7.2x60 cm



**Cove base**  
6"x12" - 15x30 cm - 8.5mm



Compliant with standards ANSI A137.1-2012

**SIZE**

11 3/4" x 23 5/8" - 30 x 60 cm  
23 5/8" x 47 1/4" - 60 x 120 cm

**THICKNESS**

± 9 mm

**FINISH**

matte

**V3 MODERATE VARIATION**

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

**FIELD TILES**

Available in all colors

**MOSAICS****AND COORDINATING TRIMS**

Available in all colors

| Commercial size (in)         | Nominal size (in) | Thickness (mm) | Finish | Rectified edge |
|------------------------------|-------------------|----------------|--------|----------------|
| 12" x 24"                    | 11 3/4" x 23 5/8" | 9 mm           | Matte  | -              |
| 24" x 48"                    | 23 5/8" x 47 1/4" | 9 mm           | Matte  | Yes            |
| Commercial size (in)         | Nominal size (in) | Thickness (mm) | Finish |                |
| Mosaic 2" x 2"               | 11 3/4" x 11 3/4" | 9 mm           | Matte  |                |
| Chevron Mosaic 7.1" x 1.2"   | 14 1/8" x 9 7/8"  | 9 mm           | Matte  |                |
| Arabesque Mosaic 2.7" x 4.1" | 13" x 12 5/8"     | 9 mm           | Matte  |                |
| Bullnose 3" x 24"            | 2 7/8" x 23 5/8"  | 9 mm           | Matte  |                |
| Cove Base 6" x 12"           | 5 7/8" x 11 3/4"  | 8.5 mm (*)     | Matte  |                |

Please refer to caliber chart for work sizes. Close joints are not recommended. (\*): Cove Base thickness is 7 mm on flat top part.

**PERFORMANCE & FEATURES****REGULARITY CHARACTERISTICS**

| Nominal Size                                                         | ASTM C499 | -3.00%                           | 3.00%                         | -3.00%                                                                    | 2.00%                                                                 | Compliant |
|----------------------------------------------------------------------|-----------|----------------------------------|-------------------------------|---------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------|
| Caliber Range<br>(Variation from average facial dimension of sample) |           | -0.50% or -0.08 in (-2.0 mm) (*) | 0.50% or 0.08 in (2.0 mm) (*) | -0.25% or -0.03 in (-0.8 mm) (*)                                          | 0.25% or 0.03 in (0.8 mm) (*)                                         | Compliant |
| Thickness <sup>(1)</sup>                                             |           | N/A                              | Range: 0.40 in (1.02 mm)      | N/A                                                                       | Range: 0.40 in (1.02 mm)                                              | Compliant |
| Wedging                                                              | ASTM C502 | -0.50% or -0.08 in (-2.0 mm) (*) | 0.50% or 0.08 in (2.0 mm) (*) | -0.25% or -0.03 in (-0.8 mm) (*)                                          | 0.25% or 0.03 in (0.8 mm) (*)                                         | Compliant |
| Warpage Edge                                                         | ASTM C485 | -0.75% or -0.09 in (-2.3 mm) (*) | 0.75% or 0.09 in (2.3 mm) (*) | -0.40% or -0.05 in (-1.3 mm) <sup>(2)</sup> or -1.8 mm <sup>(3)</sup> (*) | 0.40% or 0.05 in (1.3 mm) <sup>(2)</sup> or 1.8 mm <sup>(3)</sup> (*) | Compliant |
| Warpage Diagonal                                                     |           | -0.50% or -0.08 in (-2.0 mm) (*) | 0.50% or 0.08 in (2.0 mm) (*) | -0.40% or -0.07 in (-1.8 mm) (*)                                          | 0.40% or 0.07 in (1.8 mm) (*)                                         | Compliant |

**STRUCTURAL CHARACTERISTICS**

|                  |           |        |        |
|------------------|-----------|--------|--------|
| Water Absorption | ASTM C373 | ≤ 0.5% | ≤ 0.5% |
|------------------|-----------|--------|--------|

**BULK MECHANICAL CHARACTERISTICS**

|                   |           |                                                                 |                |
|-------------------|-----------|-----------------------------------------------------------------|----------------|
| Breaking Strength | ASTM C648 | Average ≥ 250 lbf. (1.11 kN)<br>Individual ≥ 225 lbf. (1.00 kN) | ≥ 350 lbf. avg |
|-------------------|-----------|-----------------------------------------------------------------|----------------|

**PHYSICAL PROPERTIES**

|               |           |                     |           |
|---------------|-----------|---------------------|-----------|
| Bond Strength | ASTM C482 | ≥ 50 psi (0.34 Mpa) | ≥ 100 psi |
|---------------|-----------|---------------------|-----------|

**THERMAL AND IGROMETRIC CHARACTERISTICS**

|                                   |            |             |           |
|-----------------------------------|------------|-------------|-----------|
| Resistance to Freeze/Thaw Cycling | ASTM C1026 | As Reported | Resistant |
|-----------------------------------|------------|-------------|-----------|

**CHEMICAL CHARACTERISTICS**

|                     |           |             |            |
|---------------------|-----------|-------------|------------|
| Chemical Resistance | ASTM C650 | As Reported | Unaffected |
|---------------------|-----------|-------------|------------|



|                  |            |             |            |
|------------------|------------|-------------|------------|
| Stain Resistance | ASTM C1378 | As Reported | Unaffected |
|------------------|------------|-------------|------------|

**SAFETY CHARACTERISTICS**

|                                 |      |                                                                                 |            |
|---------------------------------|------|---------------------------------------------------------------------------------|------------|
| Dynamic coefficient of friction | DCOF | Requires a minimum value of 0.42 for commercial areas that are likely to be wet | > 0.42 Wet |
|---------------------------------|------|---------------------------------------------------------------------------------|------------|

(\*) Whichever is less

(1) May not apply to textured surfaces or tiles with uneven back patterns.

(2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).

(3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).

For more details please see the catalogue or visit [atlasconcordeusa.com](http://atlasconcordeusa.com)  
The Health Product Declaration® logo is a registered trademark of HPD Collaborative.

