


Product data sheet

Specifications



Extended rotary handle, ComPacT NSXm, black handle, shaft length 200mm to 600mm, IP54

LV426932T

Product availability: Stock - Normally stocked in distribution facility

Main

Range compatibility	PowerPact PowerPact B ComPacT ComPacT NSXm
Product or Component Type	Rotary handle
Accessory / Separate Part Type	Control accessories
Handle colour	Black
Handle front plate colour	Black
Enclosure mounting style	Extended

Complementary

Rotary handle padlocking	1 to 3 padlocks Padlock in OFF position Padlock in ON position
Product mounting position	Front
Locking options description	1 to 3 padlocks Ø 4 to Ø 8

Environment

IP Degree of Protection	IP54
-------------------------	------

Ordering and shipping details

Category	US10DE201136
Discount Schedule	0DE2
GTIN	3606482004191
Returnability	Yes
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.543 in (9.000 cm)
Package 1 Width	3.740 in (9.500 cm)
Package 1 Length	18.110 in (46.000 cm)
Package weight(Lbs)	24.021 oz (681.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	12

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	19.670 lb(US) (8.922 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	48
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	92.594 lb(US) (42.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	6 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.3 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	Ab9dc4da-002c-433d-9974-4b46c472d129
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Halogen free plastic parts product
Silicon free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	65
Circularity Profile	End of Life Information
Take-back	No