



ADEX  
since 1897



STUDIO COLLECTION

# STUDIO


Translucent Glaze  
Glossy Finish - Slightly Undulated Surface

## AVAILABLE COLORS

Snow Cap **ADSTW** Bamboo **ADSTB** Ice Blue **ADSTI** Fern **ADSTF** Almond **ADSTA** Eucalyptus **ADSTE**  
Silver Sands **ADSTS** Graystone **ADSTG** Timberline **ADSTT** Volcanico **ADSTV**


## FIELD TILES

### UNDULATED




## TRIMS


### FINISHING EDGES



### GLAZED EDGES




### FRAMED




## TRIMS

### FRAMED GLAZED EDGES



### BEVELED



## TRIMS

### BEVELED GLAZED EDGES



# STUDIO

Translucent Glaze  
Glossy Finish - Slightly Undulated Surface

## AVAILABLE COLORS

Snow Cap **ADSTW** Bamboo **ADSTB** Ice Blue **ADSTI** Fern **ADSTF** Almond **ADSTA** Eucalyptus **ADSTE**  
Silver Sands **ADSTS** Graystone **ADSTG** Timberline **ADSTT** Volcanico **ADSTV**


## DECORATIVE ACCESSORIES




504 5.8"x5.8" Universe Deco




505 5.8"x5.8" Planet Deco



301 5.8"x5.8" Vizcaya Deco



103 2.8"x7.8" Palm Beach Border




102 3.8"x7.8" Gables Border



104 1"x7.8" Ponciana Liner



203 1.2"x7.8" Round Bar Liner



205 1"x5.8" Quarter Round




207 0.7"x7.8" Stripe Liner

### HAND PAINTED



ADSTH 136 2.8"x5.8" Flower Border Dawn (Bamboo Background)



ADSTH 166 5.8"x5.8" Flower Deco Dawn (Bamboo Background)




ADSTH 236 2.8"x5.8" Flower Border Dusk (Bamboo Background)




ADSTH 266 5.8"x5.8" Flower Deco Dusk (Bamboo Background)

## FINISHING TOUCHES











| FIELD TILES          |                                |                 |
|----------------------|--------------------------------|-----------------|
| SIZE                 | SIZE SPECIFICATIONS            | THICKNESS*      |
| FLAT TILE            |                                |                 |
| 2.8"x5.8"            | 2.874"x5.827" (73mm x 148mm)   | 0.346" (8.8mm)  |
| 5.8"x5.8"            | 5.827"x5.827" (148mm x 148mm)  | 0.346" (8.8mm)  |
| 3."8x7.8"            | 3.858"x7.795" (98mm x 198mm)   | 0.346" (8.8mm)  |
| 1.9"x7.8"            | 1.890"x7.795" (48mm x 198mm)   | 0.346" (8.8mm)  |
| BEVELED TILE         |                                |                 |
| 6" Arabesque Beveled | 5.906"x5.906" (150mm x 150mm)  | 0.488" (12.4mm) |
| 6" Tear Drop Beveled | 5.2362"x5.906" (133mm x 150mm) | 0.460" (11.7mm) |
| FRAMED TILE          |                                |                 |
| 2.8"x5.8" Framed     | 2.874"x5.827" (73mm x 148mm)   | 0.543" (13.8mm) |

| DECORATIVE ACCESORIES & FINISHING TOUCHES |                               |               |
|-------------------------------------------|-------------------------------|---------------|
| Ponciana Liner 1"x7.8"                    | 0.984"x7.795" (25mm x 198mm)  | 0.394" (10mm) |
| Round Bar Liner 1.2"x7.8"                 | 1.102"x7.795" (28mm x 198mm)  | 0.669" (17mm) |
| Stripe Liner 0.7"x7.8"                    | 0.709"x7.795" (18mm x 198mm)  | 0.512" (13mm) |
| Quarter Round 1"x5.8"                     | 0.945"x5.827" (24mm x 148mm)  | 0.394" (10mm) |
| Rail Molding 2.8"x7.8"                    | 2.992"x7.795" (76mm x 198mm)  | 1.102" (28mm) |
| Chair Molding 2"x7.8"                     | 2.008"x7.795" (51mm x 198mm)  | 0.866" (22mm) |
| Base Board (Glazed Top Edge) 5.8"x5.8"    | 5.827"x5.827" (148mm x 148mm) | 0.512" (13mm) |

\*Thickness is understood as the highest point of the tile.

| APPLICATIONS                      |                        |                     |
|-----------------------------------|------------------------|---------------------|
|                                   | SUITABLE RESIDENTIAL   | SUITABLE COMMERCIAL |
| Bathroom Walls                    | YES                    | YES                 |
| Shower Walls                      | YES                    | YES                 |
| Kitchen Walls                     | YES                    | YES                 |
| Countertops                       | YES                    | NO                  |
| Fireplace Surrounds               | YES                    | YES                 |
| Outdoor Cooking / Bar Spaces      | YES                    | YES                 |
| Pool Waterlines / Water Fountains | NO                     | NO                  |
| Floors                            | NO                     | NO                  |
| PERFORMANCE CHARACTERISTICS       |                        |                     |
|                                   | TEST METHOD ATSM / ISO | RESULT              |
| Water Absorption                  | C-373 / 10545-3        | Pass                |
| Breaking Strength                 | C-648 / 10545-4        | Pass                |
| Chemical Resistance               | C-651 / 10545-14       | Resistant           |
| Facial Dimensions                 | C-499 / 10545-2        | Pass                |
| Range of Thickness                | C-499 / 10545-2        | Pass                |
| Warpage                           | C-485 / 10545-2        | Pass                |

| INSTALLATION               |                         |
|----------------------------|-------------------------|
| GROUT JOINT RECOMMENDATION | SHADE VARIATION         |
| 1/8"                       | V1 - Uniform Appearance |

| CLEANING RECOMMENDATIONS                                            |
|---------------------------------------------------------------------|
| Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner |

| CHARACTERISTICS |                            |
|-----------------|----------------------------|
| Glaze           | Solid with subtle movement |
| Surface Sheen   | Glossy                     |
| Texture         | Slightly Undulated         |

Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.



#### CONTACT US

##### **Corporate Headquarters**

##### **South East Distribution Center**

9450 N.W.12th St.  
Miami, FL 33172  
Office: 305-513-4633  
Fax: 305-513-4634  
[customerservice@adexusa.com](mailto:customerservice@adexusa.com)

##### **West Coast Distribution Center**

2344 E. Walnut Ave.  
Fullerton, CA 92831  
Office: 714-773-0197  
Fax: 714-773-9352  
[customerservicewest@adexusa.com](mailto:customerservicewest@adexusa.com)

##### **North East Distribution Center**

1000 Wall St. W.  
Lyndhurst, NJ 07071  
Office: 201-355-8772  
Fax: 201-636-2802  
[customerservicene@adexusa.com](mailto:customerservicene@adexusa.com)



Our company has an environmental management system  
in place according to the Norm ISO 14001 certified by  
European Quality Assurance (EQA)