


INSTRUCTION MANUAL




Adirondack Bar Chair with Cup Holder

! NOTICE

Do not overtighten screws. (Insert all screws before tightening screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws, and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- When using an electric drill, please adjust its speed slowly to avoid screw slippage.

TOOLS REQUIRED




HARDWARE

1 SCREW M6 x 80mm 12 PCS	2 SCREW M6 x 55mm 4 PCS	3 SCREW M6 x 60mm 2 PCS	4 BOLT M6 x 60mm 6 PCS	5 BOLT M6 x 63mm 4 PCS
6 M6 NUT 10 PCS	7 M6 WASHER 11 PCS	8 BOLT M6 x 30mm 1 PC		

PARTS

A CHAIR BACKREST 1 PC	B CHAIR SEAT 1 PC	C RIGHT CHAIR ARM 1 PC
---	---	--

PARTS

D**LEFT CHAIR ARM**

1 PC

E**RIGHT CHAIR LEG**

1 PC

F**LEFT CHAIR LEG**


1 PC

G**RIGHT REAR LEG**


1 PC

H**LEFT REAR LEG**


1 PC

I**SIDE RAIL I**


2 PCS

J**BACK RAIL**


1 PC

K**FOOT REST**

1 PC

L**CUP HOLDER**


1 PC

M**SIDE RAIL II**

2 PCS

PRODUCT ASSEMBLY – OVERALL VIEW

Look at the overall view of this chair and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1

Attach **Part I Side Rail I** and **Part M Side Rail II** to **Part E Right Chair Leg** and **Part G Right** with 4 pcs of **Hardware #1 Screw**.


Do the same to attach **Part I Side Rail I** and **Part M Side Rail II** to **Part F Left Chair Leg** and **Part H Left Rear Leg**.



2

Attach **Part F Left Chair Leg** and **Part H Left Rear Leg** to **Part B Chair Seat** with 3 pcs of **Hardware #4 Bolt**, 3 pcs of **Hardware #7 Washer** and 3 pcs of **Hardware #6 Nut**.

Attach **Part F Left Chair Leg** to **Part K Footrest** with 1 pc of **Hardware #2 Screw**. Attach **Part H Left Rear Leg** to **Part J Back Rail** with 1 pc of **Hardware #3 Screw**.




PRODUCT ASSEMBLY

3

Attach **Part E Right Chair Leg** and **Part G Right Rear Leg** to **Part B Chair Seat** with 3 pcs of **Hardware #4 Bolt**, 3 pcs of **Hardware #7 Washer** and 3 pcs of **Hardware #6 Nut**.

Attach **Part E Right Chair Leg** to **Part K Footrest** with 1 pcs of **Hardware #2 Screw**. Attach **Part G Right Rear Leg** to **Part J Back Rail** with 1 pc of **Hardware #3 Screw**.




4

Attach **Part C Right Chair Arm** to **Part E Right Chair leg** and **Part G Right Rear Leg** with 2 pcs of **Hardware #5 Bolt**, 2 pcs of **Hardware #7 Washer** and 2 pcs of **Hardware #6 Nut**.

Do the same to Attach **Part D Left Chair Arm**.

Attach **Part K Footrest** to **Part E Right Chair Leg** and **Part F Left Chair Leg** with 2 pcs of **Hardware #2 Screw**.




PRODUCT ASSEMBLY

5


Attach **Part C Right Chair Arm** and **Part D Left Chair Arm** to **Part A Chair Backrest** with 2 pcs of **Hardware #1 Screw**.

Attach **Part G Right Rear Leg** and **Part H Left Rear Leg** to **Part B Chair Seat** with 2 pcs of **Hardware #1 Screw**.



6

Attach **Part L Cup Holder** to **Part C Right Chair Arm** with 1 pc of **Hardware #7 Washer** and 1 pc of **Hardware #8 Bolt**.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.