Eaton AZES001G005006

Catalog Number: AZES001G005006

VariSTAR AZE station-class arrester, Porcelain, 5.1 kV MCOV, 6 kV duty cycle, 65 kAlC, Upright mounting, NEMA four-hole pad accepts Cu or Al conductors up to 20 mm, 3.4 kJ/kV MCOV single impulse

General specifications

Product Name
Eaton Cooper Power series VariSTAR

Catalog Number
AZES001G005006

AZE station-class arrester

UPC

194006063609

Product Length/Depth

Product Height

17.95 in

18.5 in

Product Width

Product Weight

10.5 in

49 lb

Compliances

Certifications

Not Applicable IEEE C62.11





Accessories

Ground terminal options

NEMA 4-hole pad max. 20 mm dia

Line terminal options

NEMA 4-hole pad

Nameplate options

IEEE nameplate

Electrical Ratings

Basic impulse level 1.2/50 wave

130 kV

Creep distance

9.2 in

Duty cycle voltage rating

6 KV

Energy rating

3.4 kJ/kV MCOV 1-impulse

Equivalent front-of-wave

18.2 KV

Frequency rating

50/60 Hz

Lightning impulse residual voltage

14.4; 15.0; 15.4; 16.3; 18.1; 21.2 kV (@1.5; 3; 5; 10; 20; 40 kA)

Discharge voltage - max

13.9; 14.7; 15.4; 16.7; 18.6; 21.4 kV (@1.5; 3; 5; 10; 20; 40 kA)

Short circuit rating

65 kA

Maximum continuous operating voltage

5.1 kV

Wet 50/60 Hz per 60 seconds

40 kV (Wet 60s)

Additional Specifications

Packaging options

Cardboard packaging

Descriptions

Grading ring

No

Mounting

Mounting

Upright base

Ratings

Cantilever strength ultimate

90,000 in-lbs

Type

Arrester type

VariSTAR type AZE station-class arrester

Material type

Porcelain

Resources

Catalogs

VariSTAR Type AZE station-class surge arresters for systems through 345 kV IEEE certified

Installation instructions

VariSTAR type AZE station class surge arresters installation and maintenance instructions

Specifications and datasheets

Eaton Specification Sheet - AZES001G005006

Overhead line installation and protective equipment specifiers guide



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia