

4-Port Dual DisplayPort 1.2 KVM Switch | 4K 60 Hz



Actual product may vary from photos

User Manual

SKU#: SV431DPDDUA2

For the latest information and specifications visit
www.startech.com/SV431DPDDUA2

Manual Revision: 07/09/2025

Compliance Statements

FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a different circuit than the receiver.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the device. If shielded interface cables are included with the product, or if additional components or accessories are designated for use with the installation, they must be used to ensure compliance with FCC regulations.

ISED Statement / Déclaration d'ISDE

CAN ICES-003(B) / NMB-003(B)

This Class B digital apparatus complies with Canadian ICES-003.

This device complies with ISED Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Le présent appareil est conforme aux CNR d'ISDE Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of third-party companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. Regardless of any direct acknowledgement elsewhere in the body of this document, StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Safety Statements

Safety Measures

- Wiring terminations should not be made with the product and/or electric lines under power.
- Product installation and/or mounting should be completed by a certified professional as per the local safety and building code guidelines.
- Cables (including power and charging cables) should be placed and routed to avoid creating electric, tripping or safety hazards.

Mesures de sécurité

- Les terminaisons de câblage ne doivent pas être effectuées lorsque le produit et/ou les câbles électriques sont sous tension.
- L'installation et/ou le montage du produit doit être réalisé par un professionnel certifié et dans le respect des normes locales et du code de construction local.
- Les câbles (y compris les câbles d'alimentation et de chargement) doivent être placés et acheminés de façon à éviter tout risque électrique, de chute ou de sécurité

安全対策

- 電源が入っている状態の製品または電線の終端処理を行わないでください。
- 製品の設置やマウントは、使用地域の安全ガイドラインおよび建築基準に従い、有資格の専門業者が行うようにしてください。
- ケーブル(電源ケーブルと充電ケーブルを含む)は、適切な配置と引き回しを行い、電気障害やつまづきの危険性など、安全上のリスクを回避するようにしてください。

Misure di sicurezza

- I terminali dei fili elettrici non devono essere realizzate con il prodotto e/o le linee elettriche sotto tensione.
- L'installazione e/o il montaggio dei prodotti devono essere eseguiti da un tecnico professionale certificato che conosca le linee guida locali sulle norme edilizie e sulla sicurezza.
- I cavi (inclusi i cavi di alimentazione e di ricarica) devono essere posizionati e stesi in modo da evitare pericoli di inciampo, rischi di scosse elettriche o pericoli per la sicurezza.

Säkerhetsåtgärder

- Montering av kabelavslutningar får inte göras när produkten och/eller elledningarna är strömförda.
- Installation och/eller montering får endast göras av behöriga yrkespersoner och enligt gällande lokala förordningar för säkerhet och byggnormer.
- Kablar (inklusive elkablar och laddningskablar) ska dras och placeras på så sätt att risk för snubblingsolyckor och andra olyckor kan undvikas.

Warning Statements


- Make sure to assemble this product according to the instructions. Failure to do so might result in personal injury or property damage.
- Never use this product if parts are missing or damaged.

Table of Contents


| | |
|--|----|
| Compliance Statements | 1 |
| Safety Statements | 2 |
| Warning Statements | 3 |
| Product Diagram | 5 |
| Front..... | 5 |
| Back..... | 5 |
| Package Contents | 6 |
| Requirements | 6 |
| Installation | 6 |
| Setting Up a PC..... | 6 |
| Connect the console to the KVM switch..... | 7 |
| Connect a computer to the KVM switch..... | 7 |
| Auto Scan | 9 |
| Hotkey Commands | 9 |
| About the LED Indicators | 11 |

Product Diagram

Front



Back



Package Contents

- 1 x KVM Switch
- 1 x Universal Power Adapter (NA/JP, EU, UK, ANZ)
- 4 x Rubber Feet
- 1 x Quick-Start Guide

Requirements

Requirements are subject to change. For the latest requirements, please visit www.StarTech.com/SV431DPDDUA2.

- DisplayPort Cables
- USB-A to USB-B or USB-C to USB-B Cables
- 3.5 mm Audio Cables
- Computer System or Video Card with DisplayPort
- Computer System with USB
- Display Device with DisplayPort (Monitor, Projector, TV, etc.)
- USB Keyboard
- USB Mouse

Installation

Setting Up a PC

- In **Standard CMOS**, set **Halt on Error** to **All But Keyboard**.
- In **PNP and PCI Setup**, set **PNP OS Installed** to **Yes**.
- In **PNP and PCI Setup**, set **USB IRQ** to **Enabled**.

Connect the console to the KVM switch

1. Turn off your computer and any devices or peripherals that are connected to it (for example, printers, external hard drives, and so on).
2. Connect two monitors or displays to the Console DisplayPort ports.
3. Do one of the following:
 - Connect a keyboard and a mouse to the Console keyboard and Console mouse ports.
 - If you're using a combination wireless keyboard and mouse, connect the wireless receiver to the Console keyboard port.
4. If necessary, do any of the following:

Connect speakers to the Console speaker port.

- Connect a microphone to the Console microphone port.
- Connect USB peripherals to the USB hub ports.

Connect a computer to the KVM switch

Notes: No software or driver installation is required.

The cables for each individual computer must be connected to the same port set on the KVM switch.

1. Turn off the computers that you want to connect to the KVM switch and any devices or peripherals that are connected to the computers (for example, printers, external hard drives, and so on).

2. Connect a DisplayPort video cable to each of the DisplayPort ports on your computer and to the PC DisplayPort ports of the same set, on the KVM switch.
3. Connect a USB cable to the USB port on the computer and to the PC USB port on the KVM switch.
4. If you're using audio, connect speakers to the Console speaker port and your microphone to the Console microphone port on the KVM switch.
5. To connect additional computers, repeat steps 1 to 4.
6. If you want to share USB peripherals between connected computers or devices, connect the peripherals to the USB hub ports on the KVM switch.
7. Connect the universal power adapter to a power source and to the Power adapter port on the KVM switch. The Power LED illuminates to confirm the switch is receiving power.
8. Turn on any devices or peripherals that are connected to the KVM switch, then turn on the connected computer. Wait for the computer to finish loading and then test the functionality of the keyboard and mouse of the connected computer.
9. If additional computers are connected to the KVM switch, select a different port and repeat step 8 until you have tested the functionality of all of the connected computers.

Auto Scan

The KVM switch features Auto scan, which enables you to automatically switch between the connected computers at a timed interval.

To activate Auto scan:

1. Hold down Port selection buttons 3 and 4 simultaneously, until the KVM switch beeps. You can repeat this process multiple times to change the timed interval between 3, 8, 15 and 30 seconds respectively.
2. To exit Auto scan, press any of the port selection buttons.

Hotkey Commands

Notes: Each Hotkey sequence starts with **Ctrl, Ctrl** (left Ctrl key).

A high pitch beep after entering a sequence indicates that the sequence was entered correctly.

A Low pitch beep after entering a sequence indicates that the sequence was entered incorrectly.

| Command | Function |
|-----------------|---|
| Select Computer | Ctrl, Ctrl, 1 - 4 (1 - 4 indicate the port selection) |
| Auto Scan | Ctrl, Ctrl, F1 |
| Abort Auto Scan | Ctrl, Ctrl |

| | |
|-----------------------------------|--|
| Auto Scan w/ Delay | Ctrl, Ctrl, S, 0 - 9 0 = 100 , 1 = 10, 2 = 20, 3 = 30, 4 = 40, 5 = 50, 6 = 60, 7 = 70, 8 = 80, 9 = 90 (seconds) |
| Manual Scan | Ctrl, Ctrl, F2 |
| Manual Scan (Select Computer) | Crtl, Crtl, Up and down keys |
| Adjust Scan Rate | Ctrl, Ctrl, F3 |
| Bind PC/Audio and Mic switching | Crtl, Crtl, Q |
| Unbind PC/Audio and Mic switching | Crtl, Crtl, W |
| Previous PC Port | Crtl, Crtl, Backspace |
| Define Hotkey | Crtl, Crtl, H, Hotkey Hotkey = ScrLk, Caps Lock, Esc, F12, or Num Lock |

About the LED Indicators

The KVM switch features a Port selection/link LED for each port, as well as a power LED. For more information about the LEDs, consult the table below.

| LED | Behavior | Scenario |
|-----------|-------------------|--|
| Power LED | Illuminated | KVM switch is receiving power |
| Port LEDs | Illuminated green | Connected computer is turned on |
| | Illuminated red | Connected computer is currently selected |
| | Blinking | Auto scan process is in progress |

Warranty Information

This product is backed by a two-year warranty.

For further information on product warranty terms and conditions, please refer to www.startech.com/warranty.

Limitation of Liability

In no event shall it be the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product.

Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

Hard-to-find made easy. At StarTech.com, that isn't a slogan. It's a promise.

StarTech.com is your one-stop source for every connectivity part you need. From the latest technology to legacy products — and all the parts that bridge the old and new — we can help you find the parts that connect your solutions.

We make it easy to locate the parts, and we quickly deliver them wherever they need to go. Just talk to one of our tech advisors or visit our website. You'll be connected to the products you need in no time.

Visit www.startech.com for complete information on all StarTech.com products and to access exclusive resources and time-saving tools.

StarTech.com is an ISO 9001 Registered manufacturer of connectivity and technology parts. StarTech.com was founded in 1985 and has operations in the United States, Canada, the United Kingdom and Taiwan servicing a worldwide market.

Reviews

Share your experiences using StarTech.com products, including product applications and setup, what you love about the products, and areas for improvement.

| StarTech.com Ltd. | StarTech.com LLP | StarTech.com Ltd. | StarTech.com Ltd. |
|---|---|---|--|
| 45 Artisans Crescent London, Ontario N5V 5E9 Canada | 4490 South Hamilton Road Groveport, Ohio 43125 U.S.A. | Unit B, Pinnacle 15 Gowerton Road Brackmills, Northampton NN4 7BW United Kingdom | Siriusdreef 17-27 2132 WT Hoofddorp The Netherlands |

FR: fr.startech.com

ES: es.startech.com

IT: it.startech.com

DE: de.startech.com

NL: nl.startech.com

JP: jp.startech.com