

Garden

Porcelain Stone®

Color Palette



Belvedere TX



Arboretum TX



Colonnade TX

Features and Benefits

- Replicates authentic shade, color and texture of three unique natural stones
- Engineered to outperform real stone in resistance to temperature, moisture and mold
- Size options include 6 x 6, 6 x 12, 12 x 12, and 12 x 24 field tiles, as well as bullnose
- Globally Sourced



Belvedere 6 x 12 TX Arboretum 6 x 12 TX



Garden

Porcelain Stone®

Sizes & Finishes

Field Tile

Available in all colors

Nominal (in)	Actual (in)	Thickness (in)	Finish
6 x 6	5-13/16 x 5-13/16	3/8	TX
6 x 12	5-13/16 x 11-13/16	3/8	TX
12 x 12	11-13/16 x 11-13/16	3/8	TX
12 x 24	11-13/16 x 23-7/8	3/8	TX

Crossville® recommends a grout joint of 3/16 to 1/4 inch.

Actual measurements stated in inches indicate tile is calibrated (non-rectified).

Actual measurements stated in mm indicate tile is rectified.

Coordinating Trim

Available in all colors

Nominal (in)	Actual (in)	Thickness (in)	Finish
3 x 12 Single Bullnose	2-15/16 x 11-13/16	3/8	TX



3 x 12 Single Bullnose (available in all colors)

Product Performance

Breaking Strength	>500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	≤0.50%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic COF

(wet slip potential)

TX	.50 – .60	AcuTest™
----	-----------	----------

Shade & Texture Index

Garden has a shade variation of V3.






This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Item Codes

Color Names:	Belvedere	Arboretum	Colonnade
6x6	8633	8634	8635
6x12	8619	8620	8621
12x12	8622	8623	8624
12x24	8636	8637	8638
Bullnose	8645	8646	8647

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Sizes



Garden

Crossville, Inc.

PO Box 1168
Crossville, TN
38557

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

Recommended Use

Garden with its heavily textured surface is specifically recommended for exterior floors, walls and interior transitional spaces in commercial and residential applications. If offset pattern is required for tiles 18 inches or longer, Crossville® recommends an offset of not greater than 33%. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage. See CrossvilleInc.com for detailed installation instructions.

Care and Maintenance

Regular cleaning is the best way to keep Garden tile looking good for years to come. For exterior applications, sweep away loose debris, then spray clean with a hose. For transitional areas, use of a stiff bristle brush may be necessary. When occasional deep cleaning is required for particularly dirty or stained areas, the use of a wet vacuum in conjunction with a stiff bristled deck brush is recommended.

Hydrotect

Our porcelain tiles are available with Hydrotect™. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.



Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

*Information listed here is subject to change.
Please refer to CrossvilleInc.com for the latest, most accurate information.*

National Accounts

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

Exterior Cladding

Crossville's Porcelain Stone® Exterior Cladding Systems are suitable for virtually any conventional masonry application. When used in conjunction with our exterior cladding systems, Crossville's Porcelain Stone offers clear advantages: decreased construction costs, less site disturbance, low-to-zero maintenance after installation, accelerated construction schedules and greater strength than traditional masonry.

▶▶ Crossville® Sample Express

Sample fulfillment & Help Line
Samples@CrossvilleInc.com
1 800 221.9093

Loose Samples for
Architects & Designers

Loose Tile Samples
Sizes may vary depending on product series
Max. of 4 large field tile per order

Replacement Chips for PSS Rack
Max. of 5, 2 x 2 chips per color

Standard Shipping
UPS Ground



8634 ▶ Arboretum, 6 x 6 TX
8620 ▶ Arboretum, 6 x 12 TX
8623 ▶ Arboretum, 12 x 12 TX

Trade Organizations



Environmentally Aware

