Groove Glass

Design SolutionsTM



Groove Glass

Design SolutionsTM

Move with the Groove...

Crossville, Inc. takes the lead with the launch of our latest line of glass tile, Groove Glass. The development of Groove Glass was inspired by the glamor of cosmopolitan nightlife and the feeling of an evening in the city, thick with exciting possibilities. Between the music of the night and a nostalgic crescendo of memorable experiences, Groove Glass designs promise something amazing is going to happen, enticing you to move with the groove. Groove Glass brings fun and sophistication to Crossville's catalog and the 2 x 8 inch tile is opening up exciting, clean expressions in wall tile design. The mosaics are especially rhythmic, dynamic and fresh, framing rich and soft palettes of triangles in a clean, classy finish.

- Inspired by night life and a variety of fun dance syles
- 8 Solid Colors and 5 Mosaic Blends
- Sizes Include: 2 x 8, 2 x 12, 2 x 16, 4 x 8, 4 x 12, 4 x 16, and 2 x 2 Mosaic Blends (mounted on 12 x 12 sheet)
- Clean and glamorous look



GG20 ▶ Shimmy 2 x 12 **GG21** ▶ Salsa 2 x 12

GG22 ▶ Disco 2 x 12




Color Palette

Colors **GG11** ▶ Jump Style **GG10** ▶ Hustle **GG20** ▶ Shimmy **GG30** ▶ Rumba **GG21** ▶ Salsa **GG31** ▶ Samba **GG22** ▶ Disco **GG32** ▶ Twist

Color Palette

Blends



Specifications

Sizes	
2 x 16	
2 x 12	
2x8	4x8
4 x 12	
4 x 16	



2 x 2 Blends (shown in GGB02) All 5 blends available Mesh mounted on a 12 inch x 12 inch sheet (298mm x 298mm)



GGB04 ▶ Jive 2 x 2 Blends

Sizes			
Field Tile	4		
Description	Nominal (in)	Actual (mm)	Thickness (mm)
Solids	2 x 8	48 x 198	6
	2 x 12	48 x 298	6
	2 x 16	48 x 398	6
	4 x 8	98 x 198	6
	4 x 12	98 x 298	6
	4 x 16	98 x 398	6
Blends*	2 x 2	48 x 48	6

^{*}Actual size of mounted sheets is 298 x 298 with a recommended 2mm grout joint. Recommended grout joint 3mm.

Shade & Texture Index

Groove Glass has a shade variation of V1.





GGB02 ► Jitterbug 2 x 2 Blends Color By Numbers **WT02** ► Tea For Two 4 x 12

Recommended Use

Groove Glass may be used for interior walls in wet or dry locations and exterior covered walls. Groove Glass mosaics may be used in vertical swimming pool applications, along the water line only.

Care and Maintenance

Regular cleaning is the best way to keep Groove Glass tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.



GGB01 ➤ Swing 2 x 2 Blends SpeakEasy **AV285** ➤ Bank Roll 6 x 36 and 8 x 36















Groove Glass

Crossville, Inc.

PO Box 1168 Crossville, TN 38557

Phone 931.484.2110 Fax E-Mail

Web

931.456.2956 Crossc@CrossvilleInc.com

CrossvilleInc.com

GG30 ► Rumba 4 x 16 and 2 x 16 **GGB03** ► Vogue 2 x 2 Blends Cover: **GGB02** ► Jitterbug 2 x 2 Blends Color By Numbers **WT02** ► Tea for Two 4 x 12