MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name Tropical Sunrise

Version # 01

Issue date 05-15-2012

Revision date - Supersedes date -

CAS # Mixture

Manufacturer/Supplier Rubbermaid Commercial Products LLC

3124 Valley Avenue

Winchester, VA 22601-2694

Contact Person: Regulatory Manager

Telephone number: (540) 667-8700

Emergency 24-Hour Emergency: INFOTRAC: 1-800-535-5053

2. Hazards Identification

Physical state Liquid.

Appearance Clear, pale yellow liquid.

Emergency overview WARNING

Combustible liquid and vapor.

Causes skin irritation. May cause an allergic skin reaction.

OSHA regulatory status

This product is hazardous according to OSHA 29 CFR 1910.1200.

Potential health effects

Routes of exposure Inhalation. Eye contact. Skin contact.

Eyes Direct contact with eyes may cause temporary irritation.

Skin Causes skin irritation. May cause allergic skin reaction.

InhalationIn high concentrations, vapors may be irritating to the respiratory system.IngestionNo harmful effects expected in amounts likely to be ingested by accident.

Potential environmental effects The product contains a substance which is very toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Hexyl acetate	142-92-7	10 - 20
Limonene	5989-27-5	2 - 5
Isoamyl Butyrate	106-27-4	1 - 3
Linalool	78-70-6	1 - 3

Composition comments All concentrations are in percent by weight.

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids wide apart. In case of irritation from airborne exposure, move to fresh air. Get medical

attention if symptoms persist.

Skin contact Wash with soap and water. Get medical attention if symptoms occur after washing.

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Ingestion Rinse mouth thoroughly. Seek medical advice. Only induce vomiting at the instruction of medical

personnel.

5. Fire Fighting Measures

Flammable properties The product is combustible, but not flammable.

Extinguishing media

Suitable extinguishing

media

Water fog. Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Protection of firefighters

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers. Cool containers with flooding quantities of water

until well after fire is out.

Hazardous combustion

products

Carbon oxides.

6. Accidental Release Measures

Personal precautions Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks or flames in

immediate area). Avoid contact with skin. See Section 8 of the MSDS for Personal Protective

Equipment.

Environmental precautionsDo not contaminate water. Contact local authorities in case of spillage to drain/aguatic

environment.

Methods for cleaning up Remove sources of ignition. Beware of the explosion danger. Stop the flow of material, if this is

without risk. Dike the spilled material, where this is possible.

Small Spills: Absorb spillage with non-combustible, absorbent material.

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

7. Handling and Storage

Handling Wear appropriate personal protective equipment. Provide adequate ventilation. Avoid contact with

eyes, skin, and clothing. Do not taste or swallow. Avoid inhalation of vapors. Wash thoroughly

after handling.

Storage Do not handle or store near an open flame, heat or other sources of ignition. Protect against direct

sunlight. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feeding stuffs. Store away from incompatible materials. Avoid

uncoated metal containers. Minimize exposure to air.

8. Exposure Controls / Personal Protection

Occupational exposure limits

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Hexyl acetate (142-92-7)	TWA	294 mg/m3
		50 nnm

Engineering controlsGood general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

considerations

Eye / face protection Wear safety glasses with side shields (or goggles).

Skin protection Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure.

Contact glove manufacturer for specific information.

Respiratory protection In case of inadequate ventilation use suitable respirator.

General hygiene Always observe good personal hygiene measures, such

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical & Chemical Properties

Appearance Clear, pale yellow liquid.

Physical state Liquid. Form Liquid.

Color Colorless to pale yellow.

Odor Not assigned. Not available. **Odor threshold** Ηα Not available. Not available. Vapor pressure Vapor density Not available. **Boiling point** Not available. Not available. Melting point/Freezing point Solubility (water) Not available. Specific gravity Not available.

Flash point 149.00 °F (65.00 °C)

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Auto-ignition temperatureNot available.Partition coefficientNo data available.

(n-octanol/water)

10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions.

Conditions to avoid Contact with incompatible materials. Keep away from heat, sparks, and flame.

Incompatible materialsStrong oxidizing agents. Strong acids. Alkalis.Hazardous decompositionCarbon oxides. Unidentified organic compounds.

products

Possibility of hazardous

Will not occur.

reactions

11. Toxicological Information

Toxicological data

Components	Species	Test Results	
Limonene (5989-27-5)			
Acute			
Dermal			
LD50	Rabbit	5 g/kg	
Oral			
LD50	Rat	4400 mg/kg	
Linalool (78-70-6)			
Acute			
Dermal			
LD50	Rabbit	2000 mg/kg	
	Rat	5610 mg/kg	
Oral			
LD50	Mouse	3000 mg/kg	
Sensitization	May cause allergic skin disorders in sensitive individuals.		
Acute effects	Causes skin irritation.		
Chronic effects	Chronic effects are not expected when this product is used as intended.		
Carcinogenicity	None known.		

IARC Monographs. Overall Evaluation of Carcinogenicity

Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

12. Ecological Information

Ecotoxicological data

Components Species Test Results

Hexyl acetate (142-92-7)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 3.7 - 4.4 mg/l, 96 hours

Limonene (5989-27-5)

Aquatic

Crustacea EC50 Daphnia 0.42 mg/l, 48 Hours

Fish LC50 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours

EcotoxicityThe product contains a substance which is very toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence and degradability No data available.

Bioaccumulation / No data available.

Accumulation

Partition coefficient No data available.

Linalool 2.97 Limonene 4.232

Mobility in environmental

media

No data available.

13. Disposal Considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Do not allow this material to drain into sewers/water supplies.

Waste from residues / unused

products

Dispose of waste and residues in accordance with local authority requirements.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

DOT

Basic shipping requirements:

UN number UN3082

Proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Limonene, Hexyl acetate), MARINE

POLLUTANT

Hazard class 9
Packing group III

Environmental hazards

Marine pollutant Yes

Additional information:

Special provisions 8, 146, 173, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Limonene, Hexyl acetate)

Transport hazard class(es) 9
Packing group III
Environmental hazards Yes
Labels required 9

IMDG

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Limonene, Hexyl acetate), MARINE

POLLUTANT

Transport hazard class(es)

Packing group

9 III

Environmental hazards

Marine pollutant Yes
Labels required 9

TDG

Proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Limonene, Hexyl acetate), MARINE

POLLUTANT

Hazard class 9

UN number UN3082
Packing group III
Marine pollutant Yes

Special provisions 8, 146, 173, 335, IB3, T4, TP1, TP29

Labels required9Packaging exceptions155Packaging non bulk203Packaging bulk241

15. Regulatory Information

US federal regulations This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance (40 CRF 355, Appendix A)

Section 311/312 (40 CFR Yes

370)

Drug Enforcement Not controlled

Administration (DEA) (21 CFR

1308.11-15)

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Controlled

WHMIS classification B3 - Combustible Liquids

D2B - Other Toxic Effects-TOXIC

WHMIS labeling





Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Tropical Sunrise CPH MSDS NA

5/6

Country(s) or regionInventory nameOn inventory (yes/no)*EuropeEuropean Inventory of Existing Commercial Chemical
Substances (EINECS)Yes

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

State regulations

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - New Jersey RTK - Substances: Listed substance

Limonene (CAS 5989-27-5) Listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

Mexico regulations This safety data sheet was prepared in accordance with the Official Mexican Standard

(NOM-018-STPS-2000).

16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 2 Instability: 0

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

Yes

Yes

6/6

workers and the environment.

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)