

Eaton S9D3L0A

Catalog Number: S9D3L0A

Eaton Cooper Power series L-cutout, 300A disconnect, Interrupt sym: 8600A Momentary, 27 kV, No brkt, Polymer, BIL: 150 kV, Fuse holder: 300A blade, Bottom: Large eyebolt



General specifications

Product Name	Catalog Number
Eaton Cooper Power series L-cutout	S9D3L0A
UPC	Product Length/Depth
194006033213	19.6 in
Product Height	Product Width
13.5 in	3.75 in
Product Weight	Compliances
12.346 lb	CSA 310-09

Certifications

ANSI/IEEE Std C37.41

ANSI/IEEE Std C37.40

ANSI/IEEE Std C37.42

Accessories

Fusing holder option

300A blade

Additional specifications

Packaging

Individual packaging (standard)

Description

Material (insulation)

Polymer

Termination bottom

Large eyebolt

Electrical Ratings

Amperage Rating

300 A

Basic impulse level

150kV

Interrupting current - asymmetrical

12,000A Momentary

Interrupting current - symmetrical

8600A Momentary

Voltage rating - max

27 kV

Mounting

Mounting Type

No bracket

Type

Cutout type

L-cutout

Resources

Catalogs

[Arrester/flipper fuse combinations catalog](#)

Specifications and datasheets

[Eaton Specification Sheet - S9D3L0A](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia