

3.1.7 Tolerances (SEE NOTE 1)

Diameter over rolling hoops	23-15/32 in. (596 mm) maximum - no min (SEE NOTE 3)
Overall Height	34-3/4 in. ±3/16 in. (883 mm ±4.76 mm)
All other height dimensions	±3/16 in. (±4.76 mm)
Center-to-center fittings	17-1/2 in. ±1/4 in. (444 mm ±6.35 mm)
Convexity to top of head	9/16 in. ±3/16 in. (14.3 mm ±4.76 mm)
All other dimensions	±1/16 in. (±1.59 mm)




Figure 3.1

NOTES:

- (1) All metric units are rounded, where required, in accordance with the procedure given in 2.2.1.2
- (2) This dimension is applicable to both the top and bottom heads.
- (3) The maximum overall diameter of the drum should not exceed 585 mm to fit ISO intermodal containers.
- (4) The overall height is the controlling dimension and does not equal the sum of the increments.

DISTRIBUTED BY:



REF NO.:

DWG31341

DISCLAIMER

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DESCRIPTION:

55 Gallon Black Steel TH Drum, White Cover, Inhibited, w/ 2" and 3/4" Fittings